

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of Europe

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezand, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

- R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.
- P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRYDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810
Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – IT-ITA
[*gardensis* WESTERLUND, 1886; *serratilineus* MENKE, 1828]
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – IT-ITA
[*intextus* A. & J.B. VILLA, 1841]
- *Theodoxus (Theodoxus) fluviatilis sardous* (MENKE, 1830) – IT-SAR
- *Theodoxus (Theodoxus) meridionalis* (PHILIPPI, 1836) – IT-SI

Subclassis Caenogastropoda COX, 1960
Ordo Architaenioglossa HALLER, 1890
Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Cochlostomatidae KOBELT, 1902

Genus *Cochlostoma* JAN, 1830

Subgenus *Cochlostoma* JAN, 1830

- *Cochlostoma (Cochlostoma) henricae henricae* (STROBEL, 1851) – IT-ITA
[*costatogyratus* GREDLER, 1894; *glaucina* GREDLER, 1860; *hüttneri* A.J. WAGNER, 1897; *illasiacus* PINI, 1884; *illyricus* WESTERLUND, 1885; *insigne* DE BETTA, 1870; *plumbeus* WESTERLUND, 1878; *pontebana* STOSSICH, 1895; *pyramidatus* WESTERLUND, 1885; *striatus* WESTERLUND, 1885; *violaceum* DE BETTA, 1870]
- *Cochlostoma (Cochlostoma) henricae lissogyrus* (WESTERLUND, 1881) – IT-ITA
[*strobili* PINI, 1884]
- *Cochlostoma (Cochlostoma) henricae strigillatum* (A.J. WAGNER, 1897) – IT-ITA
- *Cochlostoma (Cochlostoma) scalarinum scalarinum* (A. & J.B. VILLA, 1841) – IT-ITA
[*schmidtii* DE BETTA, 1870; *vallae* WESTERLUND, 1885]
- *Cochlostoma (Cochlostoma) septemspirale septemspirale* (RAZOUKOWSKY, 1789) – IT-ITA
[*agardhi* PINI, 1884; *gardensis* PINI, 1884; *maculatum* DRAPARNAUD, 1805; *valsabbina* GREDLER, 1883]

Subgenus *Obscurella* CLESSIN, 1889

- *Cochlostoma (Obscurella) canestrinii* (ADAMI, 1876) – IT-ITA
[*insubricum* PINI, 1877]

Subgenus *Turritus* WESTERLUND, 1883

- *Cochlostoma (Turritus) adamii* (PAULUCCI, 1879) – IT-ITA
[*gilva* PAULUCCI, 1879; *rudis* PAULUCCI, 1879]
- *Cochlostoma (Turritus) affine* (BENOIT, 1882) – IT-SI
[*eupleurum* WESTERLUND, 1885]
- *Cochlostoma (Turritus) alleryanum* (PAULUCCI, 1879) – IT-SI
- *Cochlostoma (Turritus) crosseanum* (PAULUCCI, 1879) – IT-ITA
[*agriotes* WESTERLUND, 1879; *gualfinensis* DE STEFANI, 1879; *pinianus* DE STEFANI, 1879]
- *Cochlostoma (?Turritus) intermedium* (PINI, 1884) – IT-ITA
- *Cochlostoma (Turritus) montanum montanum* (ISSEL, 1866) – IT-ITA
[*elegantissima* PAULUCCI, 1878; *elongatus* PAULUCCI, 1879; *sospes* WESTERLUND, 1879; *turricula* PAULUCCI, 1878; *uziellii* DE STEFANI, 1879]
- *Cochlostoma (Turritus) montanum cassiniacum* (SAINT-SIMON, 1878) – IT-ITA
- *Cochlostoma (Turritus?) paladilhianum* (SAINT-SIMON, 1869) – IT-SI
[*blancianum* WESTERLUND, 1883; *boettgeri* WESTERLUND, 1885; *caficii* BENOIT, 1882; *eircticum* WESTERLUND, 1892; *ericincola* DE GREGORIO, 1895; *fischerianum* PAULUCCI, 1879; *pirajni* PAULUCCI, 1878]
- *Cochlostoma (Turritus) philippianum* (GREDLER, 1853) – IT-ITA
[*decipiens* DE BETTA, 1870; *pachystoma* DE BETTA, 1870]
- *Cochlostoma (Turritus) porroi porroi* (STROBEL, 1850) – IT-ITA
[*reconditum* PINI, 1884]
- *Cochlostoma (Turritus) porroi gredleri* (WESTERLUND, 1879) – IT-ITA
[*idrina* ADAMI, 1875; *valsabinus* PINI, 1884]
- *Cochlostoma (Turritus) porroi stabilei* (PINI, 1884) – IT-ITA

- *Cochlostoma (Turritus?) sardoum* (WESTERLUND, 1890) – IT-SA
[*apostata* WESTERLUND, 1890; *maltzani* WESTERLUND, 1890; *perdix* WESTERLUND, 1890]
- *Cochlostoma (Turritus) simrothi* (CAZIOT, 1908) – IT-ITA
[*acutus* CAZIOT, 1908; *cazioti* CAZIOT, 1908]
- *Cochlostoma (Turritus) subalpinum* (PINI, 1884) – IT-ITA
- *Cochlostoma (Turritus) tergestinum tortivum* (WESTERLUND, 1885) – IT-ITA
- *Cochlostoma (Turritus) villae* (STROBEL, 1851) – IT-ITA
[*segnis* WESTERLUND, 1885]

Subgenus *Holcopoma* KOBELT & MOELLENDORFF, 1899

- *Cochlostoma (Holcopoma) westerlundi westerlundi* (PAULUCCI, 1879) – IT-ITA
- *Cochlostoma (Holcopoma) westerlundi dionysi* (PAULUCCI, 1879) – IT-SI
- *Cochlostoma (Holcopoma) westerlundi yapigium* (WESTERLUND, 1885) – IT-ITA
[*paganus* WESTERLUND, 1885]

Genus *Striolata* A.J. WAGNER, 1897 [*Toffolettia* GIUSTI, 1971]

- *Striolata striolata* (PORRO, 1840) – IT-ITA
[*arturi* LESSONA, 1880; *contractum* WESTERLUND, 1885; *defilippii* PINI, 1884; *isseli* CAZIOT, 1910; *isselianus* BOURGUIGNAT, 1869; *lunense* DE STEFANI, 1879; *veranyi* LOCARD, 1894]

Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula beneckeae* (ANDREAE, 1883) – IT-ITA
[? *subcostata* PINI, 1884]
- *Acicula benoiti* (BOURGUIGNAT, 1864) – IT-SI
- *Acicula disjuncta* BOETERS, E. GITTENBERGER & SUBAI, 1989 – IT-ITA
- *Acicula lineata sublineata* (ANDREAE, 1883) – IT-ITA
- *Acicula lineolata lineolata* (PINI, 1884) – IT-ITA
[? *alpestris* KOBELT, 1894; *transitoria* PINI, 1884; *villae* STABILE, 1859]
- *Acicula lineolata banki* BOETERS, E. GITTENBERGER & SUBAI, 1989 – IT-ITA
- *Acicula szigethyannae* SUBAI, 1977 – IT-ITA
- *Acicula vezzanii* BODON, 1994 – IT-ITA

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla curtii* (A.J. WAGNER, 1912) – IT-ITA
- *Platyla foliniana* (G. NEVILL, 1879) – IT-ITA
[*emaciata* G. NEVILL, 1879; *pachystoma* G. NEVILL, 1879]
- *Platyla gracilis* (CLESSIN, 1877) – IT-ITA
- *Platyla microspira* (PINI, 1884) – IT-ITA
- *Platyla pezzolii* BOETERS, E. GITTENBERGER & SUBAI, 1989 – IT-ITA
- *Platyla polita polita* (W. HARTMANN, 1840) – IT-ITA, IT-SI
- *Platyla polita regina* (SUBAI, 1977) – IT-ITA
- *Platyla sardoa* CIANFANELLI, TALENTI, BODON & MANGANELLI, 2000 – IT-SAR
- *Platyla similis* (REINHARDT, 1880) – IT-ITA
[*delpretei* PAULUCCI, 1881]
- *Platyla stussineri* (O. BOETTGER, 1884) – IT-ITA
- *Platyla subdiaphana* (BIVONA, 1839) – IT-SI
- *Platyla talentii* BODON & CIANFANELLI, 2008 – IT-ITA

Genus *Renea* G. NEVILL, 1880

- *Renea bourguignatiana* G. NEVILL, 1880 – IT-ITA
- *Renea elegantissima* (PINI, 1886) – IT-ITA

[*bayoni* POLLONERA, 1905]

- *Renea gentilei* (POLLONERA, 1889) – IT-ITA
- *Renea paillona* BOETERS, E. GITTENBERGER & SUBAI, 1989 – IT-ITA
- *Renea spectabilis* (ROSSMÄSSLER, 1839) – IT-ITA
- *Renea veneta* (PIRONA, 1865) – IT-ITA
[*pironae* POLLONERA, 1889]

Superfamilia Viviparoidea J.E. GRAY, 1847

Familia Viviparidae J.E. GRAY, 1847

Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus ater ater* (DE CRISTOFORI & JAN, 1832) – IT-ITA
[*pyramidalis* ROSSMÄSSLER, 1835]
- *Viviparus contectus* (MILLET, 1813) – IT-ITA

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997

Ordo **** (unnamed)

Superfamilia Cerithioidea FLEMING, 1822

Familia Thiaridae TROSCHEL, 1857 (1823)

Genus *Melanooides* OLIVIER, 1804

- *Melanooides tuberculatus* (O.F. MÜLLER, 1774) – IT-ITA

Familia Melanopsidae H. & A. ADAMS, 1854

Genus *Melanopsis* A. FÉRUSAC, 1807

- *Melanopsis etrusca* BROU, 1862 – IT-ITA

Ordo Littorinimorpha PCHELINTSEV, 1963

Superfamilia Littorinoidea CHILDREN, 1834

Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI

Genus *Tudorella* P. FISCHER, 1885

- *Tudorella sulcata sulcata* (DRAPARNAUD, 1801) – IT-SAR, IT-SI
[*reticulatus* KOBELT, 1879]
- *Tudorella sulcata multisulcata* (POTIEZ & MICHAUD, 1838) – IT-SI
- *Tudorella sulcata panormitana* (SACCHI, 1954) – IT-SI

Superfamilia Rissooidea J.E. GRAY, 1847

Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia boisseri* (KÜSTER, 1852) – IT-ITA
- *Bithynia italica* (PAULUCCI, 1880) – IT-ITA
- *Bithynia leachii* (SHEPPARD, 1823) – IT-ITA, IT-SI
- *Bithynia tentaculata* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI

Familia Moitessieriidae BOURGUIGNAT, 1863

Genus *Moitessieria* BOURGUIGNAT, 1863

- *Moitessieria massoti* BOURGUIGNAT, 1863 – IT-SAR
- *Moitessieria simoniana* (SAINT-SIMON, 1848) – IT-ITA

?Genus *Sardopaladilhia* MANGANELLI, BODON, CIANFANELLI, TALENTI & GIUSTI, 1998

- *Sardopaladilhia plagigeyeric*a MANGANELLI, BODON, CIANFANELLI, TALENTI & GIUSTI, 1998 – IT-SAR

Familia Cochliopidae TRYON, 1866
Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

Genus *Heleobia* STIMPSON, 1865

Subgenus *Semisalsa* RADOMAN, 1974

- *Heleobia (Semisalsa) aponensis* (E. VON MARTENS, 1858) – IT-ITA
[*battagliensis* ISSEL, 1906; *euganei* ISSEL, 1906; *tenuis* ISSEL, 1906; *wiedenhoferi* FRAUENFELD, 1853]
- *Heleobia (Semisalsa) foxianensis* (DE STEFANI, 1883) – IT-ITA
- *Heleobia (Semisalsa) spinellii* (GREDLER, 1860) – IT-ITA
- *Heleobia (Semisalsa) stagnorum* (GMELIN, 1791) – IT-ITA, IT-SI

Familia Hydrobiidae STIMPSON, 1865
Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – IT-ITA , IT-SI

Subfamilia Hydrobiinae STIMPSON, 1865

Genus *Hydrobia* W. HARTMANN, 1821

- *Hydrobia acuta* (DRAPARNAUD, 1805) – IT-ITA, IT-SAR, IT-SI

Genus *Ecrobia* STIMPSON, 1865

- *Ecrobia vitrea* (RISSO, 1826) – IT-ITA, IT-SAR, IT-SI

Genus *Salenthydrobia* WILKE, 2003

- *Salenthydrobia ferrerii* WILKE, 2003 – IT-ITA

Genus *Mercuria* BOETERS, 1971

- *Mercuria similis* (DRAPARNAUD, 1805) – IT-ITA, IT-SI
[*confusa* FRAUENFELD, 1863]
- *Mercuria zopissa* (PAULUCCI, 1882) – IT-SAR
[*zinnigasensis* PAULUCCI, 1882]

Genus *Pseudamnicola* PAULUCCI, 1878

Subgenus *Pseudamnicola* PAULUCCI, 1878

- *Pseudamnicola (Pseudamnicola) lucensis* (ISSEL, 1866) – IT-ITA
- *Pseudamnicola (Pseudamnicola) moussonii* (CALCARA, 1841) – IT-ITA, IT-SAR, IT-SI
[*mamillata* PALADILHE, 1869; *salinesii* PHILIPPI, 1844]
- *Pseudamnicola (Pseudamnicola) orsinii* (KÜSTER, 1852) – IT-ITA, IT-SI
[*arethusae* BENOIT, 1882; *manfredoniensis* A.J. WAGNER, 1928; *paulucciae* CLESSIN, 1880]
- *Pseudamnicola (Pseudamnicola) sciaccaensis* GLÖER & BECKMANN, 2007 – IT-SI

Subfamilia Belgrandiinae DE STEFANI, 1877
Tribus Belgrandiini DE STEFANI, 1877

Genus *Sardohoratia* MANGANELLI, BODON, CIANFANELLI, TALENTI & GIUSTI, 1998

- *Sardohoratia islamoides* MANGANELLI, BODON, CIANFANELLI, TALENTI & GIUSTI, 1998 – IT-SAR
- *Sardohoratia sulcata* MANGANELLI, BODON, CIANFANELLI, TALENTI & GIUSTI, 1998 – IT-SAR

Genus *Pezzolia* BODON & GIUSTI, 1986

- *Pezzolia radapalladis* BODON & GIUSTI, 1986 – IT-ITA

Genus *Sadleriana* CLESSIN, 1890

- *Sadleriana fluminensis* (KÜSTER, 1853) – IT-ITA

Genus *Radomaniola* SZAROWSKA, 2006

- *Radomaniola callosa* (PAULUCCI, 1881) – IT-ITA

Genus *Pseudavenionia* BODON & GIUSTI, 1982

- *Pseudavenionia pedemontana* BODON & GIUSTI, 1982 – IT-ITA

Genus *Belgrandia* BOURGUIGNAT, 1869

- *Belgrandia bonelliana* DE STEFANI, 1879 – IT-ITA
- *Belgrandia latina* SETTEPASSI, 1965 – IT-ITA
- *Belgrandia mariatheresiae* GIUSTI & PEZZOLI, 1972 – IT-ITA
- *Belgrandia minuscula* (PAULUCCI, 1881) – IT-ITA
- *Belgrandia stochi* BODON, MANGANELLI & GIUSTI, 1996 – IT-ITA
- *Belgrandia targoniana* (CLESSIN, 1882) – IT-ITA
- *Belgrandia thermalis* (LINNEAUS, 1767) – IT-ITA
[*caprai* GIUSTI, 1970; *controversa* DEL PRETE, 1879; *delpretiana* CLESSIN, 1882; *?minuta* PAULUCCI, 1880; *saviana* ISSEL, 1866]
- *Belgrandia zilchi* SETTEPASSI, 1965 – IT-ITA

Genus *Alzoniella* GIUSTI & BODON, 1984

Subgenus *Alzoniella* GIUSTI & BODON, 1984

- *Alzoniella (Alzoniella) braccoensis* BODON & CIANFANELLI, 2004 – IT-ITA
- *Alzoniella (Alzoniella) cornucopia* (DE STEFANI, 1880) – IT-ITA
- *Alzoniella (Alzoniella) delmastroi* BODON & CIANFANELLI, 2004 – IT-ITA
- *Alzoniella (Alzoniella) fabrianensis* (PEZZOLI, 1969) – IT-ITA
- *Alzoniella (Alzoniella) feneriensis* GIUSTI & BODON, 1984 – IT-ITA
- *Alzoniella (Alzoniella) finalina* GIUSTI & BODON, 1984 – IT-ITA
- "*Alzoniella*" ("*Alzoniella*") *lunensis* BODON & CIANFANELLI, 2002 – IT-ITA
- "*Alzoniella*" ("*Alzoniella*") *manganellii* BODON, CIANFANELLI & TALENTI, 1997 – IT-ITA
- "*Alzoniella*" ("*Alzoniella*") *macrostoma* BODON & CIANFANELLI, 2002 – IT-ITA
- "*Alzoniella*" ("*Alzoniella*") *microstoma* BODON & CIANFANELLI, 2002 – IT-ITA
- *Alzoniella (Alzoniella) sigestra* GIUSTI & BODON, 1984 – IT-ITA

Genus *Litthabitella* BOETERS, 1970

- *Litthabitella chilodia* (WESTERLUND, 1886) – IT-ITA
[*pollinensis* BACCI, 1952]

Genus *Fissuria* BOETERS, 1981

- "*Fissuria*" *planospira* BODON, CIANFANELLI & TALENTI, 1997 – IT-ITA

Tribus Belgrandiellini RADOMAN, 1983

Genus *Graziana* RADOMAN, 1975

- *Graziana alpestris* (FRAUENFELD, 1863) – IT-ITA
[*exilis* PAULUCCI, 1880]
- *Graziana pupula* (WESTERLUND, 1886) – IT-ITA
[*alzonae* A.J. WAGNER, 1928]

Genus *Istriana* VELKOVHR, 1971

- *Istriana mirnae* VELKOVHR, 1971 – IT-ITA

Genus *Arganiella* GIUSTI & PEZZOLI, 1980

- *Arganiella pescei* GIUSTI & PEZZOLI, 1980 – IT-ITA

Genus *Paladilhopsis* PAVLOVIĆ, 1913

- *Paladilhopsis robiciana robiciana* (CLESSIN, 1882) – IT-ITA
- *Paladilhopsis virei* (LOCARD, 1903) – IT-ITA

Genus *Bythiospeum* BOURGUIGNAT, 1882

- *Bythiospeum vallei* (GIUSTI & PEZZOLI, 1976) – IT-ITA

Genus *Iglica* A. J. WAGNER, 1928

Subgenus *Iglica* A.J. WAGNER, 1928

- *Iglica* (?*Iglica*) *concii* (ALLEGRETTI, 1944) – IT-ITA
- *Iglica* (*Iglica*) *forumjuliana* (POLLONERA, 1887) – IT-ITA
- *Iglica* (?*Iglica*) *giustii* BODON & GIOVANELLI, 1995 – IT-ITA
- *Iglica* (*Iglica*) *hauffeni* (BRUSINA, 1886) – IT-ITA
- *Iglica* (?*Iglica*) *pezzolii* BOETERS, 1971 – IT-ITA
- *Iglica* (*Iglica*) *tellinii* (POLLONERA, 1887) – IT-ITA
- *Iglica* (?*Iglica*) *vobarnensis* (PEZZOLI & TOFFOLETTO, 1968) – IT-ITA

Genus *Phreatica* VELKOVHR, 1970

- *Phreatica bolei* VELKOVHR, 1970 – IT-ITA

Tribus Pseudohoratiini RADOMAN, 1973

Genus *Hauffenia* POLLONERA, 1898

- *Hauffenia subpiscinalis* (KUŠČER, 1932) – IT-ITA
- *Hauffenia tellinii* (POLLONERA, 1898) – IT-ITA
[*valvataeformis* POLLONERA, 1898]

Genus *Hadziella* KUŠČER, 1932

- *Hadziella anti* SCHÜTT, 1960 – IT-ITA
- *Hadziella deminuta* BOLE, 1961 – IT-ITA
- *Hadziella ephippiostoma* KUŠČER, 1932 – IT-ITA

Genus *Avenionia* NICOLAS, 1882

- *Avenionia ligustica* GIUSTI & BODON, 1981 – IT-ITA
- *Avenionia parvula* GIUSTI & BODON, 1981 – IT-ITA

Subfamilia Islamiinae RADOMAN, 1973

Genus *Islamia* RADOMAN, 1974

- *Islamia cianensis* BODON, MANGANELLI, SPARACIO & GIUSTI, 1995 – IT-SI
- *Islamia gaiteri* BODON, MANGANELLI, SPARACIO & GIUSTI, 1995 – IT-ITA
- *Islamia piristoma* BODON & CIANFANELLI, 2002 – IT-ITA
- *Islamia pusilla* (PIERSANTI, 1951) – IT-ITA

?Genus *Pauluccinella* GIUSTI & PEZZOLI, 1990

- *Pauluccinella minima* (PAULUCCI, 1881) – IT-ITA
[*reatina* STELLA, 1961]

Familia Amnicolidae TRYON, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Marstoniopsis* VAN REGTEREN ALTENA, 1936

- *Marstoniopsis insubrica* (KÜSTER, 1853) – IT-ITA

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella ligurica* (PALADILHE, 1867) – IT-ITA
[*gaudefroyi* J. MABILLE, 1869]
- *Bythinella opaca opaca* (M. VON GALLENSTEIN, 1848) – IT-ITA
[*schmidtii* KÜSTER, 1852]

Subfamilia Emmericiinae BRUSINA, 1870

Genus *Emmericia* BRUSINA, 1870

- *Emmericia patula* (BRUMATI, 1838) – IT-ITA

Familia Pyrgulidae E. VON MARTENS, 1858
Subfamilia Pyrgulinae E. VON MARTENS, 1858

Genus *Pyrgula* DE CRISTOFORI & JAN, 1832

- *Pyrgula annulata annulata* (LINNAEUS, 1758) – IT-ITA

Familia Truncatellidae J.E. GRAY, 1840
Subfamilia Truncatellinae J.E. GRAY, 1840

Genus *Truncatella* RISSO, 1826

- *Truncatella subcylindrica* (LINNAEUS, 1767) – IT-ITA, IT-SAR, IT-SI
[*costulata* RISSO, 1826; *laevigata* RISSO, 1826; *truncatula* PHILIPPI, 1844]

Familia Assimineidae H. & A. ADAMS, 1856
Subfamilia Assimineinae H. & A. ADAMS, 1856

Genus *Assiminea* FLEMING, 1828

Subgenus *Assiminea* FLEMING, 1828

- *Assiminea (Assiminea) gittenbergeri* VAN AARTSEN, 2008 – IT-ITA
- *Assiminea (Assiminea) grayana* FLEMING, 1828 – IT-ITA

Genus *Paludinella* L. PFEIFFER, 1841

Subgenus *Paludinella* L. PFEIFFER, 1841

- *Paludinella (Paludinella) littorina* (DELLE CHIAJE, 1828) – IT-ITA, IT-SAR, IT-SI
- *Paludinella (Paludinella) sicana* (BRUGNONE, 1876) – IT-ITA, IT-SI

Subclassis Heterobranchia BURMEISTER, 1837
 Ordo Allogastropoda HASZPRUNAR, 1985
 Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – IT-ITA, IT-SI
 [*delpretiana* PAULUCCI, 1878; *planorbis* DRAPARNAUD, 1801]

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
- *Valvata (Cincinna?) saulcyi* BOURGUIGNAT, 1853 – IT-SI
- *Valvata (Cincinna) studeri* BOETERS & FALKNER, 1998 – IT-ITA

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
 Ordo Hygrophila A. FÉRUSAC, 1822
 Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – IT-ITA, IT-SI
- *Acroloxus tetensi* (KUŠČER, 1832) – IT-ITA

Superfamilia Lymnaeioidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
 Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
 [*minutus* DRAPARNAUD, 1801]

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola corvus* (GMELIN, 1791) – IT-ITA
- *Stagnicola fuscus* (C. PFEIFFER, 1821) – IT-ITA, IT-SI
- *?Stagnicola palustris* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI

Genus *Radix* MONTFORT, 1810

- *Radix auricularia* (LINNAEUS, 1758) – IT-ITA, IT-SAR
- *Radix balthica* (LINNAEUS, 1758) – IT
- *Radix labiata* (ROSSMÄSSLER, 1835) – IT

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – IT-ITA

Genus *Pseudosuccinea* F.C. BAKER, 1908

- *Pseudosuccinea columella* (SAY, 1817) – IT-ITA

Superfamilia Planorboidea RAFINESQUE, 1815

Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833

Tribus Physini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – IT-ITA

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – IT-ITA, IT-SAR, IT-SI

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – IT-ITA

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Bulinini P. FISCHER & CROSSE, 1880

Genus *Bulinus* O.F. MÜLLER, 1781

Subgenus *Isidora* EHRENBERG, 1831

- *Bulinus (Isidora) truncatus rivularis* (PHILIPPI, 1836) – IT-SAR, IT-SI
[*cyaneus* PIRAJNO, 1842; *meneghinianus* PAULUCCI, 1882; *saeprusanus* PAULUCCI, 1882;
tapparonianus PAULUCCI, 1882]

Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – IT-ITA

Genus *Planorbella* HALDEMAN, 1843

- *Planorbella duryi* (WETHERBY, 1879) – IT-ITA, IT-SI

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancylus* IREDALE, 1943

- *Ferrissia (Pettancylus) wautieri* (MIROLLI, 1960) – IT-ITA, IT-SAR
[*wautieri* MIROLLI, 1960]

Subfamilia Planorbinae RAFINESQUE, 1815
Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* (O.F. MÜLLER, 1774) – IT-ITA
- *Planorbis (Planorbis) moquini* REQUIEN, 1848 – IT-ITA, IT-SAR, IT-SI
[?*agraulus* BOURGUIGNAT, 1864; ?*brondeli* RAYMOND, 1853; ?*numidicus* BOURGUIGNAT, 1864]
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*philippianus* CAZIOT, 1903; *philippii* GERMAIN, 1908; *subangulatus* PHILIPPI, 1844; *umbilicatus* O.F. MÜLLER, 1774]

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – IT-ITA
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – IT-ITA
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*tiberii* DE STEFANI, 1883]

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – IT-ITA
- *Anisus (Disculifer) vorticulus* (TROSCHER, 1834) – IT-ITA

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – IT-ITA

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSSAC, 1807) – IT-ITA
[*gredleri* GREDLER, 1860]
- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – IT-ITA
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – IT-ITA

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – IT-ITA

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – IT-ITA

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – IT-ITA, IT-SAR, IT-SI

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990
 Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)
Familia Ellobiidae L. PFEIFFER, 1854 (1822)
 Subfamilia Pythiinae ODHNER, 1925 (1880)

Genus *Myosotella* MONTEROSATO, 1906

- *Myosotella myosotis* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
 [*biasoletiana* KÜSTER, 1844; *kutschigiana* KÜSTER, 1844; *obsoleta* L. PFEIFFER, 1854;
payraudeaui L. PFEIFFER, 1854]

Genus *Ovatella* BIVONA, 1832

- *Ovatella firminii* (PAYRAUDEAU, 1827) – IT-ITA, IT-SAR, IT-SI

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

Genus *Leucophytia* WINCKWORTH, 1949

- *Leucophytia bidentata* (MONTAGU, 1808) – IT-ITA, IT-SAR, IT-SI
 [*bivonae* PHILIPPI, 1844]

Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) biondii* PAULUCCI, 1882 – IT-SAR
- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – IT-ITA
 [*inflata* HARTMANN, 1841; *passiriensis* SCHROTT, 1935; *rayianum* BOURGUIGNAT, 1857]
- *Carychium (Carychium) paganettii* ZIMMERMANN, 1925 – IT-ITA, IT-SI

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia?) hellenicum* BANK & E. GITTENBERGER, 1985 – IT-ITA
- *Carychium (Saraphia) mariae* PAULUCCI, 1878 – IT-ITA
- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – IT-ITA
 [*elongatum* A. & G.B. VILLA, 1841; *nanum* KÜSTER, 1841; *striolatum* BOURGUIGNAT, 1857]

Genus *Zospeum* BOURGUIGNAT, 1856

- *Zospeum allegrettii* CONCI, 1956 – IT-ITA
- *Zospeum cariadeghense* ALLEGRETTI, 1944 – IT-ITA
- *Zospeum galvagnii* CONCI, 1956 – IT-ITA
- *Zospeum globosum* KUŠČER, 1928 – IT-ITA
- *Zospeum isselianum* POLLONERA, 1887 – IT-ITA
- *Zospeum lautum* (FRAUENFELD, 1854) – IT-ITA
- *Zospeum spelaeum costatum* (FREYER, 1855) – IT-ITA
 [*lyratum* POLLONERA, 1905; *tellinii* POLLONERA, 1889; *venetum* POLLONERA, 1905]
- *Zospeum spelaeum schmidtii* (FRAUENFELD, 1854) – IT-ITA
 [*auritum* STOSSICH, 1898; *istriatum* STOSSICH, 1898]
- *Zospeum trebicianum* STOSSICH, 1899 – IT
- *Zospeum turriculatum* ALLEGRETTI, 1944 – IT-ITA

Ordo Stylommatophora A. SCHMIDT, 1855
 Subordo Elasmognatha MÖRCH, 1863

Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – IT-ITA
[*amphibia* DRAPARNAUD, 1801; *angusta* KOBELT, 1880; *succinea* O.F. MÜLLER, 1774; *vitrea* PAULUCCI, 1882]

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – IT-ITA
[*droueti* DUMONT & MORTILLET, 1857]

Genus *Oxyloma* WESTERLUND, 1885

Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – IT-ITA, IT-SAR, IT-SI
[*baudoniana* PINI, 1879; *benoitii* PAULUCCI, 1881; *bonii* PICAGLIA, 1891; *contortula* BAUDON, 1877; *debilis* L. PFEIFFER, 1859; *inconcinna* PAULUCCI, 1881; *intricata* PAULUCCI, 1882; *major* RISSO, 1826; *mediolanensis* L. PFEIFFER, 1853; *megalonyxia* BOURGUIGNAT, 1860; *mortilleti* STABILE, 1864; *ochracea* DE BETTA, 1852; *pfeifferi* ROSSMÄSSLER, 1834; *rubiginea* PAULUCCI, 1881; *sophiae* BENOIT, 1882; *stagnalis* GASSIES, 1867; *suburbana* WESTERLUND, 1885; *succinea* S. STUDER, 1820]
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – IT-ITA

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – IT-ITA
[*bettae* GREGLER, 1856]

Subordo Orthurethra PILSBRY, 1900
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
Subfamilia Cochlicopidae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
- *Cochlicopa lubricella* (PORRO, 1838) – IT-ITA, IT-SAR, IT-SI

Subfamilia Azecinae H. WATSON, 1920

Genus *Azeca* FLEMING, 1828

- *Azeca goodalli* (A. FÉRUSAC, 1821) – IT-ITA
[*menkeanum* C. PFEIFFER, 1821]

Genus *Hypnophila* BOURGUIGNAT, 1858

- *Hypnophila bisacchii* GIUSTI, 1970 – IT-SAR
- *Hypnophila cylindrica* (CALCARA, 1840) – IT-SI
- *Hypnophila dohrni* (PAULUCCI, 1882) – IT-ITA, IT-SAR
[*etrusca* PAULUCCI, 1886]
- *Hypnophila emiliana* (BOURGUIGNAT, 1858) – IT-SI
- *Hypnophila girottii* ESU, 1978 – IT-SAR

- *Hypnophila incerta* (BOURGUIGNAT, 1858) – IT-SI

Superfamilia Pupilloidea TURTON, 1831
Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840

Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – IT-ITA, IT-SAR, IT-SI
 [*gracilis* ISSEL, 1866; *misella* PAULUCCI, 1882; *translucida* PAULUCCI, 1882; *umbilicata* DRAPARNAUD, 1801; *villae* KÜSTER, 1849; ?*vulcanica* KÜSTER, 1849]
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – IT-ITA, IT-SAR
 [*dilucida* ROSSMÄSSLER, 1837; *vallisnerii* DE STEFANI, 1879]

Familia Orculidae PILSBRY, 1918
 Subfamilia Orculinae PILSBRY, 1918

Genus *Orcula* HELD, 1838

- *Orcula conica* (ROSSMÄSSLER, 1837) – IT-ITA
- *Orcula dolium dolium* (DRAPARNAUD, 1801) – IT-ITA
- *Orcula gularis gularis* (ROSSMÄSSLER, 1837) – IT-ITA
- *Orcula spoliata* (ROSSMÄSSLER, 1837) – IT-ITA
 [*pollonerae* PINI, 1884]

Genus *Orculella* STEENBERG, 1925

- *Orculella templorum templorum* (BENOIT, 1862) – IT-SI

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – IT-ITA, IT-SAR
 [*excessiva* PIRONA, 1865; *singularis* MONTEROSATO, 1908]

Genus *Pagodulina* CLESSIN, 1876

- *Pagodulina austeniana austeniana* (G. NEVILL, 1880) – IT-ITA
 [*laeviuscula* MOQUIN-TANDON, 1856; *terveri* ZILCH, 1947]
- *Pagodulina austeniana adamii* (WESTERLUND, 1887) – IT-ITA
 [*perplicata* STERKI, 1894]
- *Pagodulina austeniana marginans* KLEMM, 1939 – IT-ITA
- *Pagodulina sparsa* PILSBRY, 1924 – IT-ITA
 [*obliqua* WESTERLUND, 1887]
- *Pagodulina subdola subdola* (GREDLER, 1856) – IT-ITA
 [*adaucta* DE BETTA, 1870]

Subfamilia Odontocycladinae HAUSDORF, 1996

Genus *Odontocyclas* SCHLÜTER, 1838

- *Odontocyclas kokeilii* (ROSSMÄSSLER, 1837) – IT-ITA
 [*mitescens* WESTERLUND, 1887]

Genus *Walklea* E. GITTENBERGER, 1978

- *Walklea rossmaessleri* (ROSSMÄSSLER, 1838) – IT-ITA

Familia Argnidae HUDEC, 1965

Genus *Argna* COSSMANN, 1889

- *Argna biplicata biplicata* (MICHAUD, 1831) – IT-ITA
[*margidens* WESTERLUND, 1887; *pollonerae* FLACH, 1890; *toscanae* POLLONERA, 1887]
- *Argna biplicata excessiva* (GREDLER, 1856) – IT-ITA
- *Argna bourguignatiana* (G. NEVILL, 1880) – IT-ITA
[*ligustica* POLLONERA, 1896]
- *Argna ferrari ferrari* (PORRO, 1838) – IT-ITA
[*elongata* PORRO, 1838; *guttula* PORRO, 1838]
- *Argna ferrari blanci* (BOURGUIGNAT, 1874) – IT-ITA
- *Argna valsabina* (SPINELLI, 1851) – IT-ITA
[*spinellii* GREDLER, 1889]

Genus *Agardhiella* P. HESSE, 1923

- *Agardhiella truncatella* (L. PFEIFFER, 1841) – IT-ITA

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – IT-ITA
[*helvetica* STERKI, 1893]
- *Vallonia enniensis* (GREDLER, 1856) – IT-ITA
- *Vallonia excentrica* STERKI, 1893 – IT-ITA, IT-SAR
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*inornata* STABILE, 1859; *potua* NARDO, 1847]
- *Vallonia suevica* GEYER, 1908 – IT-ITA

Genus *Gittenbergia* GIUSTI, CASTAGNOLO & MANGANELLI, 1985

- *Gittenbergia sororcula* (BENOIT, 1859) – IT-ITA, IT-SI
[*arena* L. PFEIFFER, 1870; *astoma* O. BOETTGER, 1909]

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1837

- *Acanthinula aculeata* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*granatelli* BIVONA, 1839]

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – IT-ITA
[*madida* GREDLER, 1856]
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – IT-ITA, IT-SI
[*elongata* CLESSIN, 1876; *marginata* DRAPARNAUD, 1801]
- *Pupilla (Pupilla) sterrii* (VOITH, 1840) – IT-ITA
[*striatissima* GREDLER, 1856]
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – IT-ITA
[*bidentata* WESTERLUND, 1876; *edentata* WESTERLUND, 1876; *unidentata* WESTERLUND, 1876]

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula cephalonica* (WESTERLUND, 1898) – IT-ITA
- *Pyramidula pusilla* (VALLOT, 1801) – IT-ITA, IT-SAR, IT-SI
[*pini* ADAMI, 1886; *spirula* A. & G.B. VILLA, 1841]
- *Pyramidula rupestris* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI

Familia Pleurodiscidae WENZ, 1923

Genus *Pleurodiscus* WENZ, 1919

- *Pleurodiscus balmei* (POTIEZ & MICHAUD, 1835) – IT-ITA, IT-SI
[*flavida* ROSSMÄSSLER, 1839; *gabrielensis* DE GREGORIO, 1896; *teresae* BENOIT, 1843]

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granopupa* O. BOETTGER, 1889

- *Granopupa granum* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
[*lopedusae* MONTEROSATO, 1892; *meridionalis* ADAMI, 1886; *poulseni* WESTERLUND, 1887; *sardoa* CANTRAINE, 1840; *subulata* BIVONA, 1840]

Genus *Granaria* HELD, 1838

- *Granaria frumentum apennina* (KÜSTER, 1847) – IT-ITA
- *Granaria frumentum illyrica* (ROSSMÄSSLER, 1835) – IT-ITA
[*castanea* GREDLER, 1879; *curta* KÜSTER, 1843; *crassilabris* DE BETTA, 1852; *elongata* ROSSMÄSSLER, 1837; *gigantea* SCHRÖDER, 1911]
- *Granaria stabilei stabilei* (E. VON MARTENS, 1865) – IT-ITA
[*blanci* POLLONERA, 1885; *isseli* CAZIOT, 1910; *limonensis* WESTERLUND, 1887; *mortilleti* STABILE, 1864; *simoni* O. BOETTGER, 1884]
- *Granaria variabilis* (DRAPARNAUD, 1801) – IT-ITA
[*orthostoma* PIERSANTI, 1927; *plagiostoma* PIERSANTI, 1927; *polita* RISSO, 1826; *sillarensis* PIERSANTI 1927]

Genus *Solatopupa* PILSBRY, 1917

- *Solatopupa guidoni simonettae* (GIUSTI, 1970) – IT-ITA, IT-SAR
- *Solatopupa juliana* (ISSEL, 1866) – IT-ITA
[*achinolfi* STEENBERG, 1925]
- *Solatopupa pallida* (ROSSMÄSSLER, 1842) – IT-ITA
[*amicta* L. PFEIFFER, 1854; *dentiens* ALBERS, 1860; *excelsa* ISSEL, 1881; *tridentata* ROSSMÄSSLER, 1859]
- *Solatopupa psarolena* (BOURGUIGNAT, 1858) – IT-ITA
[*cinereus* MORTILLET, 1851; *mortilleti* E. VON MARTENS, 1860]
- *Solatopupa similis* (BRUGUIÈRE, 1792) – IT-ITA
[*cinerea* DRAPARNAUD, 1801; *octoplicata* LESSONA, 1880; *juliana* ISSEL, 1866; *minoricensis* WESTERLUND, 1887; *porcellata* WESTERLUND, 1890; *septemPLICATA* LESSONA, 1880; *variegella* L. PFEIFFER, 1848]

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida secale secale* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – IT-ITA

- *Chondrina avenacea avenacea* (BRUGUIÈRE, 1792) – IT-ITA, IT-SAR, IT-SI
[*apwana* ISSEL, 1866; *avena* DRAPARNAUD, 1805; *cocchi* BENOIT, 1882; *elatior* PAULUCCI, 1881; *lucana* DELLE CHIAJE, 1830; *?onusta* ADAMI, 1886; *sicula* DE GREGORIO, 1895; *transiens* CLESSIN, 1887]
- *Chondrina avenacea istriana* EHRMANN, 1931 – IT-ITA
- *Chondrina avenacea latilabris* (STOSSICH, 1895) – IT-ITA
- *Chondrina avenacea lepta* (WESTERLUND, 1887) – IT-ITA
[*?elongata* STOSSICH, 1899; *melanostoma* WESTERLUND, 1887]
- *Chondrina avenacea lessinica* (ADAMI, 1885) – IT-ITA
- *Chondrina avenacea veneta* H. NORDSIECK, 1962 – IT-ITA
- *Chondrina bergomensis* (KÜSTER, 1850) – IT-ITA
[*bergamatensis* STROBEL, 1851; *lepida* WESTERLUND, 1878]
- *Chondrina generosensis* H. NORDSIECK, 1962 – IT-ITA
- *Chondrina megacheilos megacheilos* (DE CRISTOFORI & JAN, 1832) – IT-ITA
[*major* PINI, 1876; *maxima* PINI, 1876; *media* PINI, 1876; *minor* PINI, 1876; *tricolor* A & G.B. VILLA, 1841]
- *Chondrina megacheilos avenoides* (WESTERLUND, 1874) – IT-ITA
[*?lessinica* ADAMI, 1886; *megacheiloides* CLESSIN, 1887; *plicatula* ADAMI, 1885; *rivana* SCHRÖDER, 1913; *tirolica* WESTERLUND, 1897; *transiens* WESTERLUND, 1887]
- *Chondrina megacheilos caziotana* PILSBRY, 1918 – IT-ITA
[*labiosa* CAZIOT, 1910; *maritima* LOCARD, 1894]
- *Chondrina megacheilos frassineiana* NARDI, 2009 – IT-ITA
- *Chondrina megacheilos toscolana* (SCHRÖDER, 1913) – IT-ITA
- *Chondrina multidentata multidentata* (STROBEL, 1851) – IT-ITA
[*circumplicata* WESTERLUND, 1875]
- *Chondrina multidentata gredleriana* (STROBEL, 1851) – IT-ITA
- *Chondrina multidentata schista* (WESTERLUND, 1887) – IT-ITA
[*orientalis* H. NORDSIECK, 1962]
- *Chondrina oligodonta* (DEL PRETE, 1879) – IT-ITA

Genus *Rupestrella* MONTEROSATO, 1894

- *Rupestrella homala homala* (WESTERLUND, 1892) – IT-SI
[*refuga* WESTERLUND, 1892]
- *Rupestrella homala falkneri* BECKMANN, 2002 – IT-SI
- *Rupestrella homala massae* BECKMANN, 2002 – IT-SI
- *Rupestrella jaeckeli* BECKMANN, 2002 – IT-SI
- *Rupestrella occulta occulta* (ROSSMÄSSLER, 1839) – IT-SI
[*unicarinata* POTIEZ & MICHAUD, 1836]
- *Rupestrella occulta gibilfunnensis* (DE GREGORIO, 1895) – IT-SI
[*albidocostata* WESTERLUND, 1897; *scalaris* PAULUCCI, 1878]
- *Rupestrella philippii philippii* (CANTRAINED, 1841) – IT-ITA, IT-SAR, IT-SI
[*caprearum* ROSSMÄSSLER, 1842; *exigua* MOUSSON, 1859]
- *Rupestrella rupestris rupestris* (PHILIPPI, 1836) – IT-SI
[*scalaris* BENOIT, 1875]
- *Rupestrella rupestris carolae* BECKMANN, 2002 – IT-SI
- *Rupestrella rupestris coloba* (PILSBRY, 18918) – IT-SI
- *Rupestrella rupestris lamellosa* BECKMANN, 2002 – IT-SI
- *Rupestrella rupestris margritae* BECKMANN, 2002 – IT-SI

Familia *Vertiginidae* FITZINGER, 1833
Subfamilia *Vertigininae* FITZINGER, 1833
Tribus *Truncatellinini* STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – IT-ITA
- *Columella columella* (G. VON MARTENS, 1830) – IT-ITA

[*gredleri* CLESSIN, 1873]

- *Columella edentula* (DRAPARNAUD, 1805) – IT-ITA

Genus *Truncatellina* R.T. LOWE, 1852

- *Truncatellina callicratis* (SCACCHI, 1833) – IT-ITA, IT-SAR, IT-SI
[*dinii* DE STEFANI, 1883; *marcuccii* DE STEFANI, 1883; *nodosaria* DE STEFANI, 1883; *rivierana* BENSON, 1854; *simii* DE STEFANI, 1883; *strobili* GREDLER, 1853; *zanellia* BENOIT, 1858]
- *Truncatellina claustralis* (GREDLER, 1856) – IT-ITA
[*anodus* GREDLER, 1856; *salurnensis* REINHARDT, 1877]
- *Truncatellina cylindrica* (A. FÉRUSSAC, 1807) – IT-ITA, IT-SAR, IT-SI
[*minutissima* W. HARTMANN, 1821; *monodonta* POLLONERA, 1885; *odontostoma* WESTERLUND, 1875]
- *Truncatellina monodon* (HELD, 1837) – IT-ITA
[*striata* GREDLER, 1856]

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – IT-ITA
[*leontina* GREDLER, 1856; *shuttleworthiana* L. PFEIFFER, 1847]
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
[*aequidentata* POLLONERA, 1885; *cisalpina* POLLONERA, 1885; *ferox* WESTERLUND, 1887; *irregularis* POLLONERA, 1885; *octodentata* S. STUDER, 1820; *padana* POLLONERA, 1885; *sexdentatus* MONTAGU, 1803]
- *Vertigo (Vertigo) genesii* (GREDLER, 1856) – IT-ITA
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – IT-ITA
- *Vertigo (Vertigo) modestica arctica* (WALLENBERG, 1858) – IT-ITA
[*eggeri* GREDLER, 1890; *tirolensis* GREDLER, 1869; *zschokkei* BÜTIKOFER, 1920]
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – IT-ITA, IT-SAR
[*charpentieri* KÜSTER, 1850; *küsteriana* WESTERLUND, 1974; *laevigata* M. VON GALLENSTEIN, 1848 *ventrosa* HEYNEMANN, 1862]
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – IT-ITA, IT-SI
[*vertigo* GMELIN, 1791]
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR
[*athesina* GREDLER, 1856; *ausonia* DE STEFANI, 1883; *quadridens* WESTERLUND, 1871; *sarena* GREDLER, 1856]
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – IT-ITA
[*sextana* GREDLER, 1872]

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – IT-ITA
[*hamata* HELD, 1837; *plicata* A. MÜLLER, 1838; *venetzi* CHARPENTIER, 1837]

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)

Familia Enidae B.B. WOODWARD, 1903 (1880)

Subfamilia Eninae B.B. WOODWARD, 1903 (1880)

Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Pseudochondrula* P. HESSE, 1933

- *Pseudochondrula seductilis seductilis* (ROSSMÄSSLER, 1837) – IT-ITA

Genus *Jaminia* Risso, 1826

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR

[*dextrorsa* GREDLER, 1877; *heterostropha* RISSO, 1826; *niso* RISSO, 1826]

- *Jaminia quadridens elongata* (MOQUIN-TANDON, 1856) – IT-ITA
[*prolixus* PINI, 1879]

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – IT-ITA

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*columellaris* WESTERLUND, 1887; *excessivus* PIRONA, 1865]

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita* (O.F. MÜLLER, 1774) – IT-ITA
[*radiatus* BRUGUIÈRE, 1789; *sepium* GMELIN, 1791]

Genus *Chondrula* H. BECK, 1837

- *Chondrula quinquedentata quinquedentata* (ROSSMÄSSLER, 1837) – IT-ITA
- *Chondrula tridens* (O.F. MÜLLER, 1774) – IT-ITA
[*eximia* ROSSMÄSSLER, 1835; *rufa* MONTEROSATO, 1908; *unidentata* ISSEL, 1866]

Genus *Mastus* H. BECK, 1837

- *Mastus pupa* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*lopadusae* MONTEROSATO, 1892; *ovoidea-minor* MONTEROSATO, 1892; *regularis* MONTEROSATO, 1892; *usticensis* MONTEROSATO, 1892]

Subordo **** (unnamed)

Superfamilia Achatinoidea SWAINSON, 1840

Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSSAC, 1814

Subgenus *Cecilioides* A. FÉRUSSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*aciculoides* DE CRISTOFORI & JAN, 1832; *eburnea* RISSO, 1826; *lauta* PAULUCCI, 1886; *liesvillei* BOURGUIGNAT, 1856]
- *Cecilioides (Cecilioides) actoniana* (BENOIT, 1862) – IT-SI
- *Cecilioides (Cecilioides) bourguignatiana* (BENOIT, 1862) – IT-SI
- *Cecilioides (Cecilioides) pettitiana* (BENOIT, 1862) – IT-ITA, IT-SI
- *Cecilioides (Cecilioides) raphidia sicula* BECKMANN & FALKNER, 2008 – IT-SI
- *Cecilioides (Cecilioides) rizeana* (BENOIT, 1862) – IT-SI
- *Cecilioides (Cecilioides) stephaniana* (BENOIT, 1862) – IT-SI
- *Cecilioides (Cecilioides) veneta* (STROBEL, 1855) – IT-ITA, IT-SAR
[*janii* DE BETTA & MARTINATI, 1855; *gredleri* KÜSTER, 1870; *moitessieri* BOURGUIGNAT, 1866]

Genus *Hohenwartiana* BOURGUIGNAT, 1864 [*Hohenwarthia* A. LETOURNEUX & BOURGUIGNAT, 1887]

- *Hohenwartiana aradasiana* (BENOIT, 1862) – IT-SI
[*elegans* BENOIT, 1882]
- *Hohenwartiana hohenwarti* (ROSSMÄSSLER, 1839) – IT-ITA, IT-SAR, IT-SI
[*psilia* BOURGUIGNAT, 1864]

Genus *Ferussacia* RISSO, 1826
Subgenus *Ferussacia* RISSO, 1826

- *Ferussacia (Ferussacia) folliculus* (GMELIN, 1791) – IT-ITA, IT-SAR, IT-SI
[*denarensis* DE GREGORIO, 1896; *elongata* MONTEROSATO, 1892; *gronoviana* RISSO, 1826;
lanceolata BOURGUIGNAT, 1864; *nebrodensis* BENOIT, 1862; *regularis* BOURGUIGNAT, 1860;
vescoi BOURGUIGNAT, 1856]

Subgenus *Pegea* RISSO, 1826

- *Ferussacia (Pegea) carnea* (RISSO, 1826) – IT-ITA, IT-SI
[*paulucciana* POLLONERA, 1905; *subcarnea* POLLONERA, 1905]

Familia Subulinidae P. FISCHER & CROSSE, 1877

Subfamilia Rumininae WENZ, 1923

Genus *Rumina* RISSO, 1826

- *Rumina decollata* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*cruda* MONTEROSATO, 1892; *cylindrica* MONTEROSATO, 1892; *pellucida* MONTEROSATO, 1892;
solida MONTEROSATO, 1892]

Subordo Sigmurethra PILSBRY, 1900
Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
Subfamilia Alopiinae A.J. WAGNER, 1913
Tribus Medorini H. NORDSIECK, 1997

Genus *Medora* H. & A. ADAMS, 1855

- *Medora italiana italiana* (KÜSTER, 1847) – IT-ITA
[*platycephala* PAULUCCI, 1881; *platychela* WESTERLUND, 1884]
- *Medora italiana garganensis* (A.J. WAGNER, 1918) – IT-ITA
- *Medora italiana kobelti* H. NORDSIECK, 1970 – IT-ITA
- *Medora italiana milettiana* GIUSTI, 1967 – IT-ITA
- *Medora italiana punctulata* (KÜSTER, 1850) – IT-ITA
[*coerulescens* WESTERLUND, 1878; *orsiniana* A. SCHMIDT, 1868]

Genus *Lampedusa* O. BOETTGER, 1877

Subgenus *Lampedusa* O. BOETTGER, 1877

- *Lampedusa (Lampedusa) lopadusae* (CALCARA, 1846) – IT-SI
[*lampedusae* ROSSMÄSSLER, 1858; *nodulosa* MONTEROSATO, 1892; *pallidescens* A. SCHMIDT,
1868; *solidula* MONTEROSATO, 1892]

Genus *Muticaria* LINDHOLM, 1925

- *Muticaria neuteboomi* BECKMANN, 1990 – IT-SI
- *Muticaria syracusana* (PHILIPPI, 1836) – IT-SI

Genus *Leucostigma* A.J. WAGNER, 1919

- *Leucostigma candidescens candidescens* (ROSSMÄSSLER, 1835) – IT-ITA
[*cinerea* PHILIPPI, 1836; *ominosa* ROSSMÄSSLER, 1835]
- *Leucostigma candidescens convertita* (FLACH, 1907) – IT-ITA
- *Leucostigma candidescens dextromira* H. NORDSIECK, 2011 – IT-ITA
- *Leucostigma candidescens leucostigma* (ROSSMÄSSLER, 1836) – IT-ITA
[*bulimella* PAULUCCI, 1878; *candidilabris* A. & G.B. VILLA, 1841; ?*flava* KÜSTER, 1857; ?*impura*

- KÜSTER, 1857; *marsicana* TIBERI, 1872; *vestina* TIBERI, 1872]
- *Leucostigma candidescens megachilus* (PAULUCCI, 1881) – IT-ITA
 - *Leucostigma candidescens monticola* H. NORDSIECK, 2011 – IT-ITA
 - *Leucostigma candidescens opalina* (ROSSMÄSSLER, 1836) – IT-ITA
 - *Leucostigma candidescens paraconvertita* H. NORDSIECK, 2011 – IT-ITA
 - *Leucostigma candidescens samnitica* (ROSSMÄSSLER, 1842) – IT-ITA

Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSSAC, 1821

Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) dubiosa dubiosa* (CLESSIN, 1882) – IT-ITA
[*klemmi* E. GITTENBERGER, 1967]
- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – IT-ITA
[*silensis* PINI, 1884]

Subgenus *Stabilea* DE BETTA, 1870

- *Cochlodina (Stabilea) costata curta* (ROSSMÄSSLER, 1836) – IT-ITA
[*subcostata* O. BOETTGER, 1879; *zeii* BOLE, 1969]
- *Cochlodina (Stabilea) costata fusca* (DE BETTA, 1852) – IT-ITA
- *Cochlodina (Stabilea) costata natisonensis* H. NORDSIECK, 2007 – IT-ITA
- *Cochlodina (Stabilea) costata psila* (WESTERLUND, 1884) – IT-ITA
- *Cochlodina (Stabilea) costata unguolata* (ROSSMÄSSLER, 1835) – IT-ITA
[*cinerea* WESTERLUND, 1878; *commutata* ROSSMÄSSLER, 1836; *singularis* O. BOETTGER, 1879]
- *Cochlodina (Stabilea) fimbriata fimbriata* (ROSSMÄSSLER, 1835) – IT-ITA
[*pallida* ROSSMÄSSLER, 1835; *phalerata* F.J. SCHMIDT, 1847; *saturata* F.J. SCHMIDT, 1847; *styriaca* L. PFEIFFER, 1868; *virens* MENKE, 1830]
- *Cochlodina (Stabilea) triloba* (O. BOETTGER, 1870) – IT-ITA

Subgenus *Cochlodinastra* H. NORDSIECK, 1977

- *Cochlodina (Cochlodinastra) comensis comensis* (L. PFEIFFER, 1850) – IT-ITA
- *Cochlodina (Cochlodinastra) comensis lucensis* (GENTILUOMO, 1868) – IT-ITA
[*interposita* STROBEL, 1878; *regnolii* DE STEFANI, 1883]
- *Cochlodina (Cochlodinastra) comensis trilamellata* (A. SCHMIDT, 1868) – IT-ITA

Subgenus *Procochlodina* H. NORDSIECK, 1969

- *Cochlodina (Procochlodina) bidens* (LINNAEUS, 1758) – IT-ITA
[*adamii* CLESSIN, 1877; *incisa* KÜSTER, 1876; *ligurica* PINI, 1884; *?targionii* DE STEFANI, 1883]
- *Cochlodina (Procochlodina) kuesteri kuesteri* (ROSSMÄSSLER, 1836) – IT-SAR
[*sancta* PAULUCCI, 1882; *sarda* VILLA, 1836; *sophiae* PAULUCCI, 1882]
- *Cochlodina (Procochlodina) kuesteri sassariensis* H. NORDSIECK, 1969 – IT-SAR

Tribus Delimini R. BRANDT, 1956

Genus *Delima* W. HARTMANN, 1842

Subgenus *Piceata* O. BOETTGER, 1877

- *Delima (Piceata) piceata* (ROSSMÄSSLER, 1836) – IT-ITA
[*adaucta* A. & G.B. VILLA, 1841; *gularis* KÜSTER, 1875]

Subgenus *Delima* W. HARTMANN, 1842

- *Delima (Delima) binotata binotata* (ROSSMÄSSLER, 1836) – IT-ITA
[*bipustulata* A. SCHMIDT, 1868; *subcrenata* CHARPENTIER, 1852]

Subgenus *Semirugata* O. BOETTGER, 1877

- *Delima (Semirugata) bilabiata biasoletiana* (CHARPENTIER, 1852) – IT-ITA
[*agnella* CHARPENTIER, 1852; *pygmaea* ROSSMÄSSLER, 1836]

Genus *Dilataria* VEST, 1867

- *Dilataria boettgeriana* (PAULUCCI, 1878) – IT-ITA
- *Dilataria succineata succineata* (ROSSMÄSSLER, 1836) – IT-ITA

Genus *Charpentieria* STABILE, 1864

Subgenus *Charpentieria* STABILE, 1864

- *Charpentieria (Charpentieria) clavata clavata* (ROSSMÄSSLER, 1836) – IT-ITA
[*costulata* DE CRISTOFORI & JAN, 1832; *lamellosa* VILLA, 1841]
- *Charpentieria (Charpentieria) clavata balsamo* (STROBEL, 1850) – IT-ITA
- *Charpentieria (Charpentieria) clavata lorinae* (GREDLER, 1869) – IT-ITA
[*ampolae* GREDLER, 1878; *inolae* GREDLER, 1891; *lorinesis* WESTERLUND, 1878; *montuosa* KÄUFEL, 1928; *tombeana* GREDLER, 1891; *trepida* KÄUFEL, 1928]
- *Charpentieria (Charpentieria) clavata tiesenhauseni* (GREDLER, 1885) – IT-ITA
- *Charpentieria (Charpentieria) clavata variscoi* (PINI, 1883) – IT-ITA
- *Charpentieria (Charpentieria) dyodon dyodon* (S. STUDER, 1820) – IT-ITA
[*siciana* POLLONERA, 1885]
- *Charpentieria (Charpentieria) dyodon alpina* (STABILE, 1859) – IT-ITA
- *Charpentieria (Charpentieria) dyodon paulucciana* (POLLONERA, 1885) – IT-ITA
[*rossmaessleri* LESSONA, 1880]
- *Charpentieria (Charpentieria) dyodon thomasiana* (KÜSTER, 1850) – IT-ITA
[*baudii* PINI, 1884; *bellardii* STABILE, 1859; *bernardensis* POLLONERA, 1885; *calderinii* LESSONA, 1880; *camerani* LESSONA, 1880; *cerviana* POLLONERA, 1885; *doriae* PINI, 1884; *?genei* LESSONA, 1880; *hospitiorum* POLLONERA, 1885; *laeta* POLLONERA, 1885; *lurida* POLLONERA, 1885; *monticola* STABILE, 1859; *pioltii* POLLONERA, 1885; *pollonerae* LESSONA, 1880; *rosazzae* POLLONERA, 1885; *selliana* POLLONERA, 1885; *verbanensis* STABILE, 1857]
- *Charpentieria (Charpentieria) itala itala* (G. VON MARTENS, 1824) – IT-ITA
[*?alboguttulata* J.A. WAGNER, 1829; *tridentina* O. BOETTGER, 1879; *vicentina* A. SCHMIDT, 1868]
- *Charpentieria (Charpentieria) itala albopustulata* (DE CRISTOFORI & JAN, 1832) – IT-ITA
[*agreabilis* STABILE, 1859; *lombardica* WESTERLUND, 1878; *malcesinae* A. SCHMIDT, 1868; *plumbea* WESTERLUND, 1878]
- *Charpentieria (Charpentieria) itala allatollae* (KÄUFEL, 1928) – IT-ITA
- *Charpentieria (Charpentieria) itala baldensis* (CHARPENTIER, 1852) – IT-ITA
- *Charpentieria (Charpentieria) itala braunii* (ROSSMÄSSLER, 1836) – IT-ITA
[*brixina* A. SCHMIDT, 1868]
- *Charpentieria (Charpentieria) itala latestriata* (KÜSTER, 1850) – IT-ITA
[*costifera* WESTERLUND, 1878; *spreafici* PINI, 1875; *sublatestriata* PINI, 1883]
- *Charpentieria (Charpentieria) itala leccoensis* (SAINT SIMON, 1848) – IT-ITA
- *Charpentieria (Charpentieria) itala punctata* (MICHAUD, 1831) – IT-ITA
[*genei* LESSONA, 1880; *nigra* ISSEL, 1866; *obesa* ISSEL, 1866; *saorgiensis* BOURGUIGNAT, 1877; *veranyi* BOURGUIGNAT, 1877; *virata* BOURGUIGNAT, 1877]
- *Charpentieria (Charpentieria) itala rubiginea* (ROSSMÄSSLER, 1836) – IT-ITA
[*bolcensis* DE BETTA & MARTINATI, 1855; *fortis* PINI, 1883; *recubariensis* DE BETTA, 1870; *subornata* WESTERLUND, 1884]
- *Charpentieria (Charpentieria) itala serravalensis* (H. NORDSIECK, 1963) – IT-ITA
- *Charpentieria (Charpentieria) stenzii stenzii* (ROSSMÄSSLER, 1836) – IT-ITA
[*saccata* KÜSTER, 1848; *stentziana* POTIEZ & MICHAUD, 1838]
- *Charpentieria (Charpentieria) stenzii butoti* BANK, 1987 – IT-ITA
- *Charpentieria (Charpentieria) stenzii cincta* (BRUMATI, 1838) – IT-ITA
[*dextrorsa* O. BOETTGER, 1879; *elongata* WESTERLUND, 1878; *maior* ROSSMÄSSLER, 1842; *ressmanni* WESTERLUND, 1878; *rossmaessleri* L. PFEIFFER, 1841]
- *Charpentieria (Charpentieria) stenzii costulatostriata* (WESTERLUND, 1878) – IT-ITA

- *Charpentieria (Charpentieria) stenzii faueri* BANK, 1987 – IT-ITA
- *Charpentieria (Charpentieria) stenzii letochana* (GREDLER, 1874) – IT-ITA
[*funki* GREDLER, 1874; *gredleriana* WESTERLUND, 1878]
- *Charpentieria (Charpentieria) stenzii nordsiecki* FAUER, 1991 – IT-ITA
- *Charpentieria (Charpentieria) stenzii paroliniana* (DE BETTA & MARTINATI, 1855) – IT-ITA
- *Charpentieria (Charpentieria) stenzii westerlundii* H. NORDSIECK, 1993 – IT-ITA
[*disjuncta* WESTERLUND, 1878]

Subgenus *Stigmatica* O. BOETTGER, 1877

- *Charpentieria (Stigmatica) ernae* (FAUER, 1978) – IT-ITA
- *Charpentieria (Stigmatica) incerta* (KÜSTER, 1861) – IT-SI
[*confusa* BENOIT; *monterosati* BENOIT]
- *Charpentieria (Stigmatica) kobeltiana* (KÜSTER, 1876) – IT-ITA
[*contorta* PAULUCCI, 1879; *furcata* PAULUCCI, 1879]
- *Charpentieria (Stigmatica) paestana paestana* (PHILIPPI, 1836) – IT-ITA
[*neumeyeri* KÜSTER, 1847; *sangroensis* A.J. WAGNER, 1925; *semisculpta* PAULUCCI, 1878;
tenuisculpta O. BOETTGER, 1878]
- *Charpentieria (Stigmatica) paestana intustructa* (WESTERLUND, 1883) – IT-ITA
- *Charpentieria (Stigmatica) stigmatica sturmii* (L. PFEIFFER, 1848) – IT-ITA
[*?maritima* KÜSTER, 1876]
- *Charpentieria (Stigmatica) vulcanica* (BENOIT, 1860) – IT-ITA, IT-SI

Subgenus *Gibbularia* MONTEROSATO, 1908

- *Charpentieria (Gibbularia) gibbula gibbula* (ROSSMÄSSLER, 1836) – IT-ITA
[*histoniensis* TIBERI, 1878; *sanctangeli* A.J. WAGNER, 1925; *selecta* MONTEROSATO, 1908; *vaga*
WESTERLUND, 1884; *vana* WESTERLUND, 1884]
- *Charpentieria (Gibbularia) gibbula honii* (TIBERI, 1878) – IT-ITA
- *Charpentieria (Gibbularia) gibbula multiplex* (WESTERLUND, 1884) – IT-ITA
- *Charpentieria (Gibbularia) gibbula niethammeri* (RENSCH, 1934) – IT-ITA
- *Charpentieria (Gibbularia) gibbula pelagosana* (O. BOETTGER, 1878) – IT-ITA

Subgenus *Siciliaria* VEST, 1867

- *Charpentieria (Siciliaria) calcarae calcarae* (PHILIPPI, 1844) – IT-SI
[*adelina* KÜSTER, 1847; *brugnoneana* PINI, 1884; *nodosa* WESTERLUND, 1901; *subsolida*
MONTEROSATO, 1892]
- *Charpentieria (Siciliaria) calcarae belliemii* (BRANDT, 1961) – IT-SI
- *Charpentieria (Siciliaria) crassicostata* (L. PFEIFFER, 1857) – IT-SI
- *Charpentieria (Siciliaria) eminens* (A. SCHMIDT, 1868) – IT-SI
- *Charpentieria (Siciliaria) ferrox* (BRANDT, 1961) – IT-SI
- *Charpentieria (Siciliaria) grohmanniana* (ROSSMÄSSLER, 1836) – IT-SI
[*crassilabris* MONTEROSATO, 1894; *densa* MONTEROSATO, 1894]
- *Charpentieria (Siciliaria) leucophryna* (L. PFEIFFER, 1862) – IT-SI
- *Charpentieria (Siciliaria) nobilis* (L. PFEIFFER, 1848) – IT-SI
[*episoma* BRANDT, 1961]
- *Charpentieria (Siciliaria) riberothi* (BRANDT, 1961) – IT-SI
- *Charpentieria (Siciliaria) scarificata* (L. PFEIFFER, 1857) – IT-SI
[*?commeata* WESTERLUND, 1892; *confinata* L. PFEIFFER, 1859; *?merens* WESTERLUND, 1892]
- *Charpentieria (Siciliaria) septemPLICATA septemPLICATA* (PHILIPPI, 1836) – IT-SI
[*prasina* A. SCHMIDT, 1868; *rubra* BENOIT, 1882; *sericina* ROSSMÄSSLER, 1836]
- *Charpentieria (Siciliaria) septemPLICATA alcamoensis* (BRANDT, 1961) – IT-SI
- *Charpentieri (Siciliaria) septemPLICATA hemmeni* BECKMANN, 2004 – IT-SI
- *Charpentieria (Siciliaria) spezialensis* (H. NORDSIECK, 1984) – IT-SI
- *Charpentieria (Siciliaria) tiberii tiberii* (A. SCHMIDT, 1868) – IT-SI
[*tiberiana* PAULUCCI, 1878]
- *Charpentieria (Siciliaria) tiberii scalettensis* BECKMANN, 2004 – IT-SI

Genus *Papillifera* W. HARTMANN, 1842

- *Papillifera papillaris papillaris* (O.F. MÜLLER, 1774) – IT-ITA
[*aegusina* MONTEROSATO, 1892; *aliena* MONTEROSATO, 1892; *capillaris* MONTEROSATO, 1892; *muta* WESTERLUND, 1901; *peculiaris* MONTEROSATO, 1892; *subpapillaris* WESTERLUND, 1878]
- *Papillifera papillaris affinis* (PHILIPPI, 1836) – IT-SI
[*agrigena* WESTERLUND, 1890; *brevissima* BENOIT, 1875; *familiaris* MONTEROSATO, 1892; *mamertina* BENOIT, 1840; *sulcitana* PAULUCCI, 1882; *virgata* ROSSMÄSSLER, 1836]
- *Papillifera papillaris circinata* (PAULUCCI, 1878) – IT-SI
[*melitensis* MONTEROSATO, 1892]
- *Papillifera papillaris rudicosta* (O. BOETTGER, 1878) – IT-SI
- *Papillifera papillaris tinei* (WESTERLUND, 1878) – IT-SI
[*lanceolata* BENOIT, 1875]
- *Papillifera solida solida* (DRAPARNAUD, 1805) – IT-ITA
- *Papillifera solida caietana* (ROSSMÄSSLER, 1842) – IT-ITA
[*planasiensis* POLLONERA, 1905]
- *Papillifera solida deburghiae* (PAULUCCI, 1878) – IT-ITA
[*mofellana* GENTILUOMO, 1868]
- *Papillifera solida transitans* (PAULUCCI, 1878) – IT-ITA

Subfamilia Clausiliinae J.E. GRAY, 1855

Tribus Clausiliini J.E. GRAY, 1855

Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – IT-ITA
[*distinguenda* ROSSMÄSSLER, 1836]

Genus *Pseudofusulus* H. NORDSIECK, 1977

- *Pseudofusulus varians* (C. PFEIFFER, 1828) – IT-ITA
[*diaphana* C. PFEIFFER, 1828]

Genus *Erjavecica* BRUSINA, 1870

- *Erjavecica bergeri* (ROSSMÄSSLER, 1836) – IT-ITA
[*rostellum* HELD, 1836]

Genus *Julica* H. NORDSIECK, 1963

- *Julica schmidtii schmidtii* (L. PFEIFFER, 1841) – IT-ITA
[*rablensis* M. VON GALLENSTEIN, 1852]

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – IT-ITA
- *Macrogastra (Macrogastra) ventricosa major* (ROSSMÄSSLER, 1836) – IT-ITA

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) asphaltina* (ROSSMÄSSLER, 1836) – IT-ITA
[*ventricosula* F.J. SCHMIDT, 1847]
- *Macrogastra (Pyrostoma) attenuata attenuata* (ROSSMÄSSLER, 1835) – IT-ITA
[*amici* WESTERLUND, 1884; *commodulata* A. SCHMIDT, 1856; *dedecora* GREDLER, 1856; *simplex* GREDLER, 1856]
- *Macrogastra (Pyrostoma) attenuata iriana* (POLLONERA, 1885) – IT-ITA
- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – IT-ITA

- [*basileensis* ROSSMÄSSLER, 1835]
- *Macrogastera (Pyrostoma) attenuata modulata* (A. SCHMIDT, 1856) – IT-ITA
[*laevis* ADAMI, 1886; *lariensis* PINI, 1876]
- *Macrogastera (Pyrostoma) attenuata tenuistriata* (PINI, 1879) – IT-ITA
- *Macrogastera (Pyrostoma) badia alpina* H. NORDSIECK, 2006 – IT-ITA
- *Macrogastera (Pyrostoma) badia mucida* (ROSSMÄSSLER, 1835) – IT-ITA
[*cacuminis* KLEMM, 1969; *cruda* CHARPENTIER, 1852; *eggeri* KOBELT, 1871; *eucruda* WESTERLUND, 1884; *fontana* L. PFEIFFER, 1848; *nana* L. PFEIFFER, 1842]
- *Macrogastera (Pyrostoma) mellae mellae* (STABILE, 1864) – IT-ITA
[*sulliotii* POLLONERA, 1885]
- *Macrogastera (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – IT-ITA
- *Macrogastera (Pyrostoma) plicatula amiatensis* H. NORDSIECK, 2006 – IT-ITA
- *Macrogastera (Pyrostoma) plicatula apennina* (GENTILUOMO, 1868) – IT-ITA
[*sororcula* DE STEFANI, 1883; *vallombrosana* GENTILUOMO, 1868]
- *Macrogastera (Pyrostoma) plicatula aprutica* H. NORDSIECK, 2006 – IT-ITA
- *Macrogastera (Pyrostoma) plicatula licana* (A.J. WAGNER, 1912) – IT-ITA
- *Macrogastera (Pyrostoma) plicatula superflua* (CHARPENTIER, 1852) – IT-ITA

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) bidentata crenulata* RISSO, 1826 – IT-ITA
[*elongata* CAZIOT, 1910; *isseli* VILLA & VILLA, 1868]
- *Clausilia (Clausilia) cruciata cruciata* (S. STUDER, 1820) – IT-ITA
[*apuana* DE STEFANI, 1883; *carniolica* A. SCHMIDT, 1856; *minima* A. SCHMIDT, 1856; *pusilla* L. PFEIFFER, 1848]
- *Clausilia (Clausilia) cruciata amiatae* E. VON MARTENS, 1873 – IT-ITA
- *Clausilia (Clausilia) cruciata bonellii* E. VON MARTENS, 1873 – IT-ITA
- *Clausilia (Clausilia) cruciata geminella* KLEMM, 1972 – IT-ITA
- *Clausilia (Clausilia) cruciata pedemontana* H. NORDSIECK, 1990 – IT-ITA
- *Clausilia (Clausilia) pumila pumila* C. PFEIFFER, 1828 – IT-ITA
[*corticalis* A. SCHMIDT, 1856; *tergestina* WESTERLUND, 1892]
- *Clausilia (Clausilia) rugosa parvula* A. FÉRUSAC, 1807 – IT-ITA
[*pegorarii* POLLONERA, 1885]
- *Clausilia (Clausilia) rugosa pinii* WESTERLUND, 1878 – IT-ITA
[*delpretiana* DE STEFANI, 1879; *lunensis* DE STEFANI, 1881; *pecchiolii* DE STEFANI, 1879]

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia dubia* DRAPARNAUD, 1805 – IT-ITA
[*aostana* WESTERLUND, 1901; *langobardica* PINI, 1883; *obsoleta* A. SCHMIDT, 1856; *reticulata* PINI, 1883; *rhytina* WESTERLUND, 1886; *roscida* S. STUDER, 1820; *sordellii* ADAMI, 1876]
- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – IT-ITA
- *Clausilia (Andraea) dubia alpicola* CLESSIN, 1878 – IT-ITA

Subgenus *Strobiliella* H. NORDSIECK, 1977

- *Clausilia (Strobiliella) whateliana whateliana* CHARPENTIER, 1850 – IT-ITA
- *Clausilia (Strobiliella) whateliana brembina* STROBEL, 1850 – IT-ITA
[*villae* A. SCHMIDT, 1856]
- *Clausilia (Strobiliella) whateliana exoptata* A. SCHMIDT, 1856 – IT-ITA
[*gracilis* STROBEL, 1850]
- *Clausilia (Strobiliella) whateliana klemmi* H. NORDSIECK, 1966 – IT-ITA
- *Clausilia (Strobiliella) whateliana umbrosella* H. NORDSIECK, 1993 – IT-ITA
[*umbrosa* KÄUFEL, 1928]

Genus *Neostyriaca* A. J. WAGNER, 1920

- *Neostyriaca corynodes* (HELD, 1836) – IT-ITA
- *Neostyriaca strobil* (STROBEL, 1850) – IT-ITA
[*glabrata* O. BOETTGER, 1879; *philippi-mariae* STABILE, 1859; *stabilei* CHARPENTIER, 1852; *simplex* STABILE, 1859; *tenuiventris* STABILE, 1859; *tumida* STABILE, 1845; *viglezia* STABILE, 1859]

Genus *Fusulus* FITZINGER, 1833

Subgenus *Fusulus* FITZINGER, 1833

- *Fusulus (Fusulus) interruptus* (C. PFEIFFER, 1828) – IT-ITA

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Laciniaria* W. HARTMANN, 1842

- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – IT-ITA

Genus *Balea* J.E. GRAY, 1824

- *Balea perversa* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*deshayesiana* BOURGUIGNAT, 1857; *elongata* ADAMI, 1886; *fragilis* DRAPARNAUD, 1801; *illyrica* WESTERLUND, 1878]

Genus *Alinda* H. & A. ADAMS, 1855

Subgenus *Alinda* H. & A. ADAMS, 1855

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – IT-ITA

Genus *Bulgarica* O. BOETTGER, 1877

Subgenus *Denticularia* LINDHOLM, 1924

- *Bulgarica (Denticularia) denticulata* (OLIVIER, 1801) – IT-ITA
[*thessalonica* ROSSMÄSSLER, 1839]

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Oleacinidae H. & A. ADAMS, 1855

Subfamilia Euglandininae H.B. BAKER, 1941

Genus *Poiretia* P. FISCHER, 1883

- *Poiretia cornea* (BRUMATI, 1838) – IT-ITA
[*angustata* E. VON MARTENS, 1859]
- *Poiretia dilatata dilatata* (PHILIPPI, 1836) – IT-ITA, IT-SI
[*intermedia* E. VON MARTENS, 1859; *magna* WESTERLUND, 1886; *microstoma* KOBELT, 1877; *pyramidata* PAULUCCI, 1878; *sicula* BOURGUIGNAT, 1864]

Genus *Sardopoiretia* BODON, NARDI, BRACCIA & CIANFANELLI, 2010

- *Sardopoiretia emanueli* BODON, NARDI, BRACCIA & CIANFANELLI, 2010 – Distribution: IT-SA

Familia Testacellidae J.E. GRAY, 1840

Genus *Testacella* LAMARCK, 1801

Subgenus *Testacella* LAMARCK, 1801

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – IT-ITA
[*dubia* POLLONERA, 1888]
- *Testacella (Testacella) scutulum* G.B. SOWERBY I, 1820 – IT-ITA, IT-SI
[*?beccarii* ISSEL, 1868; *pecchiolii* BOURGUIGNAT, 1861]

Subgenus *Testacelloides* A.J. WAGNER, 1914

- *Testacella (Testacelloides) gestroi* ISSEL, 1873 – IT-SA

Superfamilia Punctoidea MORSE, 1864
Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
[*massoti* BOURGUIGNAT, 1863; *simoniana* BOURGUIGNAT, 1870]

Genus *Paralaoma* IREDALE, 1913

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – IT-ITA, IT-SAR, IT-SI
[*caputspinulae* REEVE, 1852; *elachia* BOURGUIGNAT, 1865; *micropleuros* J. PAGET, 1854;
poupillieri BOURGUIGNAT, 1864; *pusilla* R.T. LOWE, 1831; *tenuicostata* L. PFEIFFER, 1846]

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla scintilla* (R.T. LOWE, 1852) – IT-ITA, IT-SAR, IT-SI
[*riparbellii* GIUSTI, 1976]
- *Lucilla singleyanus* (PILSBRY, 1889) – IT-ITA, IT-SAR, IT-SI

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – IT-ITA
[*flavina* PINI, 1889]

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – IT-ITA
[*solaria* MENKE, 1830]
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*abietina* BOURGUIGNAT, 1864; *brocchii* CALCARA, 1845; *spelaea* KOBELT, 1907]

Superfamilia Gastrodontoidea TRYON, 1866
Familia Pristilomatidae T. COCKERELL, 1891

Genus *Hawaiiia* GUDE, 1911

- *Hawaiiia minuscula* (BINNEY, 1841) – IT-ITA

Genus *Vitrea* FITZINGER, 1833

- *Vitrea botterii* (L. PFEIFFER, 1853) – IT-ITA
[*cavannae* PAULUCCI, 1881]
- *Vitrea contracta* (WESTERLUND, 1871) – IT-ITA, IT-SAR, IT-SI
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – IT-ITA
- *Vitrea diaphana erjavecii* (BRUSINA, 1870) – IT-ITA
- *Vitrea etrusca* (PAULUCCI, 1878) – IT-ITA
- *Vitrea minellii* L. PINTÉR & F. GIUSTI, 1983 – IT-ITA

- *Vitrea pseudotrolli* L. PINTÉR, 1983 – IT-ITA
- *Vitrea subrimata* (REINHARDT, 1871) – IT-ITA, IT-SAR, IT-SI
[*bazzettae* POLLONERA, 1885; *craverii* POLLONERA, 1885; *hyblensis* KOBELT, 1881; *litoralis* CLESSIN, 1877; ?*petricola* PAULUCCI, 1882; ?*targioniana* PAULUCCI, 1882]
- *Vitrea trolli* (A.J. WAGNER, 1922) – IT-ITA

Genus *Lindbergia* RIEDEL, 1959

- *Lindbergia garganoensis* E. GITTENBERGER & EIKENBOOM, 2006 – IT-ITA

Familia Euconulidae H.B. BAKER, 1928
Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) callopticus* (BOURGUIGNAT, 1880) – IT-ITA
- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR

Familia Oxychilidae P. HESSE, 1927 (1879)
Subfamilia Daudebardiinae KOBELT, 1906

Genus *Daudebardia* W. HARTMANN, 1821

Subgenus *Daudebardia* W. HARTMANN, 1821

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – IT-ITA, IT-SAR, IT-SI
[*apenina* A.J. WAGNER, 1895; *benoiti* A.J. WAGNER, 1895; *fischeri* BOURGUIGNAT, 1864; *minuta* BENOIT, 1882; *sardous* ISSEL, 1873; *sicula* BIVONA, 1839]
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – IT-ITA, IT-SAR, IT-SI
[*grandis* BENOIT, 1875; *maravignae* PIRAJNO, 1840; *monticola* BENOIT, 1882; *nivalis* BENOIT, 1857]

Genus *Carpathica* A. J. WAGNER, 1895

Subgenus *Illyrica* A.J. WAGNER, 1895

- *Carpathica (Illyrica) stussineri* (A.J. WAGNER, 1895) – IT-ITA
[*graziadei* FIEBIGER, 1935]

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) diductus* (WESTERLUND, 1886) – IT-SI
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – IT-ITA, IT-SI
[*amiatae* WESTERLUND, 1886; *austriaca* A.J. WAGNER, 1907; *calabrica* PAULUCCI, 1879; *gorgonianus* GIUSTI, 1968; *igilicus* GIUSTI, 1968; *lucida* DRAPARNAUD, 1801; *notha* WESTERLUND, 1886; *porroi* PAULUCCI, 1882; *scotophila* DE STEFANI, 1879]
- *Oxychilus (Oxychilus?) fuscus* (ROSSMÄSSLER, 1838) – IT-SI
[*asperula* WESTERLUND, 1890]
- *Oxychilus (Oxychilus) lagrecai* GIUSTI, 1973 – IT-SI
- *Oxychilus (Oxychilus?) majori* (PAULUCCI, 1886) – IT-ITA

- [*argentaricus* GIUSTI, 1968]
- *Oxychilus (Oxychilus?) meridionalis* (PAULUCCI, 1881) – IT-ITA
[*forcartianus* GIUSTI, 1969; *isseliana* PAULUCCI, 1882; *opima* WESTERLUND, 1886; *tongiorgii* GIUSTI, 1969]
- *Oxychilus (Oxychilus) mortilleti mortilleti* (L. PFEIFFER, 1859) – IT-ITA
[*debettana* ADAMI, 1885; *eugyrus* STABILE, 1859; *?italica* H. BECK, 1837; *villae* L. PFEIFFER, 1857]
- *Oxychilus (Oxychilus) oppressus* (SHUTTLEWORTH, 1878) – IT-SAR
[*albinellus* PAULUCCI, 1882; *convexiuscula* PAULUCCI, 1882; *lybisonis* PAULUCCI, 1882; *nevillianus* PAULUCCI, 1882]
- *Oxychilus (Oxychilus?) paulucciae* (DE STEFANI, 1883) – IT-ITA
[*lanzai* FORCART, 1976]
- *Oxychilus (Oxychilus) pilula* (PAULUCCI, 1886) – IT-ITA
- *Oxychilus (Oxychilus?) uziellii* (ISSEL, 1872) – IT-ITA
[*genei* WESTERLUND, 1887]

Subgenus *Alzonula* GIUSTI, 1968

- *Oxychilus (Alzonula) oglasticola* GIUSTI, 1968 – IT-ITA

Subgenus *Hyalocornea* MONTEROSATO, 1892

- *Oxychilus (Hyalocornea) alicurensis* (BENOIT, 1857) – IT-SI
- *Oxychilus (Hyalocornea) canini* (BENOIT, 1857) – IT-SI
[*rossmaessleri* WESTERLUND, 1876; *?testae* PHILIPPI, 1844]
- *Oxychilus (Hyalocornea) egadiensis* RIEDEL, 1973 – IT-SI
[*aegusina* MONTEROSATO, 1892]
- *Oxychilus (Hyalocornea) nortoni* (CALCARA, 1843) – IT-SI
[*riggii* WESTERLUND, 1887]

Subgenus *Hyalofusca* MONTEROSATO, 1892

- *Oxychilus (Hyalofusca) denatale* (L. PFEIFFER, 1856) – IT-SI

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) clarus* (HELD, 1838) – IT-ITA
- *Oxychilus (Ortizius?) gardinii* MANGANELLI, BODON & GIUSTI, 1991 – IT-ITA
- *Oxychilus (Ortizius) perspectivus* (KOBELT, 1881) – IT-ITA, IT-SI
[*parma* WESTERLUND, 1883]

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra glabra* (ROSSMÄSSLER, 1835) – IT-ITA
- *Morlina glabra ercica* (BENOIT, 1859) – IT-ITA, IT-SI
[*eucharis* WESTERLUND, 1886; *glaberrima* BENOIT, 1859]

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea adamii* (WESTERLUND, 1886) – IT-ITA
[*?villa* MORTILLET, 1853]
- *Mediterranea depressa* (STERKI, 1880) – IT-ITA
- *Mediterranea hydatina hydatina* (ROSSMÄSSLER, 1838) – IT-ITA, IT-SAR, IT-SI
[*pisana* WESTERLUND, 1887; *pseudohydatinus* BOURGUIGNAT, 1853; *subhydatina* POLLONERA, 1885; *zanclea* BOURGUIGNAT, 1880]
- *Mediterranea ionica* (RIEDEL & SUBAI, 1978) – IT-ITA
- *Mediterranea polygyra* (POLLONERA, 1885) – IT-ITA
[*oropaensis* WESTERLUND, 1886]

Genus *Schistophallus* A.J. WAGNER, 1914
Subgenus *Schistophallus* A.J. WAGNER, 1914

- *Schistophallus (Schistophallus) carotii* (PAULUCCI, 1878) – IT-ITA
[*fragrans* PAULUCCI, 1878]

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella cisalpina* RIEDEL, 1983 – IT-ITA
- *Aegopinella forcarti* JUNGBLUTH, 1983 – IT-ITA
- *Aegopinella graziadei* (BOECKEL, 1940) – IT-ITA
- *Aegopinella minor* (STABILE, 1864) – IT-ITA
- *Aegopinella nitens* (MICHAUD, 1831) – IT-ITA
[*amiatae* PAULUCCI, 1878; *piniana* POLLONERA, 1885; *sicula* BENOIT, 1857]
- *Aegopinella pura* (ALDER, 1830) – IT-ITA, IT-SAR
[*lenticula* HELD, 1837]
- *Aegopinella ressmanni* (WESTERLUND, 1883) – IT-ITA
[*szepii* CLESSIN, 1887]

Genus *Retinella* P. FISCHER, 1877
Subgenus *Retinella* P. FISCHER, 1877

- *Retinella (Retinella) giustii* RIEDEL, 1998 – IT-ITA
- *Retinella (Retinella) hiulca* (ALBERS, 1850) – IT-ITA
- *Retinella (Retinella) olivetorum icterica* (TIBERI, 1872) – IT-ITA, IT-SI
[*dubia* BENOIT, 1851; *mauridici* KOBELT, 1878; *parthenopaea* WESTERLUND, 1883]
- *Retinella (Retinella) olivetorum olivetorum* (GMELIN, 1791) – IT-ITA
[*gerfalchensis* PECCHIOLI, 1868; *leopoldina* ALBERS, 1857]
- *Retinella (Retinella?) pseudoaegopinella* GIUSTI, BOATO & BODON, 1986 – IT-ITA

Subgenus *Retinelloides* RIEDEL, 1977

- *Retinella (Retinelloides?) stabilei* (POLLONERA, 1886) – IT-ITA

Genus *Nesovitrea* C.M. COOKE, 1921
Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – IT-ITA
[*mixta* WESTERLUND, 1886; *radiatula* ALDER, 1830; *viridula* MENKE, 1830]
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – IT-ITA
[*cenisia* POLLONERA, 1885]

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)
Familia Milacidae ELLIS, 1926

Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – IT-SAR, IT-SI
[*?bedriagae* LESSONA & POLLONERA, 1882; *?benoitii* LESSONA & POLLONERA, 1882]
- *Milax nigricans* (PHILIPPI, 1836) – IT-ITA, IT-SAR, IT-SI
[*?doderleini* LESSONA & POLLONERA, 1882; *ichnusae* LESSONA & POLLONERA, 1882; *insularis* LESSONA & POLLONERA, 1882; *praiolae* GIUSTI, 1968; *sicula* LESSONA & POLLONERA, 1882; *?similis* T. COCKERELL, 1891]

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia budapestensis* (HAZAY, 1880) – IT-ITA

- [*gracilis* LEYDIG, 1876]
- *Tandonia nigra* (C. PFEIFFER, 1849) – IT-ITA
[*baldensis* SIMROTH, 1910; *hessei* SIMROTH, 1910]
- *Tandonia robici* (SIMROTH, 1884) – IT-ITA
[*plöbsti* H. WAGNER, 1931]
- *Tandonia rustica* (MILLET, 1843) – IT-ITA
[*marginatus* DRAPARNAUD, 1805]
- *Tandonia simrothi* (P. HESSE, 1923) – IT-ITA
[*ehrmanni* SIMROTH, 1910; *kobelti* SIMROTH, 1910]
- *Tandonia sowerbyi* (A. FÉRUSAC, 1823) – IT-ITA, IT-SAR, IT-SI
[*carinatus* RISSO, 1826; *casertanus* LESSONA & POLLONERA, 1882; *etruscus* ISSEL, 1868; *fulva* PAULUCCI, 1879; *insolutus* LESSONA & POLLONERA, 1882; *mongianensis* PAULUCCI, 1879; *oreteus* LESSONA & POLLONERA, 1882; *palidissimus* LESSONA & POLLONERA, 18832; *tyrrena* LESSONA & POLLONERA, 1882]

Superfamilia Zonitoidea MÖRCH, 1864
Familia Zonitidae MÖRCH, 1864

Genus *Zonites* MONTFORT, 1801

- *Zonites algirus* (LINNAEUS, 1758) – IT-ITA
[*garganicus* POLLONERA, 1909]

Genus *Aegopis* FITZINGER, 1833

- *Aegopis gemonensis gemonensis* (A. FÉRUSAC, 1832) – IT-ITA
[*acutimargo* BRUMATI, 1838; *isidoma* DE CRISTOFORI & JAN, 1832; *ruralis* WESTERLUND, 1886; *spinellii* POLLONERA, 1909]
- *Aegopis italicus* (KOBELT, 1876) – IT-ITA
[*paulucciae* KOBELT, 1881]
- *Aegopis verticillus* (LAMARCK, 1822) – IT-ITA

Superfamilia Limacoidea LAMARCK, 1801
Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax carinthiacus* (WESTERLUND, 1886) – IT-ITA
- *Semilimax semilimax* (J. FÉRUSAC, 1802) – IT-ITA
[*elongata* DRAPARNAUD, 1805]

Genus *Hessemilimax* SCHILEYKO, 1986

- *Hessemilimax kotulae* (WESTERLUND, 1883) – IT-ITA
[*bicolor* WESTERLUND, 1886; *goeotiformis* POLLONERA, 1884; *sapinea* PIAGET, 1913]

Genus *Semilimacella* Soós, 1917

- *Semilimacella bonellii bonellii* (TARGIONI TOZZETTI, 1873) – IT-ITA
[*costae* PAULUCCI, 1881]
- *Semilimacella carniolica* (O. BOETTGER, 1884) – IT-ITA

Genus *Vitrinobrachium* KÜNKEL, 1929

- *Vitrinobrachium baccettii* GIUSTI & MAZZINI, 1971 – IT-ITA
- *Vitrinobrachium breve* (A. FÉRUSAC, 1821) – IT-ITA
- *Vitrinobrachium tridentinum* FORCART, 1956 – IT-ITA

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – IT-ITA
[*heyneimanni* KOCH, 1876; *membranacea* KOCH, 1876]
- *Eucobresia glacialis* (FORBES, 1837) – IT-ITA
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – IT-ITA
[*albina* KOCH, 1876; *charpentieri* STABILE, 1859]
- *Eucobresia pegorarii* (POLLONERA, 1884) – IT-ITA

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*alpina* GREDLER, 1856; *hiemalis* KOCH, 1876]

Genus *Phenacolimax* STABILE, 1859

- *Phenacolimax blanci* (POLLONERA, 1884) – IT-ITA
- *Phenacolimax locardi* (POLLONERA, 1884) – IT-ITA
- *Phenacolimax stabilei* (LESSONA, 1880) – IT-ITA

Genus *Oligolimax* P. FISCHER, 1878

- *Oligolimax annularis* (S. STUDER, 1820) – IT-ITA
[*conoidea* E. VON MARTENS, 1874; *rugosa* PAULUCCI, 1881]
- *Oligolimax musignani* (PIRAJNO, 1842) – IT-ITA, IT-SI
[*paulucciae* FISCHER, 1878]

Genus *Sardovitrina* MANGANELLI & GIUSTI, 2005

- *Sardovitrina polloneriana* (FRA' PIERO, 1897) – IT-SAR

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – Distribution: IT-ITA

Familia Limacidae LAMARCK, 1801 Subfamilia Limacinae LAMARCK, 1801

Genus *Limax* LINNAEUS, 1758

- *Limax aeolianus* GIUSTI, 1973 – IT-SI
- *Limax albipes* DUMONT & MORTILLET, 1853 – IT-ITA
- *Limax bielzii* SEIBERT, 1874 – IT-ITA
- *Limax brandstetteri* FALKNER, 2008 – IT-ITA
- *Limax canapicianus* POLLONERA, 1885 – IT-ITA
- *Limax ciminensis* POLLONERA, 1890 – IT-ITA
- *Limax dacampi dacampi* MENEGAZZI, 1854 – IT-ITA
[*doriae* BOURGUIGNAT, 1861; *gestroi* LESSONA, 1880; *isseli* LESSONA, 1880]
- *Limax dacampi cruentus* LESSONA, 1880 – IT-ITA
[*perosinoi* LESSONA & POLLONERA, 1882; *venustissimus* LESSONA & POLLONERA, 1882]
- *Limax erythrus* BOURGUIGNAT, 1864 – IT-ITA
- *Limax gerhardti* NIETHAMMER, 1937 – IT-ITA
- *Limax giustii* FALKNER & NITZ, 2010 – IT-ITA
- *Limax graecus* SIMROTH, 1889 – IT-ITA
- *Limax ianninii* GIUSTI, 1973 – IT-ITA
- *Limax ilvensis* FALKNER & NITZ, 2010 – IT-ITA
- *Limax maximus* LINNAEUS, 1758 – IT-ITA, IT-SAR

[*cellarius* LESSONA & POLLONERA, 1882; *cinereus* O.F. MÜLLER, 1774; *vulgaris* MOQUIN-TANDON, 1855]

- *Limax millipunctatus* PINI, 1884 – IT-ITA
- *Limax pironae* PINI, 1876 – IT-ITA
- *Limax polipunctatus* POLLONERA, 1888 – IT-ITA
[*rariopunctatus* POLLONERA, 1888]
- *Limax punctulatus* SORDELLI, 1870 – IT-ITA
- *Limax redii* GERHARDT, 1933 – IT-ITA
- *Limax sarnensis* HEIM & NITZ, 2009 – IT-ITA
- *Limax senensis* POLLONERA, 1890 – IT-ITA
- *Limax strobili* PINI, 1876 – IT-ITA
- *Limax subalpinus* LESSONA, 1880 – IT-ITA
- *Limax veronensis* LESSONA & POLLONERA, 1882 – IT-ITA

Subgenus *Brachylimax* FALKNER & NIEDERHÖFER, 2008

- *Limax (Brachylimax) giovannellae* FALKNER & NIEDERHÖFER, 2008 – IT-ITA

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*rufescens* MOQUIN-TANDON, 1855; *umbrosus* PHILIPPI, 1844; *variegatus* DRAPARNAUD, 1801]

Genus *Malacolimax* MALM, 1868

- *Malacolimax kostalii* BABOR, 1900 – IT-ITA
- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – IT-ITA

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia janetscheki* FORCART, 1966 – IT-ITA
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – IT-ITA
[*arborum* BOUCHARD-CHANTEREAUX, 1837; *bettonii* SORDELLI, 1870; *pallens* LESSONA & POLLONERA, 1882]
- *Lehmannia melitensis* (LESSONA & POLLONERA, 1882) – IT-ITA, IT-SAR, IT-SI
[*caprai* GIUSTI, 1968]
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – IT-ITA
- *Lehmannia rupicola* LESSONA & POLLONERA, 1882 – IT-ITA
[*alpestris* LESSONA & POLLONERA, 1882]
- *Lehmannia valentiana* (A. FÉRUSAC, 1822) – IT-ITA

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – IT-ITA
[*auratum* LESSONA, 1880; *fusconotatum* LESSONA & POLLONERA, 1882; *immaculatum* LESSONA & POLLONERA, 1882; *?paradisiacus* GAMBETTA, 1932]
- *Deroceras (Deroceras) bisacchianum* BODON, BOATO & GIUSTI, 1982 – IT-ITA
- *Deroceras (Deroceras) dallaii* GIUSTI, 1970 – IT-SAR
- *Deroceras (Deroceras) giustianum* WIKTOR, 1998 – IT-SI
- *Deroceras (Deroceras) klemmi* GROSSU, 1972 – IT-ITA
[*dalmatinum* GROSSU, 1972]
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR
[*lacustre* LESSONA & POLLONERA, 1882; *?mentonicus* G. NEVILL, 1880]
- *Deroceras (Deroceras) lothari* GIUSTI, 1973 – IT-ITA

- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – IT-ITA, IT-SI, IT-SAR
[*caruanae* POLLONERA, 1891; *cecconii* POLLONERA, 1896; *dubius* HOFFMANN, 1941; *ilvetica* POLLONERA, 1905; *pollonerae* SIMROTH, 1889]
- *Deroceras (Deroceras) planarioides* (SIMROTH, 1910) – IT-ITA
[*rivanus* H. WAGNER, 1931]
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – IT-ITA
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – IT-ITA
- *Deroceras (Deroceras) sardum* (SIMROTH, 1886) – IT-SAR

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Arion* A. FÉRUSSAC, 1819

Subgenus *Arion* A. FÉRUSSAC, 1819

- *Arion (Arion?) franciscoi* BOATO, BODON & GIUSTI, 1983 – IT-ITA
- *Arion (Arion?) isseli* (LESSONA & POLLONERA, 1882) – IT-SAR
- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – IT-ITA
- *Arion (Arion) rufus* (LINNAEUS, 1758) – IT-ITA
[*empiricorum* A. FÉRUSSAC, 1819]

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) euthymeanus* FLORENCE, 1886 – IT-ITA
- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – IT-ITA
[*nivalis* KOCH, 1876]

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – IT-ITA
[*ambiguus* POLLONERA, 1889; *miser* POLLONERA, 1887; *subcarinatus* POLLONERA, 1885]
- *Arion (Carinarion) fasciatus* (NILSSON, 1823) – IT-ITA
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – IT-ITA

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – IT-ITA
[*?cottianus* POLLONERA, 1889]
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – IT-ITA, IT-SI
[*alpinus* POLLONERA, 1887; *apennina* POLLONERA, 1889; *?aureus* LESSONA, 1880; *rhaeticus* SIMROTH, 1910]
- *Arion (Kobeltia) obesoductus* P. REISCHÜTZ, 1979 – IT-ITA

Genus *Ariunculus* LESSONA, 1881

- *Ariunculus speziae* LESSONA, 1881 – IT-ITA
[*aurantiacus* LESSONA, 1881; *cameranoi* LESSONA, 1881; *monachus* LESSONA, 1881; *mortilleti* LESSONA, 1881; *pullatus* LESSONA, 1881]

Superfamilia Helicoidea RAFINESQUE, 1815
Familia Sphincterochilidae ZILCH, 1960 (1910)
 Subfamilia Spincterochilinae ZILCH, 1960 (1910)

Genus *Sphincterochila* ANCEY, 1887

Subgenus *Albea* PALLARY, 1910

- *Sphincterochila (Albea) candidissima candidissima* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
[*rimosa* DE CRISTOFORI & JAN, 1832; *sardoa* KOBELT, 1888; *sicula* MONTEROSATO, 1892]

Familia Bradybaenidae PILSBRY, 1934 (1898)
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)
Tribus Bradybaenini PILSBRY, 1934 (1898)

Genus *Fruticicola* HELD, 1838

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – IT-ITA

Familia Helicodontidae KOBELT, 1904
Subfamilia Helicodontinae KOBELT, 1904

Genus *Falkneria* H. NORDSIECK, 1989

- *Falkneria camerani* (LESSONA, 1880) – IT-ITA

Genus *Helicodonta* A. FÉRUSSAC, 1821

- *Helicodonta angigyra* (ROSSMÄSSLER, 1834) – IT-ITA
- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – IT-ITA
- *Helicodonta obvoluta calabrica* DEGNER, 1927 – IT-ITA
- *Helicodonta obvoluta dentata* (WESTERLUND, 1876) – IT-ITA
[*blanci* POLLONERA, 1884; *spinelliana* POLLONERA, 1886]

Genus *Drepanostoma* PORRO, 1836

- *Drepanostoma nautiliforme* PORRO, 1836 – IT-ITA

Subfamilia Lindholmiolinae SCHILEYKO, 1978

Genus *Lindholmiola* P. HESSE, 1931

- *Lindholmiola corcyrensis* (ROSSMÄSSLER, 1838) – IT-ITA

Familia Trissexodontidae H. NORDSIECK, 1987

Genus *Caracollina* H. BECK, 1837

Subgenus *Caracollina* H. BECK, 1837

- *Caracollina (Caracollina) lenticula* (MICHAUD, 1831) – IT-ITA, IT-SAR, IT-SI

Familia Cochlicellidae SCHILEYKO, 1972

Genus *Cochlicella* A. FÉRUSSAC, 1821

Subgenus *Cochlicella* A. FÉRUSSAC, 1821

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*cochleaeformis* MONTEROSATO, 1892; *cochleolina* MONTEROSATO, 1892; *macella* MONTEROSATO, 1892; *pratensis* MONTEROSATO, 1892; *procerula* MONTEROSATO, 1892]
- *Cochlicella (Cochlicella) conoidea* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
[*cognata* ROSSMÄSSLER, 1837; *fertoni* CAZIOT, 1903]

Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – IT-ITA, IT-SAR, IT-SI
[*ventricosus* DRAPARNAUD, 1801]

Familia Hygromiidae TRYON, 1866
Subfamilia Monachinae WENZ, 1930 (1904)
Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – IT-ITA

Tribus Monachaini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER, 1833

Subgenus *Monacha* FITZINGER, 1833

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – IT-ITA
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*carthusianella* DRAPARNAUD, 1801; *brunnea* SCHRÖDER, 1911; *olivieri* A. FÉRUSSAC, 1821; *rufilabris* JEFFREYS, 1833]
- *Monacha (Monacha) cemenelea* (RISSO, 1826) – IT-ITA
[*alphabucelliana* PAULUCCI, 1881; *almonis* STATUTI, 1882; *apennina* KOBELT, 1877; *danconae* ISSEL, 1872; *mnema* WESTERLUND, 1889; *parreyssi* L. PFEIFFER, 1853; *rubella* RISSO, 1826; *suborbicularis* E. VON MARTENS, 1879]
- *Monacha (Monacha) consona* (ROSSMÄSSLER, 1839) – IT-SI
- *Monacha (Monacha) gregaria* (ROSSMÄSSLER, 1839) – IT-SI
- *Monacha (Monacha) martensiana* (TIBERI, 1869) – IT-ITA
- *Monacha (Monacha) orsinii* (VILLA & VILLA, 1841) – IT-ITA
- *Monacha (Monacha) parumcincta* (MENKE, 1828) – IT-ITA
[*manfredonica* KOBELT, 1891; *olivieri* ROSSMÄSSLER, 1837]
- *Monacha (Monacha) rizzae* (ARADAS, 1844) – IT-ITA, IT-SI
- *Monacha (Monacha) ruffoi* GIUSTI, 1973 – IT-ITA

Subfamilia Geomitrinae C. BOETTGER, 1909

Tribus Trochoideini H. NORDSIECK, 1987

Genus *Trochoidea* T. BROWN, 1827

Subgenus *Trochoidea* T. BROWN, 1827

- *Trochoidea (Trochoidea) caroni* (DESHAYES, 1830) – IT-ITA, IT-SI
[*elata* ROSSMÄSSLER, 1837; *sequentiana* BENOIT, 1860]
- *Trochoidea (Trochoidea) cumiae* (CALCARA, 1847) – IT-ITA, IT-SI
[*apiculiformis* WESTERLUND, 1890; *apiculus* L. PFEIFFER, 1849; *gratiosa* PAULUCCI, 1878; *rugosa* ISSEL, 1878]
- *Trochoidea (Trochoidea) elegans* (GMELIN, 1791) – IT-ITA, IT-SAR, IT-SI
[*scitula* DE CRISTOFORI & JAN, 1832]
- *Trochoidea (Trochoidea) pyramidata* (DRAPARNAUD, 1805) – IT-ITA, IT-SAR, IT-SI
[*depressa* BOURGUIGNAT, 1864; *nova* PAULUCCI, 1879]
- *Trochoidea (Trochoidea) tarentina* (L. PFEIFFER, 1848) – IT-ITA
[*costulata* ROSSMÄSSLER, 1842]
- *Trochoidea (Trochoidea) trochoides* (POIRET, 1789) – IT-ITA, IT-SAR, IT-SI
[*conica* DRAPARNAUD, 1801; *infulata* PAULUCCI, 1882; *rugosa* ARADAS & MAGGIORE, 1839; *rugosula* PHILIPPI, 1844]

Genus *Xerocrassa* MONTEROSATO, 1892

Subgenus *Xeroclausa* MONTEROSATO, 1892

- *Xerocrassa (Xeroclausa) meda* (PORRO, 1840) – IT-ITA, IT-SAR, IT-SI

Subgenus: ?

- *Xerocrassa (??) geyeri* (SOOS, 1926) – IT-ITA
[*caturigia* POLLONERA, 1889]

Subfamilia Ciliellinae SCHILEYKO, 1970

Genus *Ciliella* MOUSSON, 1872

- *Ciliella ciliata* (W. HARTMANN, 1821) – IT-ITA
[*hirsuta* JAN, 1832; *stussineri* O. BOETTGER, 1884]

Genus *Schileykiella* MANGANELLI, SPARACIO & GIUSTI, 1989

- *Schileykiella bodoni* CIANFANELLI, MANGANELLI & GIUSTI, 2004 – IT-SI
- *Schileykiella parlatoris* (BIVONA, 1839) – IT-SI
- *Schileykiella reinae* (L. PFEIFFER, 1857) – IT-SI

Genus *Thyrrheniellina* GIUSTI & MANGANELLI, 1992

- *Thyrrheniellina josephi* (GIUSTI & MANGANELLI, 1989) – IT-ITA, IT-SAR

Genus *Ciliellopsis* GIUSTI & MANGANELLI, 1990

- *Ciliellopsis oglasae* GIUSTI & MANGANELLI, 1990 – IT-ITA

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulinae LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – IT-ITA
[*globus* LESSONA, 1879; *haemisphaerica* LESSONA, 1879; *ripularum* LESSONA, 1879; *subcaelata* LESSONA, 1879; *subplebeia* LESSONA, 1879; *trochiformis* LESSONA, 1879; *vulgaris* LESSONA, 1879]
- *Trochulus (Trochulus) montanus* (S. STUDER, 1820) – IT-ITA
- *Trochulus (Trochulus) plebeius* (DRAPARNAUD, 1805) – IT-ITA
- *Trochulus (Trochulus) suberectus* (CLESSIN, 1873) – IT-ITA

Genus *Petasina* H. BECK, 1847

Subgenus *Petasina* H. BECK, 1847

- *Petasina (Petasina) unidentata subalpestris* (POLIŃSKI, 1929) – IT-ITA

Subgenus *Edentiella* POLIŃSKI, 1929

- *Petasina (Edentiella) edentula subleucozona* (WESTERLUND, 1889) – IT-ITA

Subgenus *Filicinella* POLIŃSKI, 1929

- *Petasina (Filicinella) filicina filicina* (L. PFEIFFER, 1841) – IT-ITA
- *Petasina (Filicinella) leucozona heteromorpha* (WESTERLUND, 1876) – IT-ITA
[*australis* S.H. JAECKEL, KLEMM & MEISE, 1958; *erjavenci* CLESSIN, 1887]
- *Petasina (Filicinella) lurida* (C. PFEIFFER, 1828) – IT-ITA

Genus *Xeropicta* MONTEROSATO, 1892

- *Xeropicta derbentina* (KRYNICKI, 1836) – IT-ITA
[*gyroides* L. PFEIFFER, 1870; *homoleuca* BRUSINA, 1870; *liburnica* STOSSICH, 1880; *vukotinovici* HIRC, 1881]

Tribus Helicellini IHERING, 1909

Genus *Xerotricha* MONTEROSATO, 1892

- *Xerotricha apicina* (LAMARCK, 1822) – IT-ITA, IT-SAR, IT-SI
[*requienii* MOQUIN-TANDON, 1856]
- *Xerotricha conspurcata* (DRAPARNAUD, 1801) – IT-ITA, IT-SAR, IT-SI
[*aetnaea* BENOIT, 1857; *quisquilliae* PAULUCCI, 1882; *sardiniensis* PORRO, 1838]

Genus *Candidula* KOBELT, 1871

- *Candidula cavanna* (PAULUCCI, 1881) – IT-ITA
[*claudia* SACCHIA, 1954; *scissa* PAULUCCI, 1881]
- *Candidula fiorii* (ALZONA & ALZONA BISACCHI, 1938) – IT-ITA
- *Candidula gigaxii* (L. PFEIFFER, 1847) – IT-ITA
[*heripensis* MABILLE, 1877]
- *Candidula grovesiana* (PAULUCCI, 1881) – IT-ITA
- *Candidula spadae* (CALCARA, 1845) – IT-ITA
[*bathyomphalus* L. PFEIFFER, 1848; *destituta* L. PFEIFFER, 1853]
- *Candidula unifasciata unifasciata* (POIRET, 1801) – IT-ITA
[*candidula* S. STUDER, 1820; *iriana* POLLONERA, 1885; *striata* DRAPARNAUD, 1805]
- *Candidula unifasciata vincae* (DE STEFANI, 1883) – IT-ITA

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* RISSO, 1826

Subgenus *Hygromia* RISSO, 1826

- *Hygromia (Hygromia) cincitella* (DRAPARNAUD, 1801) – IT-ITA, IT-SI
[*chelydea* WESTERLUND, 1889; *ecarinata* PAULUCCI, 1878; *interrupta* BONELLI, 1872]

Genus *Ichnusotricha* GIUSTI & MANGANELLI, 1987

- *Ichnusotricha berninii* GIUSTI & MANGANELLI, 1987 – IT-SAR

Genus *Nienhuisiella* GIUSTI & MANGANELLI, 1987

- *Nienhuisiella antonellae* GIUSTI & MANGANELLI, 1987 – IT-SAR

Genus *Cernuella* SCHLÜTER, 1838

Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – IT-ITA
- *Cernuella (Cernuella) aradasi* (PIRAJNO, 1842) – IT-SI
- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – IT-ITA, IT-SAR, IT-SI
[*aethalia* POLLONERA, 1905; *arnusiaca* FAGOT, 1884; ?*balteata* POLLONERA, 1892; *brundusiana* FAGOT, 1884; *castertana* BOURGUIGNAT, 1887; *circinnata* ROSSMÄSSLER, 1837; *colosseana* FAGOT, 1884; *etrusca* ISSEL, 1866; *fiesolensis* FAGOT, 1884; ?*filograna* STABILE, 1864; *florentina* FAGOT, 1884; ?*gradiscanensis* FAGOT, 1884; *hoemastoma* BELLINI, 1915; *ilvatica* POLLONERA, 1892; *jonica* MOUSSON, 1854; ?*lesiniaca* FAGOT, 1884; *liparotica* MONTEROSATO, 1892; *maxima* BELLINI, 1915; *mediolanensis* FAGOT, 1884; *phari* FAGOT, 1884; *praeclara* CAFICI, 1882; *profuga* ROSSMÄSSLER, 1854; *pugnax* WESTERLUND, 1889; *romana* FAGOT, 1884; ?*spalatensis* FAGOT, 1884; *subprofuga* STABILE, 1864; *tellinii* POLLONERA, 1910; *trimentina* POLLONERA, 1892; *tringa* FAGOT, 1884; ?*turbinata* DE CRISTOFORI & JAN, 1832; *turbinula* POLLONERA, 1905; *turriculata* BELLINI, 1915; *tyrrena* POLLONERA, 1905]
- *Cernuella (Cernuella) hydruntina* (KOBELT, 1884) – IT-ITA
- *Cernuella (Cernuella) metabola* (WESTERLUND, 1889) – IT-SI
[*fraudulenta* MONTEROSATO, 1892; *lampedusae* KOBELT, 1890; *rusticana* MONTEROSATO, 1892; *subrostrata* MONTEROSATO, 1892]
- *Cernuella (Cernuella) rugosa* (LAMARCK, 1822) – IT-SI
[*chonomphala* BOURGUIGNAT, 1876; *gargottae* PHILIPPI, 1836; *pleurischura* BOURGUIGNAT, 1876]

- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – IT-ITA, IT-SAR, IT-SI
[*alburni* KOBELT, 1907; *?balteata* POLLONERA, 1892; *clitumni* KOBELT, 1907; *coneri* KOBELT, 1907; *genuensis* POLLONERA, 1892; *hydruntina* KOBELT, 1884; *inflata* WESTERLUND, 1889; *janalis* POLLONERA, 1892; *lauriensis* KOBELT, 1907; *lineata* OLIVI, 1792; *limarella* var. *major* POLLONERA, 1892; *limarella* var. *maxima* POLLONERA, 1882; *maritima* DRAPARNAUD, 1805; *messapiensis* KOBELT, 1907; *moranensis* KOBELT, 1907; *neptunensis* KOBELT, 1907; *parva* L. PFEIFFER, 1848; *peninsularis* KOBELT, 1907; *pistoriana* POLLONERA, 1892; *pompeiana* LOCARD, 1882; *rufolabris* L. PFEIFFER, 1856; *saprensis* KOBELT, 1907; *senensis* POLLONERA, 1892; *sybaritica* KOBELT, 1907; *tumida* WESTERLUND, 1889; *turgida* BLANC & WESTERLUND, 1889; *?tuta* PAULUCCI, 1882; *variabilis* DRAPARNAUD, 1801; *variata* PINI, 1884; *virginea* KOBELT, 1907]

Subgenus *Xeroamanda* MONTEROSATO, 1892

- *Cernuella (Xeroamanda) amanda* (ROSSMÄSSLER, 1838) – IT-SI
- *Cernuella (Xeroamanda) caruanae* (KOBELT, 1888) – IT-SI

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – IT-ITA
[*acrenoica* HAAS, 1936; *ammonis* STROBEL, 1857; *bononiensis* DE STEFANI, 1883; *discrepans* TIBERI, 1878; *ammonis* var. *major* KOBELT, 1877; *?mendica* POLLONERA, 1892; *nerusia* POLLONERA, 1892; *samnitum* WESTERLUND, 1889; *?trepidulina* POLLONERA, 1892]

Genus *Ichnusomunda* GIUSTI & MANGANELLI, 1998

- *Ichnusomunda sacchii* GIUSTI & MANGANELLI, 1998 – IT-SAR
- *?Ichnusomunda usticensis* (CALCARA, 1842) – IT-SI

Genus *Cernuellopsis* MANGANELLI & GIUSTI, 1988

- *Cernuellopsis ghisottii* MANGANELLI & GIUSTI, 1988 – IT-ITA

Tribus Leptaxini C. BOETTGER, 1909

Genus *Pseudotrichia* SCHILEYKO, 1970

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – IT-ITA

Genus *Monachoides* GUDE & B.B. WOODWARD, 1921

- *Monachoides incarnatus incarnatus* (O.F. MÜLLER, 1774) – IT-ITA
[*byssina* GREDLER, 1856]
- *Monachoides incarnatus amatus* (STABILE, 1859) – IT-ITA

Genus *Urticicola* LINDHOLM, 1927

- *Urticicola glabellus glabellus* (DRAPARNAUD, 1801) – IT-ITA
- *Urticicola glabellus telonensis* (MITTRE, 1842) – IT-ITA
- *Urticicola isaricus isaricus* (LOCARD, 1882) – IT-ITA
- *Urticicola moutonii* (DUPUY, 1848) – IT-ITA
- *Urticicola umbrosus* (C. PFEIFFER, 1828) – IT-ITA

Tribus incerta

Genus *Xerolenta* MONTEROSATO, 1892

- *Xerolenta obvia obvia* (MENKE, 1828) – IT-ITA
[*candicans* L. PFEIFFER, 1841]

Genus *Xeromunda* MONTEROSATO, 1892

- *Xeromunda durieui* (L. PFEIFFER, 1848) – IT-ITA

Genus *Xerosecta* MONTEROSATO, 1892

Subgenus *Xeromagna* MONTEROSATO, 1892

- *Xerosecta (Xeromagna) arigonis* (A. SCHMIDT, 1853) – IT-SAR
- *Xerosecta (Xeromagna) dohrni* (PAULUCCI, 1882) – IT-SAR
- *Xerosecta (Xeromagna) giustii* MANGANELLI & FAVILLI, 1996 – IT-ITA
- *Xerosecta (Xeromagna) hillyeriana* (PAULUCCI, 1882) – IT-SAR
- *Xerosecta (Xeromagna) introducta* (A. & J.B. VILLA, 1841) – IT-ITA

Subgenus *Polloneriella* ALZONA & ALZONA BISACCHI, 1940

- *Xerosecta (Polloneriella) contermina* (L. PFEIFFER, 1848) – IT-ITA, IT-SAR

Genus *Microxeromagna* ORTIZ DE ZÁRATE LÓPEZ, 1950

- *Microxeromagna lowei* (POTIEZ & MICHAUD, 1835) – IT-ITA, IT-SI
[*armillata* R.T. LOWE, 1852; *vestita* RAMBUR, 1868]

Genus *Helicotricha* GIUSTI, MANGANELLI & CRISCI, 1992

- *Helicotricha carusoi* GIUSTI, MANGANELLI & CRISCI, 1992 – IT-SI

Genus *Ganula* E. GITTENBERGER, 1970

- *Ganula lanuginosa* (BOISSY, 1835) – IT-SAR

Familia Helicidae RAFINESQUE, 1815

Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – IT-ITA
- *Arianta arbustorum alpicola* (A. FÉRUSSAC, 1821) – IT-ITA
[*alpestris* ROSSMÄSSLER, 1837; *costulata* KOBELT, 1884; *scalvina* ADAMI, 1876; *subcostata* ADAMI, 1886]
- *Arianta arbustorum repellini* (REEVE, 1852) – IT-ITA
[*corneoliformis* LESSONA, 1880]
- *Arianta chamaeleon chamaeleon* (L. PFEIFFER, 1868) – IT-ITA
[*phalerata* ROSSMÄSSLER, 1836]
- *Arianta chamaeleon carnica* (EHRMANN, 1910) – IT-ITA
- *Arianta chamaeleon tullina* (EHRMANN, 1910) – IT-ITA
- *Arianta chamaeleon wiedemayri* (KOBELT, 1903) – IT-ITA
- *Arianta stenzii* (ROSSMÄSSLER, 1835) – IT-ITA
[*major* SCHRÖDER, 1911; *rudis* ROSSMÄSSLER, 1837]

Genus *Helicigona* A. FÉRUSSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – IT-ITA

Genus *Chilostoma* FITZINGER, 1833

Subgenus *Chilostoma* FITZINGER, 1833

- *Chilostoma (Chilostoma) achesonae achesonae* (ROSSMÄSSLER, 1835) – IT-ITA
- *Chilostoma (Chilostoma) adelozona adelozona* (STROBEL, 1857) – IT-ITA
[*adamii* KOBELT, 1875; *calabriensis* KOBELT, 1875; *debettae* ADAMI, 1876]

- *Chilostoma (Chilostoma) adelozona rhaeticum* (STROBEL, 1857) – IT-ITA
- *Chilostoma (Chilostoma) millieri* (BOURGUIGNAT, 1880) – IT-ITA
- *Chilostoma (Chilostoma) zonatum zonatum* (S. STUDER, 1820) – IT-ITA
- *Chilostoma (Chilostoma) zonatum flavovirens* (DUMONT & MORTILLET, 1852) – IT-ITA
- *Chilostoma (Chilostoma) zonatum foetens* (S. STUDER, 1820) – IT-ITA

Subgenus *Campylaea* H. BECK, 1837

- *Chilostoma (Campylaea) planospira planospira* (LAMARCK, 1822) – IT-ITA
- *Chilostoma (Campylaea) planospira benedictum* (KOBELT, 1872) – IT-SI
- *Chilostoma (Campylaea) planospira macrostoma* (ROSSMÄSSLER, 1837) – IT-SI
- *Chilostoma (Campylaea) planospira occultatum* (PAULUCCI, 1886) – IT-ITA
[selecta BISACCHI, 1929]
- *Chilostoma (Campylaea) planospira setulosum* (BRIGANTI, 1825) – IT-ITA, IT-SI
[calabrica PAULUCCI, 1879; calva KOBELT, 1876; setipilata ROSSMÄSSLER, 1835]

Subgenus *Cingulifera* HELD, 1838

- *Chilostoma (Cingulifera) cingulatum cingulatum* (S. STUDER, 1820) – IT-ITA
[amathia LOCARD, 1882; augustiniana STABILE, 1859; baileti CAZIOT & MAURY, 1906; hians WESTERLUND, 1902; jani ISSEL, 1869; luganensis STROBEL, 1852; philippimariae STABILE, 1859; ramoriana ISSEL, 1869; romaniana CAZIOT & MAURY, 1906; vigezia STABILE, 1859]
- *Chilostoma (Cingulifera) cingulatum adamii* (PINI, 1876) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum alzonai* K.L. PFEIFFER, 1951 – IT-ITA
- *Chilostoma (Cingulifera) cingulatum anauniense* (DE BETTA, 1852) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum anconae* (GENTILUOMO, 1868) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum appellii* (KOBELT, 1876) – IT-ITA
[affinis PAULUCCI, 1878; lucensis PAULUCCI, 1878]
- *Chilostoma (Cingulifera) cingulatum asperulum* (EHRMANN, 1910) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum baldense* (ROSSMÄSSLER, 1839) – IT-ITA
[anauniensis DE BETTA, 1852; athesina PAULUCCI, 1881; brixiana POLLONERA, 1890; incerta ADAMI, 1886; unicolor CLESSIN, 1887; pinii ADAMI, 1886; rossmaessleri CLESSIN, 1887]
- *Chilostoma (Cingulifera) cingulatum bizona* (ROSSMÄSSLER, 1842) – IT-ITA
[bredulensis POLLONERA, 1890; vagienna POLLONERA, 1890]
- *Chilostoma (Cingulifera) cingulatum boccavallense* K.L. PFEIFFER, 1951 – IT-ITA
- *Chilostoma (Cingulifera) cingulatum carrarense* (STROBEL, 1852) – IT-ITA
[agnata PAULUCCI, 1881; apuana ISSEL, 1866; kobeltiana PAULUCCI, 1881]
- *Chilostoma (Cingulifera) cingulatum colubrinum* (DE CRISTOFORI & JAN, 1832) – IT-ITA
[colorata SCHRÖDER, 1911; nisoria ROSSMÄSSLER, 1838; nonfasciata SCHRÖDER, 1911; nubila KOBELT, 1876]
- *Chilostoma (Cingulifera) cingulatum frigidescens* (DEL PRETE, 1879) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum frigidosum* (POLLONERA, 1890) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum frigidissimum* (PAULUCCI, 1881) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum gobanzi* (FRAUENFELD, 1867) – IT-ITA
[compsopleura BOURGUIGNAT, 1883; perfecta BOURGUIGNAT, 1883; sigela BOURGUIGNAT, 1883]
- *Chilostoma (Cingulifera) cingulatum hermesianum* (PINI, 1874) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum infernale* (P. HESSE, 1931) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum insubricum* (DE CRISTOFORI & JAN, 1832) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum medoacense* (ADAMI, 1886) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum montanum* (PAULUCCI, 1881) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum nicatis* (COSTA, 1836) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum nicolisianum* (ADAMI, 1886) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum philippii* (KOBELT, 1905) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum preslii* (ROSSMÄSSLER, 1836) – IT-ITA
[nonfasciata SCHRÖDER, 1911; ressmanni KOBELT, 1902]
- *Chilostoma (Cingulifera) cingulatum sentinense* (PIERSANTI, 1833) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum tigrinum* (DE CRISTOFORI & JAN, 1832) – IT-ITA
- *Chilostoma (Cingulifera) cingulatum transiens* (ADAMI, 1886) – IT-ITA

[*frigidosa* POLLONERA, 1890]

- *Chilostoma (Cingulifera) frigidum frigidum* (DE CRISTOFORI & JAN, 1832) – IT-ITA
[*debettae* PINI, 1876; *decrisofori* PINI, 1876; *jani* PINI, 1876]
- *Chilostoma (Cingulifera) frigidum liguricum* (KOBELT, 1876) – IT-ITA

Subgenus *Delphinatia* P. HESSE, 1931

- *Chilostoma (Delphinatia) fontenillii alpinum* (MICHAUD, 1831) – IT-ITA
- *Chilostoma (Delphinatia) glaciale* (A. FÉRUSSAC, 1832) – IT-ITA

Subgenus *Kosicia* BRUSINA, 1904

- *Chilostoma (Kosicia) ambrosi* (STROBEL, 1851) – IT-ITA
[*aemula* L. PFEIFFER, 1852; *martinatiana* DE BETTA, 1852]
- *Chilostoma (Kosicia) intermedium* (A. FÉRUSSAC, 1832) – IT-ITA
[*unicolor* SCHRÖDER, 1911]

Genus *Faustina* KOBELT, 1904

- *Faustina illyrica illyrica* (STABILE, 1864) – IT-ITA
[*erjavenci* CLESSIN, 1887; *euganea* STABILE, 1864; *illasiaca* ADAMI, 1885; *italica* STABILE, 1864; *kobeltiana* CLESSIN, 1887; *linnaei* TIBERI, 1879; *stabilei* PAULUCCI, 1880; *ullepitschi* WESTERLUND, 1876; *umbilicaris* BRUMATI, 1838]
- *Faustina illyrica tiesenhauseni* (GREDLER, 1889) – IT-ITA
- *Faustina lefeburiana* (A. FÉRUSSAC, 1821) – IT-ITA
[*sadlerianum* ROSSMÄSSLER, 1838]
- *Faustina padana* (STABILE, 1864) – IT-ITA

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – IT-ITA
[*personatum* LAMARCK, 1792]

Genus *Causa* SCHILEYKO, 1971

- *Causa holosericea* (S. STUDER, 1820) – IT-ITA
[*pluridentatum* POLLONERA, 1885]

Subfamilia Helicinae RAFINESQUE, 1815
Tribus Murellini P. HESSE, 1918

Genus *Marmorana* W. HARTMANN, 1844

Subgenus *Marmorana* W. HARTMANN, 1844

- *Marmorana (Marmorana) serpentina serpentina* (A. FÉRUSSAC, 1821) – IT-ITA, IT-SAR
[*adjaciensis* PAULUCCI, 1882; *bonifaciensis* CAZIOT, 1903; *cenestinensis* CROSSE & DEBEAUX, 1869; *orites* WESTERLUND, 1889; *suburbana* PAULUCCI, 1882; *velanica* MABILLE, 1881]
- *Marmorana (Marmorana) serpentina carae* (CANTRAINE, 1840) – IT-SAR
- *Marmorana (Marmorana) serpentina hospitans* (ROSSMÄSSLER, 1836) – IT-SAR
[*magnettii* CANTRAINE, 1840; *porphydica* PAULUCCI, 1882]
- *Marmorana (Marmorana) serpentina isarae* (PAULUCCI, 1882) – IT-SAR
[*alabastrina* PAULUCCI, 1882; *austera* WESTERLUND, 1889; *pudiosa* PAULUCCI, 1882]
- *Marmorana (Marmorana) serpentina jaspidaea* (MOQUIN-TANDON, 1855) – IT-SAR
- *Marmorana (Marmorana) serpentina isilensis* (L. PFEIFFER, 1848) – IT-SAR

Subgenus *Ambigua* WESTERLUND, 1903

- *Marmorana (Ambigua) fuscolabiata fuscolabiata* (ROSSMÄSSLER, 1842) – IT-ITA
[*anacaprica* BELLINI, 1915; *magnifica* MONTEROSATO, 1892; *surrentina* E. VON MARTENS, 1858]

- *Marmorana (Ambigua) fuscolabiata apula* (KOBELT, 1879) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata aspidensis* (TAGLIANI, 1942) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata brunellae* (SACCHI, 1956) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata cassinensis* (TAGLIANI, 1942) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata castelluccensis* (KOBELT, 1906) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata circeja* (KOBELT, 1903) – IT-ITA
[*melii* KOBELT, 1903]
- *Marmorana (Ambigua) fuscolabiata consigliana* (KOBELT, 1904) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata gauri* (KOBELT, 1903) – IT-ITA
[*alticola* KOBELT, 1903; *planicola* KOBELT, 1903]
- *Marmorana (Ambigua) fuscolabiata irpina* (KOBELT, 1903) – IT-ITA
[*corvina* KOBELT, 1903]
- *Marmorana (Ambigua) fuscolabiata lauriensis* (KOBELT, 1905) – IT-ITA
[*rovellensis* KOBELT, 1906; *spinae* KOBELT, 1906]
- *Marmorana (Ambigua) fuscolabiata mariannae* (KOBELT, 1879) – IT-ITA
[*ghibellinica* KOBELT, 1904; *paucetana* KOBELT, 1879]
- *Marmorana (Ambigua) fuscolabiata mingardii* (KOBELT, 1904) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata picentina* (KOBELT, 1903) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata pollinensis* (BACCI, 1951) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata posidoniensis* (KOBELT, 1877) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata potentiae* (KOBELT, 1903) – IT-ITA
[*basilicatae* KOBELT, 1903]
- *Marmorana (Ambigua) fuscolabiata prausi* (BACCI, 1951) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata saprensis* (KOBELT, 1904) – IT-ITA
[*coccovelli* KOBELT, 1904; *galdensis* KOBELT, 1904; *marateensis* KOBELT, 1904; *pisacanei* KOBELT, 1904; *trecchinensis* KOBELT, 1906; *ulicis* KOBELT, 1904]
- *Marmorana (Ambigua) fuscolabiata serpentinarum* (DEGNER, 1936) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata sirinensis* (KOBELT, 1904) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata sybaritica* (KOBELT, 1906) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata tegianica* (DEGNER, 1936) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata tenetensis* (KOBELT, 1904) – IT-ITA
[*discesae* KOBELT, 1906; *lucana* WESTERLUND, 1889; *normannensis* KOBELT, 1904]
- *Marmorana (Ambigua) fuscolabiata tiriolensis* (ADAMI, 1873) – IT-ITA
[*meridionalis* KOBELT, 1903]
- *Marmorana (Ambigua) fuscolabiata vallicola* (KOBELT, 1903) – IT-ITA
- *Marmorana (Ambigua) fuscolabiata wullei* (KOBELT, 1903) – IT-ITA
- *Marmorana (Ambigua) saxetana saxetana* (PAULUCCI, 1886) – IT-ITA
- *Marmorana (Ambigua) saxetana argentarolae* (PAULUCCI, 1886) – IT-ITA
- *Marmorana (Ambigua) saxetana forsythi* (PAULUCCI, 1886) – IT-ITA
- *Marmorana (Ambigua) saxetana orta* (PAULUCCI, 1886) – IT-ITA
- *Marmorana (Ambigua) saxetana talamonica* (KOBELT, 1892) – IT-ITA
- *Marmorana (Ambigua) signata signata* (A. FÉRUSSAC, 1821) – IT-ITA
[*immaculata* TAGLIANI, 1942; *miletiana* PAULUCCI, 1881; *recondita* WESTERLUND, 1876]
- *Marmorana (Ambigua) signata carsoliana* (A. FÉRUSSAC, 1821) – IT-ITA
- *Marmorana (Ambigua) signata contaminata* (PAULUCCI, 1878) – IT-ITA
- *Marmorana (Ambigua) signata persianii* (TIBERI, 1878) – IT-ITA
- *Marmorana (Ambigua) signata strigata* (A. FÉRUSSAC, 1821) – IT-ITA
[*moltenii* WESTERLUND, 1889; *polita* PAULUCCI, 1878; *umbrica* MABILLE, 1867]
- *Marmorana (Ambigua) signata tetrazona* (DE CRISTOFORI & JAN, 1832) – IT-ITA
[*ascoliensis* BOURGUIGNAT, 1879; *piceana* TIBERI, 1878]
- *Marmorana (Ambigua) signata tiburtina* (E. VON MARTENS, 1899) – IT-ITA
- *Marmorana (Ambigua) signata uniarmata* (PAULUCCI, 1881) – IT-ITA
- *Marmorana (Ambigua) signata uzielliana* (PAULUCCI, 1881) – IT-ITA
[*marruccina* TIBERI, 1878]

Subgenus *Murella* L. PFEIFFER, 1877

- *Marmorana (Murella) globularis globularis* (PHILIPPI, 1836) – IT-SI

- *Marmorana (Murella) globularis ascherae* (KOBELT, 1880) – IT-SI
[*saracena* BENOIT, 1857]
- *Marmorana (Murella) globularis caltabellottensis* (KOBELT, 1890) – IT-SI
- *Marmorana (Murella) globularis conspicua* (BENOIT, 1857) – IT-SI
- *Marmorana (Murella) globularis eugeniae* (L. PFEIFFER, 1853) – IT-SI
[*calypso* BENOIT, 1857]
- *Marmorana (Murella) globularis huetiana* (BENOIT, 1857) – IT-SI
- *Marmorana (Murella) globularis latilabris* (WESTERLUND, 1876) – IT-SI
- *Marmorana (Murella) globularis nebulosa* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) globularis tiberiana* (BENOIT, 1857) – IT-SI
- *Marmorana (Murella) globularis transiens* (K.L. PFEIFFER, 1931) – IT-SI
- *Marmorana (Murella) globularis spoliata* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis muralis* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
- *Marmorana (Murella) muralis albinosa* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis cinefacta* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis ciofaldoi* (CAFICI, 1885) – IT-SI
- *Marmorana (Murella) muralis corrugata* (ROSSMÄSSLER, 1836) – IT-SI
- *Marmorana (Murella) muralis costulata* (BENOIT, 1857) – IT-SI
[*alterutra* MONTEROSATO, 1892; *picta* MONTEROSATO, 1892; *templorum* MONTEROSATO, 1892]
- *Marmorana (Murella) muralis crispata* (BENOIT, 1857) – IT-SI
- *Marmorana (Murella) muralis drepanensis* (L. PFEIFFER, 1856) – IT-SI
[*scalariformis* BENOIT, 1857]
- *Marmorana (Murella) muralis grohmanni* (PHILIPPI, 1836) – IT-SI
- *Marmorana (Murella) muralis frivaldszkyi* (CALCARA, 1846) – IT-SI
[*coassurensis* BENOIT, 1857]
- *Marmorana (Murella) muralis indistincta* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis ingloria* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis insularis* (BENOIT, 1857) – IT-SI
[*rollei* VON MALTZAN, 1886]
- *Marmorana (Murella) muralis magulus* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis praesolida* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis propemuralis* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis provincialis* (BENOIT, 1842) – IT-SI
- *Marmorana (Murella) muralis riberota* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis rugosa* (ROSSMÄSSLER, 1835) – IT-ITA
- *Marmorana (Murella) muralis subcarinata* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis subperba* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) muralis undulata* (MICHAUD, 1831) – IT-SI
[*agrigenina* MONTEROSATO, 1892; *unicolor* BENOIT, 1857]
- *Marmorana (Murella) nebrodensis nebrodensis* (PIRAJNO, 1842) – IT-SI
- *Marmorana (Murella) nebrodensis castellana* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) nebrodensis impervia* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) nebrodensis silvestrii* (CAFICI, 1885) – IT-SI
- *Marmorana (Murella) platychela platychela* (MENKE, 1830) – IT-SI
- *Marmorana (Murella) platychela connexa* (WESTERLUND, 1889) – IT-SI
- *Marmorana (Murella) platychela excelsa* (K.L. PFEIFFER, 1931) – IT-SI
- *Marmorana (Murella) platychela florioi* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) platychela iparia* (BENOIT, 1857) – IT-SI
[*ragusae* KOBELT, 1883]
- *Marmorana (Murella) platychela rosaliae* (BENOIT, 1857) – IT-SI
- *Marmorana (Murella) platychela sicana* (A. FÉRUSSAC, 1822) – IT-SI
[*diminuta* MONTEROSATO, 1892; *intorta* MONTEROSATO, 1892; *soluta* ROSSMÄSSLER, 1832]
- *Marmorana (Murella) platychela spuria* (WESTERLUND, 1876) – IT-SI
- *Marmorana (Murella) scabriuscula scabriuscula* (DESHAYES, 1830) – IT-SI
- *Marmorana (Murella) scabriuscula bulowi* (VON MALTZAN, 1886) – IT-SI
- *Marmorana (Murella) scabriuscula delpretei* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) scabriuscula demissae* (BENOIT, 1857) – IT-SI

- *Marmorana (Murella) scabriuscula eulasia* (WESTERLUND, 1889) – IT-SI
- *Marmorana (Murella) scabriuscula explanata* (BENOIT, 1857) – IT-SI
- *Marmorana (Murella) scabriuscula latebrosa* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) scabriuscula nadorrca* (WESTERLUND, 1889) – IT-SI
[*tumidosa* KOBELT, 1890; *verrucosa* KOBELT, 1890]
- *Marmorana (Murella) scabriuscula paciniana* (PHILIPPI, 1836) – IT-SI
- *Marmorana (Murella) scabriuscula paulucciana* (MONTEROSATO, 1892) – IT-SI
- *Marmorana (Murella) scabriuscula segestana* (PHILIPPI, 1836) – IT-SI
- *Marmorana (Murella) scabriuscula selinuntina* (PHILIPPI, 1836) – IT-SI
- *Marmorana (Murella) scabriuscula tayae* (MONTEROSATO, 1892) – IT-SI
[*sufflata* MONTEROSATO, 1892]
- *Marmorana (Murella) scabriuscula vieta* (ROSSMÄSSLER, 1836) – IT-SI

Genus *Tyrrheniberus* KOBELT, 1904

- *Tyrrheniberus ridens* (E. VON MARTENS, 1884) – IT-SAR
[*splendens* VON MALTZAN, 1886]
- *Tyrrheniberus sardonius* (E. VON MARTENS, 1884) – IT-SAR
[*dorgalensis* VON MALTZAN, 1886]
- *Tyrrheniberus villicus* (PAULUCCI, 1882) – IT-SAR

Genus *Macularia* ALBERS, 1850

- *Macularia niciensis faudensis* (SULLIOTTI, 1883) – IT-ITA

Genus *Tacheocampylaea* L. PFEIFFER, 1877

- *Tacheocampylaea carotii* (PAULUCCI, 1882) – IT-SAR
[*gennarii* PAULUCCI, 1882; *lamarmorae* VON MALTZAN, 1886; *major* VON MALTZAN, 1886; *melonii* VON MALTZAN, 1886; *spectrum* VON MALTZAN, 1886; *unifasciata* VON MALTZAN, 1886; *viperina* VON MALTZAN, 1886]
- *Tacheocampylaea tacheoides* (POLLONERA, 1909) – IT-ITA

Tribus Thebini WENZ, 1923

Genus *Theba* RISSO, 1826

- *Theba pisana pisana* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*aegusina* MONTEROSATO, 1892; *petholata* OLIVI, 1792; *rosalba* MONTEROSATO, 1892; *sertum* MONTEROSATO, 1892; *spirolineata* MONTEROSATO, 1892; *subconica* MONTEROSATO, 1892]

Tribus Helicini RAFINESQUE, 1815

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – IT-ITA
[*adamii* KOBELT, 1903; *cisalpina* STABILE, 1864; *erjavecii* KOBELT, 1880; *leucostoma* STABILE, 1859; *subaustriaca* BOURGUIGNAT, 1880]
- *Cepaea (Cepaea) nemoralis etrusca* (ROSSMÄSSLER, 1835) – IT-ITA
[*alphaea* DE STEFANI, 1883; *apennina* STABILE, 1864; *lucifaga* ROSSMÄSSLER, 1835]

Subgenus *Austrotachea* G. PFEFFER, 1930

- *Cepaea (Austrotachea) sylvatica* (DRAPARNAUD, 1801) – IT-ITA
[*pedemontana* KOBELT, 1903]
- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – IT-ITA
[*austriaca* MENKE, 1828]

Genus *Otala* SCHUMACHER, 1817
Subgenus *Otala* SCHUMACHER, 1817

- *Otala (Otala) punctata* (O.F. MÜLLER, 1774) – IT-SAR
[*apalolena* BOURGUIGNAT, 1867]

Genus *Eobania* P. HESSE, 1913

- *Eobania vermiculata* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*concolor* DE CRISTOFORI & JAN, 1832; *figarolae* RENSCH, 1928; *lampedusae* P. HESSE, 1920; *linusae* CALCARA, 1846; *linusiana* BENOIT, 1857; *minuta* ISSEL, 1880; *pantensis* SACCHI, 1955; *pelagosana* WESTERLUND; *solidior* MONTEROSATO, 1892; *thalassina* VILLA, 1841; *umbilicata* CASTRIOTA, 1899; *usticensis* MONTEROSATO, 1892]

Genus *Cantareus* Risso, 1826

- *Cantareus apertus* (BORN, 1778) – IT-ITA, IT-SAR, IT-SI
[*kalaritana* VILLA, 1836; *naticoides* DRAPARNAUD, 1801]

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – IT-ITA, IT-SAR, IT-SI
[*depressa* PAULUCCI, 1879; *eutecta* MONTEROSATO, 1892; *insolida* MONTEROSATO, 1892; *minor* PAULUCCI, 1879; *putris* MONTEROSATO, 1892; *solidissima* PAULUCCI, 1879]
- *Cornu mazzullii* (DE CRISTOFORI & JAN, 1832) – IT-SI
[*cephalaeditana* GIANNUZZI SAVELLI, SPARACIO & OLIVA, 1986; *costae* BENOIT, 1857; *quincayensis* BOURGUIGNAT, 1859; *retirugis* MENKE, 1830; *zonata* BOURGUIGNAT, 1859]

Genus *Helix* LINNAEUS, 1758
Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) cincta* O.F. MÜLLER, 1774 – IT-ITA
[*elegans* KOBELT, 1907; *giuliae* BOURGUIGNAT, 1876; *melanotica* RENSCH, 1928; *pollinii* DA CAMPO, 1849]
- *Helix (Helix) delpretiana* PAULUCCI, 1878 – IT-ITA
[*cacumensis* KOBELT, 1906; *rupicola* WESTERLUND, 1889]
- *Helix (Helix) ligata* O.F. MÜLLER, 1774 – IT-ITA
[*amandolae* KOBELT, 1903; *calabrica* WESTERLUND, 1876; *campana* TIBERI, 1869; *delpretiana* PAULUCCI, 1878; *golae* KOBELT, 1906; *gussoneana* L. PFEIFFER, 1848; *interamnensis* BOURGUIGNAT, 1876; *lindeni* KOBELT, 1906; *lobiancoi* KOBELT, 1906; *meyeri* KOBELT, 1906; *normalis* WESTERLUND, 1889; *pomatella* KOBELT, 1876; *praetutia* TIBERI, 1869; *pseudopomatia* WESTERLUND, 1889; *truentina* WESTERLUND, 1889; *virginalis* KOBELT, 1907]
- *Helix (Helix) lucorum lucorum* LINNAEUS, 1758 – IT-ITA, IT-SAR
[*anaphora* WESTERLUND, 1889; *annosa* MASCARINI, 1892; *atrocincta* BOURGUIGNAT, 1883; *candida* MASCARINI, 1892; *elongata* BOURGUIGNAT, 1860; *nigrozonata* BOURGUIGNAT, 1883; *rypara* BOURGUIGNAT, 1883; *straminea* BRIGANTI, 1825; *straminiformis* BOURGUIGNAT, 1876; *virago* BOURGUIGNAT, 1883; *yleobia* BOURGUIGNAT, 1883]
- *Helix (Helix) mileti* KOBELT, 1906 – IT-ITA
- *Helix (Helix) pomatia* LINNAEUS, 1758 – IT-ITA
[*fasciata* PORRO, 1838; *gigantea* PORRO, 1838; *gratiosa* GREDLER, 1892; *lagarinae* ADAMI, 1885; *magna* STABILE, 1845; *parva* PORRO, 1838; *pedemontana* KOBELT, 1907; *piceata* GREDLER, 1878]