

FAUNA EUROPAEA PROJECT

Checklist of the land and freshwater Gastropoda of the Iberian peninsula (Spain, Portugal, Andorra, Gibraltar)

Prepared by **Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

Last update: July 24th, 2011

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See www.faunaeur.org for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the www.faunaeur.org is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24th, 2011. Furthermore, the systematic framework of the Gastropoda of www.faunaeur.org is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abonded. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTENBERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – *Heldia*, 4 (1/2): 77-128. München.

P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – *Malacologia*, 47 (1/2): 1-397. Philadelphia.

AN = Andorra; ES-SPA = Spanish mainland; ES-BAL = Baleares; GB-GI = Gibraltar;
PT-POR = Portuguese mainland

Phylum Mollusca CUVIER, 1795
Classis Gastropoda CUVIER, 1795
Subclassis Neritimorpha KOKEN, 1896
Ordo Cycloneritimorpha FRÝDA, 1998
Superfamilia Neritoidea RAFINESQUE, 1815
Familia Neritidae RAFINESQUE, 1815
Subfamilia Neritinae POEY, 1852
Tribus Theodoxini BANDEL, 2001

Genus *Theodoxus* MONTFORT, 1810

Subgenus *Theodoxus* MONTFORT, 1810

- *Theodoxus (Theodoxus) baeticus* (LAMARCK, 1822) – ES-BAL, ES-SPA
- *Theodoxus (Theodoxus) elongatulus* (MORELET, 1854) – ES-SPA, PT-POR
- *Theodoxus (Theodoxus) fluviatilis* (LINNAEUS, 1758) – ES-SPA, PT-POR
- *Theodoxus (Theodoxus) hispalensis* (E. VON MARTENS, 1879) – ES-SPA
- *Theodoxus (Theodoxus) valentinus* (GRAELLS, 1846) – ES-SPA
[*velascoi* GRAELLS, 1846; *hidalgoi* CROSSE, 1881]

Subclassis Caenogastropoda COX, 1960
Ordo Architaenioglossa HALLER, 1890
Superfamilia Cyclophoroidea J.E. GRAY, 1847
Familia Cochlostomatidae KOBELT, 1902

Genus *Cochlostoma* JAN, 1830

Subgenus *Obscurella* CLESSIN, 1889

- *Cochlostoma (Obscurella) asturicum* (RAVEN, 1990) – ES-SPA
- *Cochlostoma (Obscurella) bicostulatum* GOFAS, 1989 – ES-SPA
- *Cochlostoma (Obscurella) gigas* GOFAS & BACKELJAU, 1994 – ES-SPA
- *Cochlostoma (Obscurella) hidalgoi* (CROSSE, 1864) – ES-SPA
[*hispanicus* BOURGUIGNAT, 1869]
- *Cochlostoma (Obscurella) martorelli martorelli* (SERVAIN, 1880) – ES-SPA
[*labrosa* WESTERLUND, 1883; *bolosianus* SALVAÑA, 1888; *?noguerae* FAGOT, 1891; *bofilli* FAGOT, 1891; *montserraticus* FAGOT, 1891; *mouganicus* FAGOT, 1891; *?ripacurcicus* FAGOT, 1891; *sanctilaurentii* BOFILL, 1917]
- *Cochlostoma (Obscurella) martorelli esseranum* (FAGOT, 1888) – ES-SPA
- *Cochlostoma (Obscurella) martorelli montsiccianum* (BOFILL, 1890) – AN, ES-SPA
[*rudicosta* BOFILL, 1890; *organiacus* FAGOT, 1905; *alopioides* FAGOT, 1905]
- *Cochlostoma (Obscurella) obscurum obscurum* (DRAPARNAUD, 1805) – ES-SPA
- *Cochlostoma (Obscurella) obscurum laburdense* (DE FOLIN & BÉRILLON, 1877) – ES-SPA
[*isoicus* FAGOT, 1889; *isabanus* FAGOT, 1889; *filicium* FAGOT, 1889; *harlei* FAGOT, 1891; *kobelti* A.J. WAGNER, 1897]
- *Cochlostoma (Obscurella) oscitans* GOFAS, 1989 – ES-SPA
- *Cochlostoma (Obscurella) partioti* (SAINT-SIMON, 1848) – ES-SPA

Subgenus *Turritus* WESTERLUND, 1883

- *Cochlostoma (Turritus) patulum fontqueri* (F. HAAS, 1924) – ES-SPA

Familia Aciculidae J.E. GRAY, 1850

Genus *Acicula* W. HARTMANN, 1821

- *Acicula fusca* (MONTAGU, 1803) – ES-SPA
- *Acicula norrisi* E. GITTEBERGER & BOETERS, 1977 – ES-SPA, GB-GI

Genus *Platyla* MOQUIN-TANDON, 1856

- *Platyla callostoma* (CLESSIN, 1911) – ES-SPA
- *Platyla cryptomena* (DE FOLIN & BÉRILLON, 1877) – ES-SPA
- *Platyla dupuyi* (PALADILHE, 1868) – ES-SPA
- *Platyla lusitanica* (HOLYOAK & SEDDON, 1985) – PT-POR
- *Platyla polita polita* (W. HARTMANN, 1840) – ES-SPA

Genus *Menkia* BOETERS, E. GITTENBERGER & SUBAI, 1985

- *Menkia dewinteri* E. GITTENBERGER, 1991 – ES-SPA
- *Menkia horsti* BOETERS, E. GITTENBERGER & SUBAI, 1985 – ES-SPA
- *Menkia rolani* E. GITTENBERGER, 1991 – ES-SPA

Superfamilia Viviparoidea J.E. GRAY, 1847

Familia Viviparidae J.E. GRAY, 1847

Subfamilia Viviparinae J.E. GRAY, 1847

Genus *Viviparus* MONTFORT, 1810

- *Viviparus viviparus* (LINNAEUS, 1758) – PT-POR

Infraclasis Sorbeoconcha PONDER & LINDBERG, 1997

Ordo **** (unnamed)

Superfamilia Cerithoidea A. FÉRUSSAC, 1822

Familia Thiaridae GILL, 1871 (1823)

Genus *Melanopsis* OLIVIER, 1804

- *Melanoides tuberculatus* (O.F. MÜLLER, 1774) – ES-SPA

Familia Melanopsidae H. & A. ADAMS, 1854

Genus *Melanopsis* A. FÉRUSSAC, 1807

- *Melanopsis cariosa* (LINNAEUS, 1767) – ES-SPA
- *Melanopsis lorcana* GUIRAO, 1854 – ES-SPA
[*bofilliana* BOURGUIGNAT, 1886]
- *Melanopsis penchinati* (BOURGUIGNAT, 1868) – ES-SPA
- *Melanopsis praemorsa* (LINNAEUS, 1758) – ES-SPA
- *Melanopsis tricarinata tricarinata* (BRUGUIÈRE, 1789) – ES-SPA
[*graellsii* VILLA & VILLA, 1846; *subgraellsiana* BOURGUIGNAT, 1864]
- *Melanopsis tricarinata dufourii* A. FÉRUSSAC, 1822 – ES-SPA
[*obesa* BOURGUIGNAT, 1884; *guirao* BOURGUIGNAT, 1884; *aprica* BOURGUIGNAT, 1884]
- *Melanopsis tricarinata etrusca* (VILLA, 1862) – ES-BAL, ES-SPA

Ordo Littorinimorpha PCHELINTSEV, 1963

Superfamilia Littorinoidea CHILDREN, 1834

Familia Pomatiidae NEWTON, 1891 (1828)

Genus *Pomatias* S. STUDER, 1789

- *Pomatias elegans* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR

Genus *Leonia* J.E. GRAY, 1850

- *Leonia mamillaris mamillaris* (LAMARCK, 1822) – ES-SPA

Genus *Tudorella* P. FISCHER, 1885

- *Tudorella ferruginea* (LAMARCK, 1822) – ES-BAL
- *Tudorella mauretana* (PALLARY, 1898) – ES-SPA

Superfamilia Risssooidea J.E. GRAY, 1847
Familia Bithyniidae J.E. GRAY, 1857

Genus *Bithynia* LEACH, 1818

- *Bithynia leachii* (SHEPPARD, 1823) – ES-SPA
- *Bithynia kobialkai* GLÖER & BECKMANN, 2007 – ES-BAL
- *Bithynia majorcina* GLÖER & ROLÁN, 2007 – ES-BAL
- *Bithynia nakeae* GLÖER & BECKMANN, 2007 – ES-BAL
- *Bithynia quintanai* GLÖER & BECKMANN, 2007 – ES-BAL
- *Bithynia tentaculata* (LINNAEUS, 1758) – ES-SPA, PT-POR

Familia Moitessieriidae BOURGUIGNAT, 1863

Genus *Moitessieria* BOURGUIGNAT, 1863

- *Moitessieria barrinae* ALBA, CORBELLA, PRATS, TARRUELLA & GUILLÉN, 2007 – ES-SPA
- *Moitessieria collellensis* CORBELLA, ALBA, TARRUELLA, PRATS & GUILLÉN, 2006 – ES-SPA
- *Moitessieria foui* BOETERS, 2003 – ES-SPA
- *Moitessieria guadelopensis* BOETERS, 2003 – ES-SPA
- *Moitessieria lludrigaensis* BOETERS, 2003 – ES-SPA
- *Moitessieria mejersae* BOETERS, 2003 – ES-SPA
- *Moitessieria mugae* CORBELLA, ALBA, TARRUELLA, PRATS & GUILLÉN, 2006 – ES-SPA
- *Moitessieria notenboomi* BOETERS, 2003 – ES-SPA
- *Moitessieria oleri* ALTIMIRA, 1960 – ES-SPA
- *Moitessieria pasterae* CORBELLA, ALBA, TARRUELLA, GUILLEN & PRATS, 2009 – ES-SPA
- *Moitessieria prioratensis* CORBELLA, ALBA, TARRUELLA, GUILLEN & PRATS, 2009 – ES-SPA
- *Moitessieria punctata* ALBA, TARRUELLA, PRATS, GUILLEN & CORBELLA, 2010 – ES-SPA
- *Moitessieria robresia* BOETERS, 2003 – ES-SPA
- *Moitessieria seminiana* BOETERS, 2003 – ES-SPA
- *Moitessieria servaini* (BOURGUIGNAT, 1880) – ES-SPA

Genus *Spiralix* BOETERS, 1972

Subgenus *Spiralix* BOETERS, 1972

- *Spiralix?* (*Spiralix?*) *gloriae* (ROLÁN & MARTÍNEZ-ORTÍ, 2003) – ES-SPA
- *Spiralix* (*Spiralix*) *pequenoensis* BOETERS, 2003 – ES-SPA
- *Spiralix* (*Spiralix*) *valenciana valenciana* BOETERS, 2003 – ES-SPA
- *Spiralix* (*Spiralix*) *valenciana castellonica* BOETERS, 2003 – ES-SPA

Subgenus *Burgosia* BOETERS, 2003

- *Spiralix* (*Burgosia*) *affinitatis* BOETERS, 2003 – ES-SPA
- *Spiralix* (*Burgosia*) *burgensis* BOETERS, 2003 – ES-SPA

Genus *Baldufa* ALBA, TARRUELLA, PRATS, GUILLEN & CORBELLA, 2010

- *Baldufa fontinalis* ALBA, TARRUELLA, PRATS, GUILLEN & CORBELLA, 2010 – ES-SPA

Genus *Palaospeum* BOETERS, 1999

- *Palaospeum hispanicum hispanicum* BOETERS, 2003 – ES-SPA
- *Palaospeum hispanicum odaense* BOETERS, 2003 – ES-SPA
- *Palaospeum? septentrionalis* (ROLÁN & RAMOS, 1996) – ES-SPA

Genus *Sardopaladilhia* MANGANELLI, BODON, CIANFANELLI, TALENTI & GIUSTI, 1998

- *Sardopaladilhia? buccina* ROLÁN & MARTÍNEZ-ORTÍ, 2003 – ES-SPA
- *Sardopaladilhia? distorta* ROLÁN & MARTÍNEZ-ORTÍ, 2003 – ES-SPA
- *Sardopaladilhia marianae* ROLÁN & MARTÍNEZ-ORTÍ, 2003 – ES-SPA
- *Sardopaladilhia? subdistorta* ROLÁN & MARTÍNEZ-ORTÍ, 2003 – ES-SPA

Familia Cochliopidae Tryon, 1866

Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

Genus *Heleobia* STIMPSON, 1865

Subgenus *Semisalsa* RADOMAN, 1974

- *Heleobia (Semisalsa) macei* (PALADILHE, 1867) – ES-BAL, ES-SPA

Familia Hydrobiidae STIMPSON, 1865

Subfamilia Tateinae THIELE, 1925

Genus *Potamopyrgus* STIMPSON, 1865

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – AN, ES-BAL, ES-SPA, PT-POR
[*jenkinsi* E.A. SMITH, 1889]

Subfamilia Hydrobiinae STIMPSON, 1865

Genus *Hydrobia* W. HARTMANN, 1821

- *Hydrobia acuta* (DRAPARNAUD, 1805) – ES-BAL, ES-SPA
- *Hydrobia glyca* (SERVAIN, 1880) – ES-SPA, PT-POR
[*joossei* AARTSEN, MENKHORST & GITTENBERGER, 1984]

Genus *Ecrobia* STIMPSON, 1865

- *Ecrobia atuca* (BOETERS, 1988) – ES-BAL
- *Ecrobia vitrea* (RISSO, 1826) – ES-BAL, ES-SPA

Genus *Peringia* PALADILHE, 1874

- *Peringia ulvae* (PENNANT, 1777) – ES-BAL, PT-POR
[*cyclolabris* BOURGUIGNAT, 1876; *castroi* LOCARD, 1899; *lusitanica* LOCARD, 1899; *paulinoi* LOCARD, 1899]

Genus *Mercuria* BOETERS, 1971

- *Mercuria balearica* (PALADILHE, 1869) – ES-SPA, ES-BAL, PT-POR
- *Mercuria edmundi* BOETERS, 1986 – PT-POR
- *Mercuria emiliana* (PALADILHE, 1869) – ES-BAL, ES-SPA
[*compacta* PALADILHE, 1869; *cerulea* MASSOT, 1872]
- *Mercuria maceana* (PALADILHE, 1869) – ES-SPA
- *Mercuria tachoensis* (FRAUENFELD, 1865) – PT-POR

Genus *Pseudamnicola* PAULUCCI, 1878

Subgenus *Pseudamnicola* PAULUCCI, 1878

- *Pseudamnicola (Pseudamnicola) beckmanni* GLÖER & ZETTLER, 2007 – ES-BAL
- *Pseudamnicola (Pseudamnicola) gasulli* BOETERS, 1981 – ES-BAL, ES-SPA
- *Pseudamnicola (Pseudamnicola) granjaensis* GLÖER & ZETTLER, 2007 – ES-BAL
- *Pseudamnicola (Pseudamnicola) spirata* (PALADILHE, 1869) – ES-BAL, ES-SPA
[*subproducta* PALADILHE, 1869]

Subgenus *Corrosella* BOETERS, 1970

- *Pseudamnicola (Corrosella) falkneri* (BOETERS, 1970) – ES-SPA
- *Pseudamnicola (Corrosella) hinzi* BOETERS, 1986 – ES-SPA
- *Pseudamnicola (Corrosella) hydrobiopsis* BOETERS, 1999 – ES-SPA
- *Pseudamnicola (Corrosella) luisi* BOETERS, 1984 – ES-SPA
- *Pseudamnicola (Corrosella) navasiana* (FAGOT, 1907) – ES-SPA

Subfamilia Belgrandiinae DE STEFANI, 1877

Tribus Belgrandiini DE STEFANI, 1877

Genus *Belgrandia* BOURGUIGNAT, 1870

- *Belgrandia alcoaensis* C. BOETTGER, 1963 – PT-POR
- *Belgrandia boscae* (SALVANA, 1887) – ES-SPA
- *Belgrandia heussi* C. BOETTGER, 1963 – PT-POR
[*alcoaensis* C. BOETTGER, 1963]
- *Belgrandia lusitanica* (PALADILHE, 1867) – PT-POR
[*occidentalis* CLESSIN, 1878]
- *Belgrandia silviae* ROLÁN & DE OLIVEIRA, 2009 – PT-POR

Genus *Alzoniella* GIUSTI & BODON, 1984

Subgenus *Alzoniella* GIUSTI & BODON, 1984

- *Alzoniella (Alzoniella) asturica* (BOETERS & ROLÁN, 1988) – ES-SPA
- *Alzoniella (Alzoniella) cantabrica* (BOETERS, 1983) – ES-SPA
- *Alzoniella (Alzoniella) edmundi* (BOETERS, 1984) – ES-BAL
- *Alzoniella (Alzoniella) galaica* (BOETERS & ROLÁN, 1988) – ES-SPA
- *Alzoniella (Alzoniella) iberopyrenaica* ARCONADA, ROLÁN & BOETERS, 2007 – ES-SPA
- *Alzoniella (Alzoniella) lucensis* (ROLÁN, 1993) – ES-SPA
- *Alzoniella (Alzoniella) marianae* ARCONADA, ROLÁN & BOETERS, 2007 – ES-SPA
- *Alzoniella (Alzoniella) montana* (ROLÁN, 1993) – ES-SPA
- *Alzoniella (Alzoniella) murita* BOETERS, 2003 – ES-SPA
- *Alzoniella (Alzoniella) onatensis* BOETERS, 2003 – ES-SPA
- *Alzoniella (Alzoniella) ovetensis* (ROLÁN, 1993) – ES-SPA
- *Alzoniella (Alzoniella) rolani* (BOETERS, 1986) – ES-SPA, PT-POR
- *Alzoniella (Alzoniella) somiedoensis* ROLÁN, ARCONADA & BOETERS, 2009 – ES-SPA

Subgenus *Navariella* BOETERS, 2000

- *Alzoniella (Navariella) elliptica* (PALADILHE, 1874) – ES-SPA
- *Alzoniella (Navariella) pellitica* ARCONADA, ROLAN & BOETERS, 2007 – ES-SPA

Genus *Guadiella* BOETERS, 2003

- *Guadiella andalucensis* (BOETERS, 1983) – ES-SPA
- *Guadiella arconadae* BOETERS, 2003 – ES-SPA
- *Guadiella ballesterosi* ALBA, TARRUELLA, PRATS, CORBELLA & GUILLEN, 2009 – ES-SPA

- *Guadiella ramosae* BOETERS, 2003 – ES-SPA

Genus *Plesiella* BOETERS, 2003-12-24

- *Plesiella guipuzcoa* BOETERS, 2003 – ES-SPA
- *Plesiella navarrensis* BOETERS, 2003 – ES-SPA

Tribus Belgrandiellini Radoman, 1983

Genus *Arganiella* GIUSTI & PEZZOLI, 1980

- *Arganiella wolffi* (BOETERS & GLÖER, 2007) – ES-SPA
[*tartessica* ARCONADA & RAMOS, 2007]
- *Arganiella tartessica* ARCONADA & RAMOS, 2007 – ES-SPA

Tribus Pseudohoratiini RADOMAN, 1973

Genus *Tarraconia* RAMOS & ARCONADA, 2000

- *Tarraconia gasulli* (BOETERS, 1981) – ES-SPA
- *Tarraconia rolandi* RAMOS, ARCONADA & MORENO, 2000 – ES-SPA

Subfamilia Islamiinae RADOMAN, 1973

Genus *Islamia* RADOMAN, 1974

- *Islamia ateni* (BOETERS, 1969) – ES-SPA
- *Islamia azarum* BOETERS & ROLAN, 1988 – ES-SPA
- *Islamia? coronadoi* (BOURGUIGNAT, 1870) – ES-SPA
- *Islamia globulus globulus* (BOFILL, 1909) – ES-SPA
- *Islamia globulus lagari* (ALTIMIRA, 1960) – ES-SPA
- *Islamia schueleii* (BOETERS, 1981) – ES-SPA

Genus *Spathogyna* ARCONADA & RAMOS, 2002

- *Spathogyna fezi* (ALTIMIRA, 1960) – ES-SPA

Genus *Iberhoratia* ARCONADA & RAMOS, 2007

- *Iberhoratia aurorae* ARCONADA, DELICADO & RAMOS, 2007 – ES-SPA
- *Iberhoratia gatoa* (BOETERS, 1980) – ES-SPA
- *Iberhoratia morenoi* ARCONADA, DELICADO & RAMOS, 2007 – ES-SPA

Familia Amnicolidae TRYON, 1863
Subfamilia Amnicolinae TRYON, 1863

Genus *Bythinella* MOQUIN-TANDON, 1856

- *Bythinella batalleri* BOFILL, 1925 – ES-SPA
[*perilongata* ALTIMIRA, 1959; *alonsoae* BECH, 1979; *espanoli* BECH, 1979; *fernandezii* BECH, 1979; *cadevallii* BECH & FERNÁNDEZ, 1986]
- *Bythinella baudoni andorrensis* (PALADILHE, 1875) – AN, ES-SPA
[*andorrica* FAGOT, 1892]
- *Bythinella reyniesii* (DUPUY, 1851) – AN, ES-SPA
- *Bythinella rufescens rufescens* (KÜSTER, 1852) – ES-SPA
[*artiasensis* FAGOT, 1887]

- *Bythinella rufescens persuturata* BOFILL, F. HAAS & AGUILAR-AMAT, 1921 – ES-SPA

Subfamilia incertae sedis

Genus *Boetersiella* ARCONADA & RAMOS, 2001

- *Boetersiella davis* ARCONADA & RAMOS, 2001 – ES-SPA
- *Boetersiella sturmi* (ROSENHAUER, 1856) – ES-SPA

Genus *Chondrobasis* ARCONADA & RAMOS, 2001

- *Chondrobasis levantina* RAMOS & ARCONADA, 2001 – ES-SPA

Familia Truncatellidae J.E. GRAY, 1840
Subfamilia Truncatellinae J.E. GRAY, 1840

Genus *Truncatella* RISSO, 1826

- *Truncatella subcylindrica* (LINNAEUS, 1767) – ES-BAL, ES-SPA, PT-POR
[*laevigata* RISSO, 1826]

Familia Assimineidae H. & A. ADAMS, 1856
Subfamilia Assimineinae H. & A. ADAMS, 1856

Genus *Assiminea* FLEMING, 1828

Subgenus *Assiminea* FLEMING, 1828

- *Assiminea (Assiminea) cardonae* PALADILHE, 1875 – ES-BAL
- *Assiminea (Assiminea) eliae* PALADILHE, 1875 – ES-SPA, PT-POR
- *Assiminea (Assiminea) glaubrechtii* VAN AARTSEN, 2008 – ES-SPA

Genus *Paludinella* L. PFEIFFER, 1841

Subgenus *Paludinella* L. PFEIFFER, 1841

- *Paludinella (Paludinella) littorina* (DELLE CHIAJE, 1828) – ES-BAL, ES-SPA, PT-POR
- *Paludinella (Paludinella) sicana* (BRUGNONE, 1876) – ES-BAL, ES-SPA

Subclassis Heterobranchia BURMEISTER, 1837
Ordo Allogastropoda HASZPRUNAR, 1985
Superfamilia Valvatoidea J.E. GRAY, 1840
Familia Valvatidae J.E. GRAY, 1840

Genus *Valvata* O.F. MÜLLER, 1773

Subgenus *Valvata* O.F. MÜLLER, 1773

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – AN, ES-SPA

Subgenus *Cincinna* HÜBNER, 1810

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – ES-SPA, PT-POR

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814
Ordo Hygrophila A. FÉRUSAC, 1822
Superfamilia Acroloxoidea THIELE, 1931
Familia Acroloxidae THIELE, 1931

Genus *Acroloxus* H. BECK, 1838

- *Acroloxus lacustris* (LINNAEUS, 1758) – ES-BAL, ES-SPA, PT-POR

Superfamilia Lymnaeoidea RAFINESQUE, 1815
Familia Lymnaeidae RAFINESQUE, 1815
 Subfamilia Lymnaeinae RAFINESQUE, 1815

Genus *Galba* SCHRANK, 1803

Subgenus *Galba* SCHRANK, 1803

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR

Genus *Stagnicola* JEFFREYS, 1830

- *Stagnicola fuscus* (C. PFEIFFER, 1821) – ES-BAL, ES-SPA
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – ES-BAL, PT-POR

Genus *Omphiscola* RAFINESQUE, 1819

- *Omphiscola glabra glabra* (O.F. MÜLLER, 1774) – ES-SPA
- *Omphiscola glabra cantabra* (ÁLVAREZ, 1965) – ES-SPA

Genus *Radix* MONTFORT, 1810

- *Radix auricularia* (LINNAEUS, 1758) – ES-BAL, ES-SPA, PT-POR
- *Radix balthica* (LINNAEUS, 1758) – AN, ES-BAL, ES-SPA, PT-POR
- *Radix labiata* (ROSSMÄSSLER, 1835) – ES-SPA
- *Radix lilli* GLÖER & BECKMANN, 2007 – ES-BAL

Genus *Myxas* G.B. SOWERBY I, 1822

- *Myxas glutinosa* (O.F. MÜLLER, 1774) – AN

Genus *Lymnaea* LAMARCK, 1799

- *Lymnaea stagnalis* (LINNAEUS, 1758) – ES-SPA, PT-POR

Genus *Pseudosuccinea* F.C. BAKER, 1908

- *Pseudosuccinea columella* (SAY, 1817) – ES-BAL, ES-SPA, PT-POR

Superfamilia Planorboidea RAFINESQUE, 1815
Familia Physidae FITZINGER, 1833
 Subfamilia Physinae FITZINGER, 1833
 Tribus Pysini FITZINGER, 1833

Genus *Physa* DRAPARNAUD, 1801

- *Physa fontinalis* (LINNAEUS, 1758) – ES-SPA

Tribus Physellini D.W. TAYLOR, 2003

Genus *Physella* HALDEMAN, 1842

- *Physella gyrina* (SAY, 1821) – ES-SPA

Tribus Haitiini D.W. TAYLOR, 2003

Genus *Haitia* CLENCH & AGUAYO, 1932

- *Haitia acuta* (DRAPARNAUD, 1805) – AN, ES-BAL, ES-SPA, PT-POR

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

Genus *Aplexa* FLEMING, 1820

- *Aplexa hypnorum* (LINNAEUS, 1758) – ES-SPA

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Bulinini P. FISCHER & CROSSE, 1880

Genus *Bulinus* O.F. MÜLLER, 1781

Subgenus *Isidora* EHRENBERG, 1831

- *Bulinus (Isidora) truncatus contortus* (MICHAUD, 1829) – ES-BAL, ES-SPA, PT-POR

Tribus Coretini J.E. GRAY, 1847

Genus *Planorbarius* DUMÉRIL, 1806

- *Planorbarius dufourii* (GRAELLS, 1846) – ES-SPA, PT-POR
[*meditjensis* FORBES, 1838]

Genus *Planorbella* HALDEMAN, 1843

- *Planorbella duryi* (WETHERBY, 1879) – ES-BAL, ES-SPA

Genus *Menetus* H. & A. ADAMS, 1855

Subgenus *Dilatata* CLESSIN, 1885

- *Menetus (Dilatata) dilatatus* (GOULD, 1841) – PT-POR

Tribus Miratestini P. & F. SARASIN, 1897

Genus *Ferrissia* WALKER, 1903

Subgenus *Pettancyllus* IREDALE, 1943

- *Ferrissia (Pettancyllus) wautieri* (MIROLLI, 1960) – ES-BAL, ES-SPA, PT-POR

Subfamilia Planorbinae RAFINESQUE, 1815

Tribus Planorbini RAFINESQUE, 1815

Genus *Planorbis* O.F. MÜLLER, 1773

Subgenus *Planorbis* O.F. MÜLLER, 1773

- *Planorbis (Planorbis) carinatus* (O.F. MÜLLER, 1774) – ES-SPA, PT-POR
- *Planorbis (Planorbis) moquini* REQUIEN, 1848 – ES-BAL, ES-SPA
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – ES-BAL, ES-SPA, PT-POR

Genus *Anisus* S. STUDER, 1820

Subgenus *Anisus* S. STUDER, 1820

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – ES-SPA

- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – ES-SPA

Subgenus *Disculifer* C. BOETTGER, 1944

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – ES-SPA, PT-POR

Genus *Bathyomphalus* CHARPENTIER, 1837

- *Bathyomphalus contortus* (LINNAEUS, 1758) – ES-SPA, PT-POR

Genus *Gyraulus* CHARPENTIER, 1837

Subgenus *Gyraulus* CHARPENTIER, 1837

- *Gyraulus (Gyraulus) albus* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Gyraulus (Gyraulus) chinensis* (DUNKER, 1848) – ES-SPA, PT-POR

Subgenus *Torquis* DALL, 1905

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – ES-SPA, PT-POR

Subgenus *Armiger* W. HARTMANN, 1843

- *Gyraulus (Armiger) crista* (LINNAEUS, 1758) – ES-BAL, ES-SPA, PT-POR

Tribus Segmentinini F.C. BAKER, 1945

Genus *Hippeutis* CHARPENTIER, 1837

- *Hippeutis complanatus* (LINNAEUS, 1758) – ES-SPA, PT-POR

Genus *Segmentina* FLEMING, 1818

- *Segmentina nitida* (O.F. MÜLLER, 1774) – ES-SPA

Tribus Ancylini RAFINESQUE, 1815

Genus *Ancylus* O.F. MÜLLER, 1773

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – AN, ES-BAL, ES-SPA, PT-POR

Superfamilia Onchidioidea RAFINESQUE, 1815

Familia Onchidiidae RAFINESQUE, 1815

Genus *Onchidella* J.E. GRAY, 1850

- *Onchidella celtica* (CUVIER, 1817) – ES-SPA

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990

Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)

Familia Ellobiidae L. PFEIFFER, 1854 (1822)

Subfamilia Pythiinae ODHNER, 1925 (1880)

Genus *Myosotella* MONTEROSATO, 1906

- *Myosotella denticulata* (MONTAGU, 1803) – ES-BAL, ES-SPA
- *Myosotella myosotis* (DRAPARNAUD, 1801) – ES-BAL, ES-SPA, PT-POR

Genus *Ovatella* BIVONA, 1832

- *Ovatella firminii* (PAYRAUDEAU, 1827) – ES-BAL, ES-SPA

Subfamilia Ellobiinae L. PFEIFFER, 1854 (1822)

Genus *Leucophytia* WINCKWORTH, 1949

- *Leucophytia bidentata* (MONTAGU, 1808) – ES-BAL, ES-SPA, PT-POR

Subfamilia Pedipedinae P. FISCHER & CROSSE, 1880

Genus *Pseudomelampus* PALLARY, 1900

- *Pseudomelampus exiguus* (R.T. LOWE, 1832) – ES-SPA, PT-POR
[*biscaiensis* FISCHER, 1899]

Subfamilia Carychiinae JEFFREYS, 1830

Genus *Carychium* O.F. MÜLLER, 1773

Subgenus *Carychium* O.F. MÜLLER, 1773

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – AN, ES-BAL, ES-SPA, PT-POR

Subgenus *Saraphia* RISSO, 1826

- *Carychium (Saraphia) ibazoricum* BANK & E. GITTENBERGER, 1985 – PT-POR
- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – AN, ES-SPA

Genus *Zospeum* BOURGUIGNAT, 1856

- *Zospeum bellesi* E. GITTENBERGER, 1973 – ES-SPA
- *Zospeum biscaiense* GÓMEZ & PRIETO, 1983 – ES-SPA
- *Zospeum schaufussi* FRAUENFELD, 1862 – ES-SPA
- *Zospeum suarezi* E. GITTENBERGER, 1980 – ES-SPA

Ordo Systellommatophora PILSBRY, 1948
Superfamilia Otinoidea H. & A. ADAMS, 1855
Familia Otinidae H. & A. ADAMS, 1855

Genus *Otina* J.E. GRAY, 1847

- *Otina ovata* (TH. BROWN, 1827) – ES-SPA

Subordo Stylommatophora A. SCHMIDT, 1855
Subordo Elasmognatha MÖRCH, 1863
Superfamilia Succineoidea H. BECK, 1837
Familia Succineidae H. BECK, 1837
Subfamilia Succineinae H. BECK, 1837

Genus *Succinea* DRAPARNAUD, 1801

- *Succinea putris* (LINNAEUS, 1758) – ES-SPA

Genus *Succinella* J. MABILLE, 1871

- *Succinella oblonga* (DRAPARNAUD, 1801) – ES-SPA, PT-POR
[*abbreviata* MORELET, 1845]

Genus *Oxyloma* WESTERLUND, 1885
Subgenus *Oxyloma* WESTERLUND, 1885

- *Oxyloma (Oxyloma) elegans elegans* (RISSO, 1826) – AN, ES-BAL, ES-SPA, PT-POR
[*longiscata* MORELET, 1845; *virescens* MORELET, 1845]
- *Oxyloma (Oxyloma) sarsii* (ESMARK, 1886) – ES-SPA

Subfamilia Catinellinae ODHNER, 1950

Genus *Quickella* C. BOETTGER, 1939

- *Quickella arenaria* (POTIEZ & MICHAUD, 1835) – ES-SPA

Subordo Orthurethra PILSBRY, 1900
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)
Familia Cochlicopidae PILSBRY, 1900 (1879)
Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

Genus *Cochlicopa* A. FÉRUSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – AN, ES-BAL?, ES-SPA, PT-POR
- *Cochlicopa lubricella* (PORRO, 1838) – AN, ES-SPA,

Subfamilia Azecinae H. WATSON, 1920

Genus *Azeca* FLEMING, 1828

- *Azeca goodalli* (A. FÉRUSAC, 1821) – ES-SPA

Genus *Hypnophila* BOURGUIGNAT, 1858

- *Hypnophila boissii* (DUPUY, 1851) – AN, ES-SPA
- *Hypnophila malagana* E. GITTENBERGER & MENKHORST, 1983 – ES-SPA

Genus *Cryptazeca* DE FOLIN & BÉRILLON, 1877

- *Cryptazeca elongata* GÓMEZ, 1990 – ES-SPA
- *Cryptazeca kobelti* E. GITTENBERGER, 1983 – ES-SPA
- *Cryptazeca monodonta* (DE FOLIN & BÉRILLON, 1877) – ES-SPA
- *Cryptazeca spelaea* GÓMEZ, 1990 – ES-SPA
- *Cryptazeca vasconica* (KOBELT, 1894) – ES-SPA

Superfamilia Pupilloidea TURTON, 1831
Familia Lauriidae STEENBERG, 1925

Genus *Lauria* J.E. GRAY, 1840
Subgenus *Lauria* J.E. GRAY, 1840

- *Lauria (Lauria) cylindracea* (DA COSTA, 1778) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
- *Lauria (Lauria) sempronii* (CHARPENTIER, 1837) – ES-SPA

Genus *Leiostyla* R.T. LOWE, 1852
Subgenus *Leiostyla* R.T. LOWE, 1852

- *Leiostyla (Leiostyla) anglica* (A. FÉRUSAC, 1821) – ES-SPA, PT-POR

Familia Orculidae PILSBRY, 1918

Subfamilia Orculinae PILSBRY, 1918

Genus *Orculella* STEENBERG, 1925

- *Orculella bulgarica bulgarica* (P. HESSE, 1915) – ES-SPA

Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – ES-SPA
[*klemmi* ALTIMIRA, 1959]

Familia Argnidae HUDEC, 1965

Genus *Argna* COSSMANN, 1889

- *Argna biplicata biplicata* (MICHAUD, 1831) – ES-SPA
- *Argna ferrari blanci* (BOURGUIGNAT, 1874) – ES-SPA

Familia Valloniidae MORSE, 1864
Subfamilia Valloniinae MORSE, 1864

Genus *Vallonia* RISSO, 1826

- *Vallonia costata* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Vallonia enniensis* (GREDLER, 1856) – ES-BAL, ES-SPA
- *Vallonia excentrica* STERKI, 1892 – AN, ES-SPA
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR

Genus *Plagyrona* E. GITTENBERGER, 1975

- *Plagyrona placida* (SHUTTLEWORTH, 1852) – PT-POR
[*bussacona* DA SILVA E CASTRO, 1887; *debeauxiana* BOURGUIGNAT, 1863]

Genus *Gittenbergia* GIUSTI, CASTAGNOLO & MANGANELLI, 1985

- *Gittenbergia sororcula* (BENOIT, 1859) – ES-SPA

Subfamilia Acanthinulinae STEENBERG, 1917

Genus *Acanthinula* H. BECK, 1847

- *Acanthinula aculeata* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR

Genus *Spermodea* WESTERLUND, 1903

- *Spermodea lamellata* (JEFFREYS, 1830) – ES-SPA, PT-POR
[*spermatia* DA SILVA E CASTRO, 1887]

Familia Pupillidae TURTON, 1831

Genus *Pupilla* FLEMING, 1828

Subgenus *Pupilla* FLEMING, 1828

- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – AN, ES-SPA, PT-POR
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – AN, ES-SPA

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

Genus *Pyramidula* FITZINGER, 1833

- *Pyramidula jaenensis* (CLESSIN, 1882) – ES-SPA, PT-POR
- *Pyramidula pusilla* (VALLOT, 1801) – AN, ES-SPA, GB-GI?, PT-POR
- *Pyramidula rupestris* (DRAPARNAUD, 1801) – AN, ES-BAL, ES-SPA, PT-POR
- *Pyramidula umbilicata* (MONTAGU, 1803) – ES-SPA, PT-POR

Familia Chondrinidae STEENBERG, 1925

Subfamilia Granariinae KOKSHOORN & E. GITTENBERGER, 2010

Genus *Granopupa* O. BOETTGER, 1889

- *Granopupa granum* (DRAPARNAUD, 1801) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
[*gratiosa* WESTERLUND, 1898; *retracta* WESTERLUND, 1892; *semidens* WESTERLUND, 1892]

Genus *Granaria* HELD, 1838

- *Granaria braunii braunii* (ROSSMÄSSLER, 1842) – AN, ES-SPA
[*conispira* WESTERLUND, 1893]
- *Granaria braunii marcusii* E. GITTENBERGER & RIPKEN, 1993 – ES-SPA
- *Granaria variabilis* (DRAPARNAUD, 1801) – ES-SPA

Genus *Solatopupa* PILSBRY, 1917

- *Solatopupa similis* (BRUGUIÈRE, 1792) – ES-BAL?, ES-SPA
[*monterosatoi* AGUILAR-AMAT, 1932]

Subfamilia Chondrininae STEENBERG, 1925

Genus *Abida* TURTON, 1831

- *Abida ateni* E. GITTENBERGER, 1973 – ES-SPA
- *Abida attenuata* (FAGOT, 1886) – ES-SPA
- *Abida bigerrensis* (MOQUIN-TANDON, 1856) – ES-SPA
- *Abida cylindrica* (MICHAUD, 1829) – ES-SPA
- *Abida gittenbergeri* BÖßNECK, 2000 – ES-SPA
- *Abida occidentalis* (FAGOT, 1888) – AN, ES-SPA
- *Abida partioti* (SAINT-SIMON, 1848) – ES-SPA
- *Abida polyodon* (DRAPARNAUD, 1801) – AN, ES-BAL?, ES-SPA
[*exilis* MOQUIN-TANDON, 1856; *gracillima* BECK, 1837; *lopezi* BECH, 1973; *montserratica* FAGOT, 1884; *monsjovica* AGUILAR-AMAT, 1932; *vidali* AGUILAR-AMAT, 1932]
- *Abida pyrenaearia* (MICHAUD, 1831) – ES-SPA
- *Abida secale secale* (DRAPARNAUD, 1801) – ES-SPA
[*?fusiformis* GOURDON, 1889]
- *Abida secale affinis* (ROSSMÄSSLER, 1839) – ES-SPA
[*catalonica* BOFILL, 1886; *clausilioides* L. PFEIFFER, 1848; *freseriana* BOFILL, 1890; *perlonga* BOFILL, 1890; *phthisica* BOFILL, 1890]
- *Abida secale andorrensis* (BOURGUIGNAT, 1863) – AN, ES-SPA
[*andorrica* FAGOT, 1891; *juliensis* BOURGUIGNAT, 1863]
- *Abida secale bofilli* (FAGOT, 1884) – ES-SPA
- *Abida secale brauniopsis* ALTIMIRA, 1963 – ES-SPA
- *Abida secale brongersmai* E. GITTENBERGER, 1973 – ES-SPA
- *Abida secale cadica* (WESTERLUND, 1902) – ES-SPA
- *Abida secale cadiensis* E. GITTENBERGER, 1973 – ES-SPA
- *Abida secale elegantissima* E. GITTENBERGER, 1973 – ES-SPA
- *Abida secale ionicae* KOKSHOORN & E. GITTENBERGER, 2010 – AD

- *Abida secale lilietensis* (BOFILL, 1886) – ES-SPA
[*montsiciana* BOFILL, 1890; *valida* AGUILAR-AMAT, 1932]
- *Abida secale margaridae* BECH, 1993 – ES-SPA
- *Abida secale meridionalis* MARTÍNEZ-ORTÍ, GÓMEZ & FACI, 2004 – ES-SPA
- *Abida secale merijni* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Abida secale petersi* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Abida secale tuxensis* (WESTERLUND, 1902) – Distribution: ES-SPA
- *Abida secale vilellai* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Abida vasconica* (KOBELT, 1882) – ES-SPA
- *Abida vergniesiana* (KÜSTER, 1847) – AN

Genus *Chondrina* REICHENBACH, 1828

- *Chondrina aguilar* ALTIMIRA, 1967 – ES-SPA
- *Chondrina altimirai* E. GITTENBERGER, 1973 – ES-SPA
- *Chondrina arigonis* (ROSSMÄSSLER, 1859) – ES-SPA
[*arigo* WESTERLUND, 1887; *isodon* BOFILL & AGUILAR-AMAT, 1924; *microstoma* ALTIMIRA, 1961]
- *Chondrina arigonoides* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Chondrina ascendens* (WESTERLUND, 1878) – ES-SPA
[*aragonica* FAGOT, 1888; *gorbeana* PILSBRY, 1918; *ignota* FAGOT, 1888; *longini* FAGOT, 1906; *saltus* FAGOT, 1888]
- *Chondrina avenacea avenacea* (BRUGUIÈRE, 1792) – ES-SPA
[*subcornea* AGUILAR-AMAT, 1932]
- *Chondrina bigorriensis* (DES MOULINS, 1835) – ES-SPA
[*hospitii* FAGOT, 1888]
- *Chondrina calpica* (WESTERLUND, 1872) – ES-SPA, GB-GI
[*algesirae* KOBELT, 1882]
- *Chondrina centralis* (FAGOT, 1891) – ES-SPA
- *Chondrina cliendentata* E. GITTENBERGER, 1973 – ES-SPA
- *Chondrina dertosensis* (BOFILL, 1886) – ES-SPA.
[*montrealensis* ALTIMIRA, 1959]
- *Chondrina farinesii* (DES MOULINS, 1835) – ES-SPA
[*alfarae* ALTIMIRA, 1961; *angustata* WESTERLUND, 1887; *bidens* ALTIMIRA, 1961; *biplicata* BOURGUIGNAT, 1863; *brandti* ALTIMIRA, 1961; *confusa* WESTERLUND, 1887; *cornudellae* ALTIMIRA, 1961; *dentiens* MOQUIN-TANDON, 1856; *espanoli* ALTIMIRA, 1961; *farinesiana* CHATENIER, 1888; *farta* AGUILAR-AMAT, 1932; *klemmi* ALTIMIRA, 1961; *microdon* WESTERLUND, 1887; *nosae* ALTIMIRA, 1961; *obesa* BOURGUIGNAT, 1863; *simplex* ALTIMIRA, 1959; *subcarinata* BOURGUIGNAT, 1863; *tarraconensis* FAGOT, 1888; *toscari* ALTIMIRA, 1961; *triplex* ALTIMIRA, 1959; *triplicata* FAGOT, 1888; *unidentata* ALTIMIRA, 1960]
- *Chondrina gasulli* E. GITTENBERGER, 1973 – ES-SPA
- *Chondrina granatensis* ALONSO, 1974 – ES-SPA
- *Chondrina guiraoensis* PILSBRY, 1918 – ES-SPA
[*jumillensis* ROSSMÄSSLER, 1859; *guiraonis* PILSBRY, 1918]
- *Chondrina ingae* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Chondrina jumillensis* (L. PFEIFFER, 1853) – ES-SPA
- *Chondrina kobelti* (WESTERLUND, 1887) – ES-SPA
[*ordunensis* PILSBRY, 1918]
- *Chondrina kobeltoides* E. GITTENBERGER, 1973 – ES-SPA
- *Chondrina lusitanica* (L. PFEIFFER, 1848) – PT-POR
[*obliterata* KÜSTER, 1847]
- *Chondrina maginensis* ARRÉBOLA & GÓMEZ, 1998 – ES-SPA
- *Chondrina marjae* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Chondrina massotiana massotiana* (BOURGUIGNAT, 1863) – AD, ES-SPA
[*penchinatiana* BOURGUIGNAT, 1863]
- *Chondrina massotiana sexplicata* (BOFILL, 1886) – ES-SPA

[*agerensis* ALTIMIRA, 1967; *bofilliana* ALTIMIRA, 1967; *ilerdensis* FAGOT, 1888; *manotiana* WESTERLUND, 1894; *minor* F. HAAS, 1926; *montsiciana* ALTIMIRA, 1967; *pulchella* BOFILL, 1886]

- *Chondrina pseudavenacea* KOKSHOORN & E. GITTENBERGER, 2010 – ES-SPA
- *Chondrina ripkeni* E. GITTENBERGER, 1973 – ES-SPA
- *Chondrina soleri* ALTIMIRA, 1960 – ES-SPA
- *Chondrina tenuimarginata* (DES MOULINS, 1835) – AN, ES-SPA
[*adeodati* FAGOT, 1906; *angulata* FAGOT, 1888; *crassata* FAGOT, 1888; *flaccida* AGUILAR-AMAT, 1932; *macrochila* BOFILL, 1917; *microchilus* BOFILL, 1909]

Genus *Rupestrella* MONTEROSATO, 1894

- *Rupestrella dupotetii* (TERVER, 1839) – ES-SPA
- *Rupestrella philippii moraguesi* (KOBELT, 1886) – ES-BAL

Familia Vertiginidae FITZINGER, 1833
Subfamilia Vertigininae FITZINGER, 1833
Tribus Truncatellinini STEENBERG, 1925

Genus *Columella* WESTERLUND, 1878

- *Columella aspera* WALDÉN, 1966 – AN, ES-SPA, PT-POR
- *Columella edentula* (DRAPARNAUD, 1805) – AN, ES-SPA, PT-POR

Genus *Truncatellina* R.T. LOWE, 1852

Genus *Baldufa* ALBA, TARRUELLA, PRATS, GUILLEN & CORBELLA, 2010

- *Truncatellina beckmanni* QUINTANA, 2010 – ES-BAL
- *Truncatellina callicratis* (SCACCHI, 1833) – AN, ES-BAL, ES-SPA
- *Truncatellina cylindrica* (A. FÉRUSAC, 1807) – AN, ES-BAL, ES-SPA, PT-POR

Tribus Vertiginini FITZINGER, 1833

Genus *Vertigo* O.F. MÜLLER, 1773

Subgenus *Vertigo* O.F. MÜLLER, 1773

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – ES-SPA
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – AN, ES-BAL, ES-SPA, PT-POR
- *Vertigo (Vertigo) lilljeborgi* (WESTERLUND, 1871) – ES-SPA
- *Vertigo (Vertigo) modesta arctica* (WALLENBERG, 1858) – AN, ES-SPA
- *Vertigo (Vertigo) moulinsiana* (DUPUY, 1849) – ES-SPA, ES-BAL
[*acheila* SERVAIN, 1880]
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – ES-BAL, ES-SPA
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – AN, ES-BAL, ES-SPA, PT-POR
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – AN, ES-SPA

Subgenus *Vertilla* MOQUIN-TANDON, 1856

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – ES-SPA

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)
Familia Enidae B.B. WOODWARD, 1903 (1880)
Subfamilia Eninae B.B. WOODWARD, 1903 (1880)
Tribus Enini B.B. WOODWARD, 1903 (1880)

Genus *Jaminia* RISSO, 1826

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA
- *Jaminia quadridens elongata* (MOQUIN-TANDON, 1856) – ES-SPA

Genus *Ena* TURTON, 1831

- *Ena montana* (DRAPARNAUD, 1801) – AN, ES-SPA

Tribus Multidentulini SCHILEYKO, 1978

Genus *Merdigera* HELD, 1838

- *Merdigera obscura* (O.F. MÜLLER, 1774) – AN, ES-SPA, PT-POR

Tribus Chondrulini WENZ, 1923

Genus *Zebrina* HELD, 1838

- *Zebrina detrita* (O.F. MÜLLER, 1774) – AN, ES-SPA

Genus *Mastus* H. BECK, 1837

- *Mastus pupa* (LINNAEUS, 1758) – ES-SPA
[*hispaliensis* WESTERLUND, 1892]

Subordo **** (unnamed)
Superfamilia Achatinoidea SWAINSON, 1840
Familia Ferussaciidae BOURGUIGNAT, 1883

Genus *Cecilioides* A. FÉRUSSAC, 1814

Subgenus *Cecilioides* A. FÉRUSSAC, 1814

- *Cecilioides (Cecilioides) acicula* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Cecilioides (Cecilioides) connollyi* TOMLIN, 1943 – GB-GI
- *Cecilioides (Cecilioides) eucharista* (BOURGUIGNAT, 1864) – ES-SPA
[*disparata* WESTERLUND, 1891]
- *Cecilioides (Cecilioides) petitiana* (BENOIT, 1862) – AS-BAL
- *Cecilioides (Cecilioides) poupillieri* SERVAIN, 1880 – GB-GI
- *Cecilioides (Cecilioides) raphidia raphidia* (BOURGUIGNAT, 1856) – ES-BAL

Subgenus *Terebrella* MALTZAN, 1886

- *Cecilioides (Terebrella) clessini* (MALTZAN, 1886) – PT-POR

Genus *Coilostele* BENSON, 1864

- *Coilostele akus* SERVAIN, 1880 – ES-SPA
[*castroiana* BOURGUIGNAT, 1880; *hispanica* BOURGUIGNAT, 1880; *laevigata* BOURGUIGNAT, 1880;
letourneuxiana BOURGUIGNAT, 1880; *raphidia* BOURGUIGNAT, 1880; *servaini* BOURGUIGNAT,
1880; *tumidula* BOURGUIGNAT, 1880]

Genus *Ferussacia* RISSO, 1826

Subgenus *Ferussacia* RISSO, 1826

- *Ferussacia (Ferussacia) folliculus* (GMELIN, 1791) – ES-BAL, ES-SPA, GB-GI, PT-POR

Familia Subulinidae P. FISCHER & CROSSE, 1877

Subfamilia Rumininae WENZ, 1923

Genus *Rumina* RISSO, 1826

- *Rumina decollata* (LINNAEUS, 1758) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
- *Rumina saharica* PALLARY, 1901 – ES-BAL, ES-SPA

Subordo Sigmurethra PILSBRY, 1900
Superfamilia Clausilioidea J.E. GRAY, 1855
Familia Clausiliidae J.E. GRAY, 1855
Subfamilia Laminiferinae WENZ, 1923

Genus *Neniatlanta* BOURGUIGNAT, 1876

- *Neniatlanta pauli* (J. MABILLE, 1865) – ES-SPA

Genus *Bofilliella* EHRMANN, 1927

- *Bofilliella subarcuata* (BOFILL, 1897) – ES-SPA

Subfamilia Alopinae A.J. WAGNER, 1913
Tribus Cochlodinini LINDHOLM, 1925 (1923)

Genus *Cochlodina* A. FÉRUSSAC, 1821

Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – AN, ES-SPA

Tribus Delimini R. BRANDT, 1956

Genus *Papillifera* W. HARTMANN, 1842

- *Papillifera bidens bidens* (LINNAEUS, 1758) – ES-SPA, GB-GI
- *Papillifera papillaris affinis* (PHILIPPI, 1836) – ES-BAL, ES-SPA

Subfamilia Clausiliinae J.E. GRAY, 1855
Tribus Clausiliini J.E. GRAY, 1855

Genus *Macrogastra* W. HARTMANN, 1841

Subgenus *Macrogastra* W. HARTMANN, 1841

- *Macrogastra (Macrogastra) ventricosa ventricosa* (DRAPARNAUD, 1801) – ES-SPA

Subgenus *Pseudovestia* H. NORDSIECK, 1977

- *Macrogastra (Pseudovestia) rolphii rolphii* (TURTON, 1826) – AN, ES-SPA
- *Macrogastra (Pseudovestia) rolphii digonostoma* (BOURGUIGNAT, 1877) – ES-SPA
- *Macrogastra (Pseudovestia) rolphii portensis* (LUSO DA SILVA, 1872) – PT-POR

Subgenus *Pyrostoma* VEST, 1867

- *Macrogastra (Pyrostoma) attenuata lineolata* (HELD, 1836) – ES-SPA
- *Macrogastra (Pyrostoma) plicatula plicatula* (DRAPARNAUD, 1801) – AN, ES-SPA

Genus *Clausilia* DRAPARNAUD, 1805

Subgenus *Clausilia* DRAPARNAUD, 1805

- *Clausilia (Clausilia) bidentata abietina* DUPUY, 1849 – AN, ES-SPA
[*debilis* FAGOT, 1905; *greixensis* FAGOT, 1905; *llavorsiana* FAGOT, 1884; *oreinos* KÄUFEL, 1929]
- *Clausilia (Clausilia) bidentata moniziana* (R.T. LOWE, 1852) – PT-POR
[*charpentieri* CHARPENTIER, 1852; *courquiniana* BOURGUIGNAT, 1876; *lusitanica* BOURGUIGNAT, 1876; *subuliformis* KÜSTER, 1853]
- *Clausilia (Clausilia) rugosa magdalenica* SALVAÑA, 1887 – ES-SPA
- *Clausilia (Clausilia) rugosa penchinati* BOURGUIGNAT, 1876 – ES-SPA
- *Clausilia (Clausilia) rugosa reboudii* DUPUY, 1850 – ES-SPA

Subgenus *Andraea* L. PFEIFFER, 1848

- *Clausilia (Andraea) dubia geretica* BOURGUIGNAT, 1877 – ES-SPA
[*gallica* BOURGUIGNAT, 1877]

Subfamilia Baleinae A.J. WAGNER, 1913

Genus *Balea* J.E. GRAY, 1824

- *Balea heydeni* VON MALTZAN, 1881 – ES-SPA, PT-POR
- *Balea perversa* (LINNAEUS, 1758) – AN, ES-SPA, PT-POR

Superfamilia Testacelloidea J.E. GRAY, 1840

Familia Testacellidae J.E. GRAY, 1840

Genus *Testacella* LAMARCK, 1801

Subgenus *Testacella* LAMARCK, 1801

- *Testacella (Testacella) haliotidea* DRAPARNAUD, 1801 – ES-BAL, ES-SPA
[*barcinonensis* POLLONERA, 1888; *esserana* FAGOT, 1892]
- *Testacella (Testacella) maugei* A. FÉRUSSAC, 1819 – ES-SPA, GB-GI, PT-POR
- *Testacella (Testacella) scutulium* G.B. SOWERBY I, 1820 – ES-BAL, ES-SPA
[*catalonica* POLLONERA, 1888; *companyonii* ****]

Superfamilia Papillodermatoidea WIKTOR, MARTIN & CASTILLEJO, 1990

Familia Papillodermatidae WIKTOR, MARTIN & CASTILLEJO, 1990

Genus *Papilloderma* WIKTOR, MARTIN & CASTILLEJO, 1990

- *Papilloderma altonagai* WIKTOR, MARTIN & CASTILLEJO, 1990 – ES-SPA

Superfamilia Punctoidea MORSE, 1864

Familia Punctidae MORSE, 1864

Genus *Punctum* MORSE, 1864

Subgenus *Punctum* MORSE, 1864

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – AN, ES-BAL, ES-SPA, PT-POR

Genus *Paralaoma* IREDALE, 1913

- *Paralaoma servilis* (SHUTTLEWORTH, 1852) – AN, ES-BAL, ES-SPA, PT-POR
[*pusilla* R.T. LOWE, 1831]

Familia Helicodiscidae H.B. BAKER, 1927

Genus *Lucilla* R.T. LOWE, 1852

- *Lucilla cf. singleyana* (PILSBRY, 1889) – ES-BAL, ES-SPA, PT-POR

Familia Discidae THIELE, 1931 (1866)

Genus *Discus* FITZINGER, 1833

Subgenus *Discus* FITZINGER, 1833

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – ES-SPA

Subgenus *Gonyodiscus* FITZINGER, 1833

- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Discus (Gonyodiscus) rotundatus omalisma* (FAGOT, 1879) – ES-SPA

Superfamilia Gastrodontoidea TRYON, 1866

Familia Pristilomatidae T. COCKERELL, 1891

Genus *Hawaiia* GUDE, 1911

- *Hawaiia minuscula* (BINNEY, 1841) – ES-BAL

Genus *Vitrea* FITZINGER, 1833

- *Vitrea contracta* (WESTERLUND, 1871) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
- *Vitrea crystallina* (O.F. MÜLLER, 1774) – AN, ES-SPA, PT-POR
- *Vitrea gasulli* RIEDEL & PAUL, 1978 – ES-BAL
- *Vitrea inae* DE WINTER & RIPKEN, 1991 – ES-SPA
- *Vitrea narbonensis* (CLESSIN, 1877) – ES-SPA
- *Vitrea striata* NORRIS, PAUL & RIEDEL, 1988 – ES-BAL
- *Vitrea subrimata* (REINHARDT, 1871) – ES-BAL, ES-SPA

Familia Euconulidae H.B. BAKER, 1928

Subfamilia Euconulinae H.B. BAKER, 1928

Genus *Euconulus* REINHARDT, 1883

Subgenus *Euconulus* REINHARDT, 1883

- *Euconulus (Euconulus) callopticus* (BOURGUIGNAT, 1880) – ES-SPA
- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Euconulus (Euconulus) praticola* (REINHARDT, 1883) – AN, ES-SPA

Familia Gastrodontidae TRYON, 1866

Genus *Zonitoides* LEHMANN, 1862

Subgenus *Zonitoides* LEHMANN, 1862

- *Zonitoides (Zonitoides) excavatus* (ALDER, 1830) – ES-SPA, PT-POR
- *Zonitoides (Zonitoides) jaccetanicus* (BOURGUIGNAT, 1870) – ES-SPA
- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR

Familia Oxychilidae P. HESSE, 1927 (1879)

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

Genus *Oxychilus* FITZINGER, 1833

Subgenus *Oxychilus* FITZINGER, 1833

- *Oxychilus (Oxychilus) cellarius* (O.F. MÜLLER, 1774) – AN, ES-SPA, PT-POR
[*montsicci* BOFILL, 1909]
- *Oxychilus (Oxychilus) draparnaudi* (H. BECK, 1837) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
- *Oxychilus (Oxychilus) farinesianus* (BOURGUIGNAT, 1870) – ES-SPA

Subgenus *Ortizius* FORCART, 1957

- *Oxychilus (Ortizius) alliaris* (J.S. MILLER, 1822) – ES-SPA, PT-POR
- *Oxychilus (Ortizius) altimirai* RIEDEL, 1972 – ES-SPA
- *Oxychilus (Ortizius) anjana* ALTONAGA, 1986 – ES-SPA
- *Oxychilus (Ortizius?) basajauna* ALTONAGA 1990 – ES-SPA
- *Oxychilus (Ortizius) clarus* (HELD, 1838) – ES-SPA
- *Oxychilus (Ortizius) courquini* (BOURGUIGNAT, 1870) – ES-SPA
- *Oxychilus (Ortizius) lentiformis* (KOBELT, 1882) – ES-BAL
[*brauni* WESTERLUND, 1887]
- *Oxychilus (Ortizius) mercadali* GASULL, 1970 – ES-SPA
- *Oxychilus (Ortizius) navarricus navarricus* (BOURGUIGNAT, 1870) – ES-SPA
[*?cantabrica* WESTERLUND, 1883]
- *Oxychilus (Ortizius) pityusanus* RIEDEL, 1969 – ES-BAL
- *Oxychilus (Ortizius) rateranus* (SERVAIN, 1880) – ES-SPA, GB-GI
[*alhambrae* WESTERLUND, 1886; *granadensis* KOBELT, 1890; *kraliki* SERVAIN, 1880; *sevillensis* WESTERLUND, 1890]

Genus *Morlina* A.J. WAGNER, 1914

- *Morlina glabra harlei* (FAGOT, 1884) – ES-SPA

Genus *Mediterranea* CLESSIN, 1880

- *Mediterranea hydatina* (ROSSMÄSSLER, 1838) – ES-BAL, ES-SPA, GB-GI, PT-POR
[*calderonii* WESTERLUND, 1890; *pseudohydatinus* BOURGUIGNAT, 1856]

Subfamilia Godwiniinae C.M. COOKE, 1921

Genus *Aegopinella* LINDHOLM, 1927

- *Aegopinella epipedostoma epipedostoma* (FAGOT, 1879) – AN, ES-SPA
[*cyclotus* BOFILL, 1909]
- *Aegopinella minor* (STABILE, 1864) – AN, ES-SPA
- *Aegopinella nitidula* (DRAPARNAUD, 1805) – AN, ES-SPA, PT-POR
- *Aegopinella pura* (ALDER, 1830) – AN, ES-SPA, PT-POR

Genus *Retinella* P. FISCHER, 1877

Subgenus *Retinelloides* RIEDEL, 1977

- *Retinella (Retinelloides) incerta* (DRAPARNAUD, 1805) – ES-SPA

Genus *Nesovitrea* C. M. COOKE, 1921

Subgenus *Perpolita* H.B. BAKER, 1928

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – AN, ES-SPA

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)
Familia Parmacellidae P. FISCHER, 1856 (1855)

Genus *Parmacella* CUVIER, 1804

- *Parmacella valenciennii* WEBB & VAN BENEDEN, 1836 – ES-SPA, GB-GI, PT-POR
[*colosii* GAMBETTA, 1929; *moquini* BOURGUIGNAT, 1859]

Familia Milacidae ELLIS, 1926

Genus *Milax* J.E. GRAY, 1855

- *Milax gagates* (DRAPARNAUD, 1801) – ES-BAL, ES-SPA, GB-GI, PT-POR
- *Milax nigricans* (PHILIPPI, 1836) – ES-BAL, ES-SPA

Genus *Tandonia* LESSONA & POLLONERA, 1882

- *Tandonia rustica* (MILLET, 1843) – ES-SPA
[*marginatus* DRAPARNAUD, 1805]
- *Tandonia sowerbyi* (A. FÉRUSAC, 1823) – ES-BAL, ES-SPA
[*pratensis* TORREZ MÍNGUEZ, 1923]

Superfamilia Limacoidea LAMARCK, 1801

Familia Vitrinidae FITZINGER, 1833

Genus *Semilimax* J.E. GRAY, 1847

- *Semilimax pyrenaicus* (A. FÉRUSAC, 1821) – AN, ES-SPA

Genus *Eucobresia* H.B. BAKER, 1929

- *Eucobresia glacialis* (FORBES, 1837) – ES-SPA

Genus *Vitrina* DRAPARNAUD, 1801

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – AN, ES-SPA, PT-POR

Genus *Phenacolimax* STABILE, 1859

- *Phenacolimax major* (A. FÉRUSAC, 1807) – AN, ES-SPA

Genus *Oligolimax* P. FISCHER, 1878

- *Oligolimax annularis* (S. STUDER, 1820) – AN, ES-SPA, PT-POR

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

Genus *Boettgerilla* SIMROTH, 1910

- *Boettgerilla pallens* SIMROTH, 1912 – AN, ES-SPA

Familia Limacidae LAMARCK, 1801

Subfamilia Limacinae LAMARCK, 1801

Genus *Gigantomilax* O. BOETTGER, 1883

Subgenus *Vitrinoides* SIMROTH, 1891

- *Gigantomilax (Vitrinoides) benjaminus* BORREDÀ & MARTÍNEZ-ORTÍ, 2008 – ES-BAL
- *Gigantomilax (Vitrinoides) majoricensis* (HEYNEMANN, 1863) – ES-BAL

Genus *Limax* LINNAEUS, 1758

- *Limax cinereoniger* WOLF, 1803 – AN, ES-SPA
[*nubigenus* BOURGUIGNAT, 1862]
- *Limax maximus* LINNAEUS, 1758 – AN, ES-BAL, ES-SPA, PT-POR
[*bocagei* CASTRO, 1873]

Genus *Limacus* LEHMANN, 1864

- *Limacus flavus* (LINNAEUS, 1758) – ES-BAL, ES-SPA, GB-GI, PT-POR

Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – AN, ES-SPA

Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia marginata* (O.F. MÜLLER, 1774) – AN, ES-SPA, PT-POR
- *Lehmannia rupicola* LESSONA & POLLONERA, 1882 – ES-SPA
- *Lehmannia valentiana* (A. FÉRUSAC, 1822) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR

Familia Agriolimacidae H. WAGNER, 1935
Subfamilia Agriolimacinae H. WAGNER, 1935

Genus *Deroceras* RAFINESQUE, 1820

Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras (Deroceras) agreste* (LINNAEUS, 1758) – AN, ES-SPA, PT-POR
- *Deroceras (Deroceras) altimirai* VAN REGTEREN ALTENA, 1969 – AN, ES-SPA
- *Deroceras (Deroceras) ercinae* DE WINTER, 1985 – ES-SPA
- *Deroceras (Deroceras) laeve* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Deroceras (Deroceras) levisarcobelum* DE WINTER, 1986 – AN, ES-SPA
- *Deroceras (Deroceras) lombricoides* (MORELET, 1845) – ES-SPA, PT-POR
[*hispaniensis* CASTILLEJO & WIKTOR, 1983]
- *Deroceras (Deroceras) nitidum* (MORELET, 1845) – ES-SPA, PT-POR, GB-GI
[*hilbrandi* VAN REGTEREN ALTENA, 1964; *maltzani* SIMROTH, 1884]
- *Deroceras (Deroceras) panormitanum* (LESSONA & POLLONERA, 1882) – AN, ES-BAL, ES-SPA, PT-POR
- *Deroceras (Deroceras) ponsonbyi* (P. HESSE, 1884) – ES-SPA, GB-GI
- *Deroceras (Deroceras) reticulatum* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
- *Deroceras (Deroceras) roblei* Borredà, 2003 – ES-SPA
- *Deroceras (Deroceras) rodnae* GROSSU & LUPU, 1965 – AN, ES-SPA
- *Deroceras (Deroceras) tarracense* VAN REGTEREN ALTENA, 1969 – ES-SPA
- *Deroceras (Deroceras) vascoanum* DE WINTER, 1986 – ES-SPA

Genus *Furcopenis* CASTILLEJO & WIKTOR, 1983

- *Furcopenis circularis* CASTILLEJO & MASCATO, 1987 – ES-SPA, PT-POR
- *Furcopenis darioi* CASTILLEJO & WIKTOR, 1983 – ES-SPA, PT-POR
- *Furcopenis gallaeciensis* CASTILLEJO & WIKTOR, 1983 – ES-SPA, PT-POR
- *Furcopenis geresiensis* (RODRÍGUEZ, CASTILLEJO & OUTEIRO, 1989) – ES-SPA, PT-POR

Superfamilia Arionoidea J.E. GRAY, 1840
Familia Arionidae J.E. GRAY, 1840

Genus *Geomalacus* ALLMAN, 1843

Subgenus *Geomalacus* ALLMAN, 1843

- *Geomalacus (Geomalacus) maculosus* ALLMAN, 1843 – ES-SPA, PT-POR

[*lusitanica* DA SILVA E CASTRO, 1873; *grandis* SIMROTH, 1893]

Subgenus *Arrudia* POLLONERA, 1890

- *Geomalacus (Arrudia) anguiformis* (MORELET, 1845) – ES-SPA, PT-POR
[*squammantinus* MORELET, 1854; *viridis* MORELET, 1845]
- *Geomalacus (Arrudia) malagensis* WIKTOR & NORRIS, 1991 – ES-SPA, GB-GI
- *Geomalacus (Arrudia) oliveirae* SIMROTH, 1891 – ES-SPA, PT-POR

Genus *Letourneuxia* BOURGUIGNAT, 1866

- *Letourneuxia moreleti* (P. HESSE, 1884) – ES-SPA, GB-GI

Genus *Arion* A. FÉRUSAC, 1819

Subgenus *Arion* A. FÉRUSAC, 1819

- *Arion (Arion) flagellus* COLLINGE, 1893 – ES-SPA
- *Arion (Arion) fuliginus* MORELET, 1854 – ES-SPA, PT-POR
- *Arion (Arion) lusitanicus* J. MABILLE, 1868 – AN, ES-BAL, ES-SPA, PT-POR
[*collominiato* TORRES MÍNGUEZ, 1925; *fulvipes* TORRES MÍNGUEZ, 1925; *nigrachlamydae* TORRES MÍNGUEZ, 1925; *nuriae* TORRES MÍNGUEZ, 1925; *ruginosus* TORRES MÍNGUEZ, 1924]
- *Arion (Arion) magnus* TORRES MÍNGUEZ, 1923 – ES-SPA
- *Arion (Arion) rufus* (LINNAEUS, 1758) – AN, ES-SPA, PT-POR
[*bocagei* SIMROTH, 1888; *cendreroi* TORRES MÍNGUEZ, 1925]

Subgenus *Mesarion* P. HESSE, 1926

- *Arion (Mesarion) baeticus* GARRIDO, CASTILLEJO & IGLESIAS, 1994 – ES-SPA
- *Arion (Mesarion) gilvus* TORRES MÍNGUEZ, 1925 – ES-SPA
- *Arion (Mesarion) hispanicus* SIMROTH, 1886 – ES-SPA, PT-POR
- *Arion (Mesarion) iratii* GARRIDO, CASTILLEJO & IGLESIAS, 1995 – ES-SPA
- *Arion (Mesarion) lizarrustii* GARRIDO, CASTILLEJO & IGLESIAS, 1995 – ES-SPA
- *Arion (Mesarion) molinae* GARRIDO, CASTILLEJO & IGLESIAS, 1995 – AN, ES-SPA
- *Arion (Mesarion) nobrei* POLLONERA, 1889 – PT-POR
- *Arion (Mesarion) paularensis* WIKTOR & PAREJO, 1989 – ES-SPA
- *Arion (Mesarion) ponsi* QUINTANA, 2007 – ES-BAL
- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, PT-POR
- *Arion (Mesarion) urbiae* DE WINTER, 1986 – ES-SPA
[*anguloi* MARTÍN & GÓMEZ, 1988]

Subgenus *Carinarion* P. HESSE, 1926

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – ES-SPA
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937 – AN

Subgenus *Kobeltia* SEIBERT, 1873

- *Arion (Kobeltia) anthracius* BOURGUIGNAT, 1886 – ES-SPA
- *Arion (Kobeltia) fagophilus* DE WINTER, 1986 – ES-SPA
- *Arion (Kobeltia) hortensis* A. FÉRUSAC, 1819 – AN, ES-SPA, PT-POR
[*pyrenaicus* FAGOT, 1881]
- *Arion (Kobeltia) intermedius* NORMAND, 1852 – AN, ES-SPA, PT-POR
[*molleri* POLLONERA, 1889; *hessei* SIMROTH, 1893]
- *Arion (Kobeltia) wiktori* PAREJO & MARTÍN, 1990 – ES-SPA

Superfamilia Helicoidea RAFINESQUE, 1815
Familia Sphincterochilidae ZILCH, 1960 (1910)

Subfamilia Sphincterochilinae ZILCH, 1960 (1910)

Genus *Sphincterochila* ANCEY, 1887

Subgenus *Albea* PALLARY, 1910

- *Sphincterochila (Albea) candidissima candidissima* (DRAPARNAUD, 1801) – ES-BAL, ES-SPA

Subgenus *Cariosula* PALLARY, 1910

- *Sphincterochila (Cariosula) baetica* (ROSSMÄSSLER, 1854) – ES-SPA
- *Sphincterochila (Cariosula) cariosula cariosula* (MICHAUD, 1833) – ES-BAL, ES-SPA
- *Sphincterochila (Cariosula) cariosula hispanica* (WESTERLUND, 1886) – ES-SPA

Familia Elonidae E. GITTENBERGER, 1977
Subfamilia Eloniinae E. GITTENBERGER, 1977

Genus *Elona* H. & A. ADAMS, 1855

- *Elona quimperiana* (BLAINVILLE, 1821) – ES-SPA, PT-POR

Genus *Norelona* H. NORDSIECK, 1986

- *Norelona pyrenaica* (DRAPARNAUD, 1805) – AN, ES-SPA

Familia Helicodontidae KOBELT, 1904
Subfamilia Helicodontinae KOBELT, 1904

Genus *Helicodonta* A. FÉRUSAC, 1821

- *Helicodonta obvoluta obvoluta* (O.F. MÜLLER, 1774) – ES-SPA

Genus *Atenia* E. GITTENBERGER, 1968

- *Atenia quadrasi* (HIDALGO, 1885) – ES-SPA

Familia Trissexodontidae H. NORDSIECK, 1987

Genus *Trissexodon* PILSBRY, 1895

- *Trissexodon constrictus* (BOUBÉE, 1836) – ES-SPA

Genus *Mastigophallus* P. HESSE, 1918

- *Mastigophallus rangianus* (MICHAUD, 1831) – ES-SPA

Genus *Oestophorella* G. PFEFFER, 1930

- *Oestophorella buvinieri* (MICHAUD, 1841) – ES-SPA

Genus *Suboestophora* ORTIZ DE ZÁRATE LÓPEZ, 1962

- *Suboestophora altamirai* (ORTIZ DE ZÁRATE LÓPEZ, 1962) – ES-SPA
- *Suboestophora boscae* (HIDALGO, 1869) – ES-SPA
- *Suboestophora hispanica* (GUDE, 1910) – ES-SPA
- *Suboestophora jeresae* (ORTIZ DE ZÁRATE LÓPEZ, 1962) – ES-SPA
- *Suboestophora kuiperi* (GASULL, 1966) – ES-SPA
- *Suboestophora tarraconensis* (AGUILAR-AMAT, 1935) – ES-SPA

Genus *Gasullia* ORTIZ DE ZÁRATE ROCANDIO & ORTIZ DE ZÁRATE LÓPEZ, 1961

- *Gasullia gasulli* (ORTIZ DE ZÁRATE ROCANDIO & ORTIZ DE ZÁRATE LÓPEZ, 1961) – ES-SPA

Genus *Hatumia* ARRÉBOLA, PRIETO, PUENTE & RUIZ, 2006

- *Hatumia cobosi* (ORTIZ DE ZÁRATE LÓPEZ, 1962) – ES-SPA
- *Hatumia zapateri* (Hidalgo, 1870) – ES-SPA
[*pseudogasulli* ARRÉBOLA, PRIETO, PUENTE & RUIZ, 2006]

Genus *Gasulliella* E. GITTENBERGER, 1980

- *Gasulliella simplicula* (MORELET, 1845) – ES-SPA, GB-GI, PT-POR
[*?annai* PALADILHE, 1875]

Genus *Oestophora* P. HESSE, 1907

- *Oestophora barbula* (ROSSMÄSSLER, 1838) – ES-SPA, GB-GI, PT-POR
[*barbella* SERVAIN, 1880]
- *Oestophora calpeana* (MORELET, 1854) – ES-SPA, GB-GI
- *Oestophora dorotheae* P. HESSE, 1930 – ES-SPA, GB-GI
[*lenticularis* MORELET, 1853]
- *Oestophora ebria* (CORBELLA, 2004) – ES-SPA
- *Oestophora granesae* ARRÉBOLA, 1998 – ES-SPA
- *Oestophora lusitanica* (L. PFEIFFER, 1841) – ES-SPA, PT-POR
- *Oestophora mariae* RUIZ, ARREBOLA & PUENTE, 2009 – ES-SPA
- *Oestophora ortizi* DE WINTER & RIPKEN, 1991 – ES-SPA
- *Oestophora prietoi* RUIZ, ARREBOLA & PUENTE, 2009 – ES-SPA
- *Oestophora silvae* ORTIZ DE ZÁRATE LÓPEZ, 1962 – ES-SPA
- *Oestophora tarnieri* (MORELET, 1854) – ES-SPA, GB-GI

Genus *Gittenbergeria* SCHILEYKO, 1991

- *Gittenbergeria turriplana* (MORELET, 1845) – PT-POR

Genus *Caracollina* H. BECK, 1837

Subgenus *Caracollina* H. BECK, 1837

- *Caracollina (Caracollina) lenticula* (MICHAUD, 1831) – ES-BAL, ES-SPA, GB-GI, PT-POR

Familia Cochlicellidae SCHILEYKO, 1972

Genus *Cochlicella* A. FÉRUSSAC, 1821

Subgenus *Cochlicella* A. FÉRUSSAC, 1821

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – ES-BAL, ES-SPA, GB-GI, PT-POR
- *Cochlicella (Cochlicella) conoidea* (DRAPARNAUD, 1801) – ES-BAL, ES-SPA, PT-POR

Subgenus *Prietocella* SCHILEYKO & MENKHORST, 1997

- *Cochlicella (Prietocella) barbara* (LINNAEUS, 1758) – ES-BAL, ES-SPA, PT-POR

Familia Hygromiidae TRYON, 1866
Subfamilia Monachinae WENZ, 1930 (1904)
Tribus Euomphaliini SCHILEYKO, 1978

Genus *Euomphalia* WESTERLUND, 1889

- *Euomphalia strigella ruscinica* (BOURGUIGNAT, 1881) – AN, ES-SPA, PT-POR

Tribus Monachaini WENZ, 1930 (1904)

Genus *Monacha* FITZINGER 1833

Subgenus *Monacha* FITZINGER 1833

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – ES-SPA
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – AN, ES-SPA, PT-POR
[*sarriensis* SERVAIN, 1880]
- *Monacha (Monacha) cemenelea* (RISSO, 1826) – ES-BAL?, ES-SPA

Subgenus *Metatheba* P. HESSE, 1914

- *Monacha (Metatheba) atacis* E. GITTENBERGER & DE WINTER, 1985 – ES-SPA

Genus *Ashfordia* J.W. TAYLOR, 1917

- *Ashfordia granulata* (ALDER, 1830) – ES-SPA

Subfamilia Geomitrinae C. BOETTGER, 1909

Tribus Trochoideini H. NORDSIECK, 1987

Genus *Trochoidea* T. BROWN, 1827

Subgenus *Trochoidea* T. BROWN, 1827

- *Trochoidea (Trochoidea) elegans* (GMELIN, 1791) – ES-BAL, ES-SPA
- *Trochoidea (Trochoidea) pyramidata* (DRAPARNAUD, 1805) – ES-BAL, ES-SPA
- *Trochoidea (Trochoidea) trochoides* (POIRET, 1789) – ES-BAL, ES-SPA

Genus *Xerocrassa* MONTEROSATO, 1892

- *Xerocrassa arturi* (F. HAAS, 1924) – ES-SPA
- *Xerocrassa barceloi* (HIDALGO, 1878) – ES-SPA
- *Xerocrassa cardonae* (HIDALGO, 1867) – ES-BAL
- *Xerocrassa caroli caroli* (DOHRN & HEYNEMANN, 1862) – ES-BAL
- *Xerocrassa caroli alegriae* (F. SCHRÖDER, 1984) – ES-BAL
- *Xerocrassa caroli espartariensis* (F. SCHRÖDER, 1984) – ES-BAL
- *Xerocrassa caroli formenterensis* (F. SCHRÖDER, 1984) – ES-BAL
- *Xerocrassa caroli jaeckeli* (ALTIMIRA, 1965) – ES-BAL
- *Xerocrassa chiaie* (FAGOT, 1886) – AD, ES-SPA
- *Xerocrassa cisternasi cisternasi* (HIDALGO, 1875) – ES-BAL
- *Xerocrassa cisternasi calasaladae* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa cisternasi calderensis* (GASULL, 1964) – ES-BAL
- *Xerocrassa cisternasi canae* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa cisternasi conjungens* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa cisternasi hortae* (F. SCHRÖDER, 1978) – ES-BAL
- *Xerocrassa cisternasi margaritae* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa cisternasi mesquidae* (F. SCHRÖDER, 1978) – ES-BAL
- *Xerocrassa cisternasi muradae* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa cisternasi ortizi* (GASULL, 1964) – ES-BAL
- *Xerocrassa cisternasi redonae* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa cisternasi scopulicola* (BOFILL I POCH & AGUILAR-AMAT, 1924) – ES-BAL
- *Xerocrassa cisternasi vedrae* (S.H.F. JAECKEL, 1952) – ES-BAL

- *Xerocrassa cisternasi vedranellensis* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa derogata* (L. PFEIFFER, 1859) – ES-SPA
- *Xerocrassa ebusitana ebusitana* (HIDALGO, 1869) – ES-BAL
[*formenterae* S.H.F. JAECKEL, 1952]
- *Xerocrassa edmundi* MARTÍNEZ-ORTÍ, 2006 – ES-SPA
- *Xerocrassa ferreri ferreri* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Xerocrassa ferreri pobrensis* (GASULL, 1964) – ES-BAL
- *Xerocrassa frater frater* (DOHRN & HEYNEMANN, 1862) – ES-BAL
[*majoricensis* DOHRN & HEYNEMANN, 1862]
- *Xerocrassa frater newka* (DOHRN & HEYNEMANN, 1862) – ES-BAL
[*pagerae* VON DER HORST, 1972]
- *Xerocrassa frater pollenzensis* (HIDALGO, 1878) – ES-BAL
[*muntaneri* GASULL, 1964]
- *Xerocrassa geyeri* (SOÓS, 1926) – ES-SPA
[*llopisi* GASULL, 1981]
- *Xerocrassa grata* (F. HAAS, 1924) – ES-SPA
- *Xerocrassa homeyeri* (DOHRN & HEYNEMANN, 1862) – ES-BAL
- *Xerocrassa jimenezensis* (PUENTE & ARRÉBOLA, 1996) – ES-SPA
- *Xerocrassa molinae* (HIDALGO, 1883) – ES-SPA
- *Xerocrassa montserratensis montserratensis* (HIDALGO, 1870) – ES-SPA
- *Xerocrassa montserratensis betulonensis* (BOFILL, 1879) – ES-SPA
- *Xerocrassa moraguesi* (KOBELT, 1883) – ES-BAL
[*claudinae* GASULL, 1964]
- *Xerocrassa nyeli nyeli* (MITTRE, 1842) – ES-BAL
- *Xerocrassa nyeli ponsi* (HIDALGO, 1878) – ES-BAL
- *Xerocrassa pallaresica* (FAGOT, 1886) – AN, ES-SPA
[*ribasica* FAGOT, 1891]
- *Xerocrassa penchinati* (BOURGUIGNAT, 1868) – AN, ES-SPA
[*blancae* LARRAZ & JORDANA, 1984; *miraculensis* MARCET, 1906; *monistrolensis* FAGOT, 1884; *saldubensis* SERVAIN, 1880; *zaragozensis* SERVAIN, 1880]
- *Xerocrassa prietoi prietoi* (HIDALGO, 1878) – ES-BAL
- *Xerocrassa prietoi muroensis* GRAACK, 2005 – ES-BAL
- *Xerocrassa rablesi* (MARTÍNEZ-ORTÍ, 2000) – ES-SPA
- *Xerocrassa ripacurcica ripacurcica* (BOFILL, 1886) – ES-SPA
[*bradygyra* + *campoensis* + *culmi* + *mascarenasi* + *montivaga* + *segetum* + *seirensi* + *subiberica* + *suboreina* FAGOT, 1888]
- *Xerocrassa ripacurcica montsicciana* (BOFILL, 1890) – ES-SPA
[*ordesae* ALTIMIRA, 1970]
- *Xerocrassa ripacurcica oreina* (FAGOT, 1888) – ES-SPA
- *Xerocrassa salvanae* (FAGOT, 1886) – ES-SPA
- *Xerocrassa subrogata* (L. PFEIFFER, 1853) – ES-SPA
[*angulata* ROSSMÄSSLER, 1854; *murcida* A. SCHMIDT, 1854]
- *Xerocrassa turolensis* (ORTIZ DE ZÁRATE LÓPEZ, 1963) – ES-SPA
- *Xerocrassa zaharensis* (PUENTE & ARRÉBOLA, 1996) – ES-SPA

Subfamilia Ciliellinae SCHILEYKO, 1970

Genus *Ciliella* MOUSSON, 1872

- *Ciliella ciliata* (W. HARTMANN, 1821) – AN, ES-SPA

Genus *Montserratina* ORTIZ DE ZÁRATE LÓPEZ, 1946

- *Montserratina bofilliana* (FAGOT, 1884) – ES-SPA
- *Montserratina martorelli* (BOURGUIGNAT, 1870) – ES-SPA

Subfamilia Ponentininae SCHILEYKO, 1991

Genus *Ponentina* P. HESSE, 1921

- *Ponentina martigena* (A. FÉRUSSAC, 1832) – ES-SPA, PT-POR
- *Ponentina revelata* (MICHAUD, 1831) – ES-SPA
- *Ponentina subvirescens* (BELLAMY, 1839) – ES-SPA
- *Ponentina ponentina* (MORELET, 1845) – ES-SPA?, PT-POR

?Genus *Plentuisa* PUENTE & PRIETO, 1992

- *Plentuisa vendia* PUENTE & PRIETO, 1992 – ES-SPA

Subfamilia Hygromiinae TRYON, 1866
Tribus Trochulini LINDHOLM, 1927

Genus *Trochulus* CHEMNITZ, 1786

Subgenus *Trochulus* CHEMNITZ, 1786

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – AN, ES-SPA

Tribus Helicellini IHERING, 1909

Genus *Xerotricha* MONTEROSATO, 1892

- *Xerotricha apicina* (LAMARCK, 1822) – ES-BAL, ES-SPA, GB-GI, PT-POR
[*horridula* WESTERLUND, 1892]
- *Xerotricha barcinensis* (BOURGUIGNAT, 1868) – ES-SPA
[*barcinonensis* CHIA, 1886; *parabarcinensis* ORTIZ DE ZÁRATE LÓPEZ, 1946]
- *Xerotricha bierzona* (E. GITTENBERGER & MANGA, 1977) – ES-SPA
- *Xerotricha conspurcata* (DRAPARNAUD, 1801) – ES-BAL, ES-SPA, GB-GI, PT-POR
[*euaxes* WESTERLUND, 1893; *gradata* AGUILAR-AMAT, 1933; *mariae* GASULL, 1974]
- *Xerotricha corderoi* (E. GITTENBERGER & MANGA, 1977) – ES-SPA
- *Xerotricha gasulli* (ORTIZ DE ZÁRATE LÓPEZ, 1950) – ES-SPA
- *Xerotricha gonzalezi* (AZPEITIA, 1925) – ES-SPA
[*mangae* E. GITTENBERGER & RAVEN, 1982]
- *Xerotricha huidobroi* (AZPEITIA, 1925) – ES-SPA
- *Xerotricha jamuzensis* (E. GITTENBERGER & MANGA, 1977) – ES-SPA
- *Xerotricha madritensis* (RAMBUR, 1868) – ES-SPA
- *Xerotricha renei* (FAGOT, 1882) – ES-SPA
[*subcantabrica* FAGOT, 1888; *trutatiana* FAGOT, 1882]
- *Xerotricha silosensis* (ORTIZ DE ZÁRATE LÓPEZ, 1950) – ES-SPA
- *Xerotricha vatonniana* (BOURGUIGNAT, 1867) – ES-SPA
[*altenai* GASULL, 1974; *gibilmanica* SERVAIN, 1880; *pumila* WESTERLUND, 1892]
- *Xerotricha zaratei* (E. GITTENBERGER & MANGA, 1977) – ES-SPA
- *Xerotricha zujarensis* (ORTIZ DE ZÁRATE LÓPEZ, 1950) – ES-SPA

Genus *Helicella* A. FÉRUSSAC, 1821

- *Helicella cistorum* (MORELET, 1845) – ES-SPA, PT-POR
[*semipicta* HIDALGO, 1870]
- *Helicella iberica* (RAMBUR, 1869) – ES-SPA
- *Helicella itala itala* (LINNAEUS, 1758) – ES-SPA
- *Helicella itala pampelonensis* (A. SCHMIDT, 1856) – ES-SPA
- *Helicella nubigena* (DE SAULCY, 1852) – AN, ES-SPA
- *Helicella ordunensis* (KOBELT, 1883) – ES-SPA
- *Helicella orzai* E. GITTENBERGER & MANGA, 1981 – ES-SPA

- *Helicella stiparum* (ROSSMÄSSLER, 1854) – ES-SPA
- *Helicella striatitala* PRIETO, 1985 – ES-SPA
- *Helicella sabulivaga* (J. MABILLE, 1881) – ES-SPA
- *Helicella valdeona* E. GITTENBERGER & MANGA, 1977 – ES-SPA

Genus *Candidula* KOBELT, 1871

- *Candidula arganica* (SERVAIN, 1880) – ES-SPA
[*saldubensis* SERVAIN, 1880]
- *Candidula belemensis* (SERVAIN, 1880) – PT-POR
[*absidata* LOCARD, 1899]
- *Candidula camporroblensis* (FEZ, 1944) – ES-SPA
- *Candidula codia* (BOURGUIGNAT, 1859) – PT-POR
[*codopsis* SERVAIN, 1880]
- *Candidula coudensis* G.A. HOLYOAK & D.T. HOLYOAK, 2010 – PT-POR
- *Candidula gigaxii* (L. PFEIFFER, 1847) – ES-SPA, PT-POR
[*andalusica* KOBELT, 1882; *hispalina* SERVAIN, 1880; *limatula* LOCARD, 1899; *xenilica* SERVAIN, 1880]
- *Candidula intersecta* (POIRET, 1801) – ES-SPA, PT-POR
[*expedenta* LOCARD, 1899; *imula* LOCARD, 1899; *scabiosula* LOCARD, 1899]
- *Candidula najerensis* (ORTIZ DE ZÁRATE LÓPEZ, 1950) – ES-SPA
- *Candidula olisippensis* (SERVAIN, 1880) – PT-POR, ES-SPA
[*callisona* LOCARD, 1899; *defectiva* LOCARD, 1899; *micida* LOCARD, 1899; *ofellata* LOCARD, 1899; *portionalis* LOCARD, 1899; *protumida* LOCARD, 1899; *putilla* LOCARD, 1899; *strucki* VON MALTZAN, 1886]
- *Candidula rocandioi* (ORTIZ DE ZÁRATE LÓPEZ, 1950) – ES-SPA
- *Candidula setubalensis* (L. PFEIFFER, 1850) – PT-POR

Tribus Hygromiini TRYON, 1866

Genus *Hygromia* Risso, 1826

Subgenus *Hygromia* Risso, 1826

- *Hygromia (Hygromia) cinctella* (DRAPARNAUD, 1801) – AN, ES-SPA

Subgenus *Riedelia* SCHILEYKO, 1972

- *Hygromia (Riedelia) limbata limbata* (DRAPARNAUD, 1805) – AN, ES-SPA
- *Hygromia (Riedelia) odeca* (BOURGUIGNAT, 1882) – ES-SPA
- *Hygromia (Riedelia) tassyi* (BOURGUIGNAT, 1884) – AN
[*gofasi* PUENTE & PRIETO, 1992]

Genus *Zenobiella* GUDE & B.B. WOODWARD, 1921

- *Zenobiella subrufescens* (J.S. MILLER, 1822) – ES-SPA

Genus *Cernuella* SCHLÜTER, 1838

Subgenus *Cernuella* SCHLÜTER, 1838

- *Cernuella (Cernuella) aginnica* (LOCARD, 1882) – ES-SPA
- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – ES-BAL, ES-SPA
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR
[*alluvionum* SERVAIN, 1880; *amblia* WESTERLUND, 1893; *blasi* SERVAIN, 1880; *canovasiana* SERVAIN, 1880; *castroiana* SERVAIN, 1880; *edetanorum* SERVAIN, 1880; *finitimus* LOCARD, 1899; *grannonensis* BOURGUIGNAT, 1880; *luteola* SERVAIN, 1880; *lutulenta* LOCARD, 1899; *maritima* DRAPARNAUD, 1805; *mendranoi* SERVAIN, 1880; *terrosa* LOCARD, 1899; *subluteata* SERVAIN, 1880; *solanoi* SERVAIN, 1880; *uberta* LOCARD, 1899; *variabilis* DRAPARNAUD, 1801; *xalonica*

SERVAIN, 1880]

Subgenus *Xerocincta* MONTEROSATO, 1892

- *Cernuella (Xerocincta) neglecta* (DRAPARNAUD, 1805) – ES-BAL, ES-SPA

Tribus Leptaxini C. BOETTGER, 1909

Genus *Portugala* E. GITTENBERGER, 1980

- *Portugala inchoata* (MORELET, 1845) – ES-SPA, PT-POR
[*brigantina* MENGO, 1867; *goltzi* LOCARD, 1895; *nobrei* LOCARD, 1895; *paulinoi* LOCARD, 1895;
pochi LOCARD, 1895]

Genus *Mengoana* ORTIZ DE ZÁRATE LÓPEZ, 1951

- *Mengoana jeschawi* (KOBELT, 1878) – ES-SPA, PT-POR

Tribus incerta

Genus *Pyrenaearia* P. HESSE, 1921

- *Pyrenaearia cantabrica cantabrica* (HIDALGO, 1873) – ES-SPA
- *Pyrenaearia cantabrica covadongae* (ORTIZ DE ZÁRATE LÓPEZ, 1956) – ES-SPA
- *Pyrenaearia cantabrica oberthueri* (ANCEY, 1884) – ES-SPA
- *Pyrenaearia carascalensis carascalensis* (MICHAUD, 1831) – ES-SPA
- *Pyrenaearia carascalopsis carascalopsis* (FAGOT, 1884) – ES-SPA
- *Pyrenaearia carascalopsis esserana* (BOURGUIGNAT, 1887) – ES-SPA
- *Pyrenaearia cotiellae* (FAGOT, 1906) – ES-SPA
- *Pyrenaearia daanidentata* RAVEN, 1988 – ES-SPA
- *Pyrenaearia molae* F. HAAS, 1924 – ES-SPA
- *Pyrenaearia navasi navasi* (FAGOT, 1907) – ES-SPA
- *Pyrenaearia navasi sylvatica* PRIETO, 1991 – ES-SPA
- *Pyrenaearia organiaca* (FAGOT, 1905) – ES-SPA
- *Pyrenaearia parva* ORTIZ DE ZÁRATE LÓPEZ, 1956 – AN, ES-SPA
- *Pyrenaearia poncebensis* ORTIZ DE ZÁRATE LÓPEZ, 1956 – ES-SPA
- *Pyrenaearia schaufussi* (KOBELT, 1876) – ES-SPA
- *Pyrenaearia velascoi velascoi* (HIDALGO, 1867) – ES-SPA
- *Pyrenaearia velascoi aralarensis* PRIETO, 1986 – ES-SPA

Genus *Cryptosaccus* PRIETO & PUENTE, 1994

- *Cryptosaccus asturiensis* PRIETO & PUENTE, 1994 – ES-SPA

Genus *Xerosecta* MONTEROSATO, 1892

Subgenus *Xerosecta* MONTEROSATO, 1892

- *Xerosecta (Xerosecta) explanata* (O.F. MÜLLER, 1774) – ES-BAL?, ES-SPA

Subgenus *Xeromagna* MONTEROSATO, 1892

- *Xerosecta (Xeromagna) adolfi* (L. PFEIFFER, 1854) – ES-SPA
- *Xerosecta (Xeromagna) arigonis* (A. SCHMIDT, 1853) – AN, ES-BAL, ES-BAL
[*megastoma* ANCEY, 1884]
- *Xerosecta (Xeromagna) promissa* (WESTERLUND, 1893) – ES-SPA, PT-POR
[*bipartita* LOCARD, 1899; *euglypha* LOCARD, 1899; *omnivaga* LOCARD, 1899; *salebrosa* LOCARD,
1899; *superflexa* LOCARD, 1899]

- *Xerosecta (Xeromagna) reboudiana* (BOURGUIGNAT, 1863) – ES-SPA, PT-POR
[*comendadori* SERVAIN, 1880; *romulina* SERVAIN, 1880; *specialis* BOURGUIGNAT, 1880; *tarifensis* BOURGUIGNAT, 1880; *vettonica* SERVAIN, 1880]

Genus *Microxeromagna* ORTIZ DE ZÁRATE LÓPEZ, 1950

- *Microxeromagna lowei* (POTIEZ & MICHAUD, 1835) – ES-BAL, ES-SPA, PT-POR
[*armillata* R.T. LOWE, 1852; *stolismena* SERVAIN, 1880]

Genus *Ganula* E. GITTENBERGER, 1970

- *Ganula gadirana* MUÑOZ, ALMODÓVAR & ARRÉBOLA, 1999 – ES-SPA
- *Ganula lanuginosa* (BOISSY, 1835) – ES-BAL, ES-SPA

Familia Helicidae RAFINESQUE, 1815
Subfamilia Ariantinae MÖRCH, 1864

Genus *Arianta* TURTON, 1831

- *Arianta xatartii* (FARINES, 1834) – ES-SPA

Genus *Helicigona* A. FÉRUSAC, 1821

- *Helicigona lapicida lapicida* (LINNAEUS, 1758) – ES-SPA, PT-POR
- *Helicigona lapicida andorrica* (BOURGUIGNAT, 1876) – AN, ES-SPA

Subgenus *Corneola* HELD, 1838

- *Chilostoma (Corneola) acrotricha* (P. FISCHER, 1877) – ES-SPA
- *Chilostoma (Corneola) desmoulinsii desmoulinsii* (FARINES, 1834) – ES-SPA
- *Chilostoma (Corneola) desmoulinsii atricha* (BOFILL, 1915) – AN, ES-SPA
- *Chilostoma (Corneola) desmoulinsii bechi* (ALTIMIRA, 1959) – ES-SPA
- *Chilostoma (Corneola) squamatinum* (ROSSMÄSSLER, 1835) – AN, ES-SPA

Genus *Isognomostoma* FITZINGER, 1833

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – ES-SPA

Subfamilia Helicinae RAFINESQUE, 1815
Tribus Murellini P. HESSE, 1918

Genus *Marmorana* W. HARTMANN, 1844

Subgenus *Murella* L. PFEIFFER, 1877

- *Marmorana (Murella) muralis costulata* (BENOIT, 1857) – ES (Balearen?)
[*mahonensis* AGUILAR-AMAT, 1933]

Tribus Thebini WENZ, 1923

Genus *Theba* RISSO, 1826

- *Theba andalusica* E. GITTENBERGER & RIPKEN, 1987 – ES-SPA
- *Theba pisana pisana* (O.F. MÜLLER, 1774) – ES-BAL, ES-SPA, GB-GI, PT-POR
[*guardiae* S.H.F. JAECKEL, 1952]
- *Theba pisana arietina* (ROSSMÄSSLER, 1846) – ES-SPA, PT-POR
- *Theba subdentata helicella* (W. WOOD, 1828) – ES-SPA

Genus *Cepaea* HELD, 1838

Subgenus *Cepaea* HELD, 1838

- *Cepaea (Cepaea) hortensis* (O.F. MÜLLER, 1774) – AN, ES-SPA
- *Cepaea (Cepaea) nemoralis nemoralis* (LINNAEUS, 1758) – AN, ES-SPA, PT-POR

Genus *Pseudotachea* C. BOETTGER, 1909

- *Pseudotachea litturata* (L. PFEIFFER, 1851) – ES-SPA, GB-GI
- *Pseudotachea splendida* (DRAPARNAUD, 1801) – AN, ES-BAL, ES-SPA

Genus *Otala* SCHUMACHER, 1817

Subgenus *Otala* SCHUMACHER, 1817

- *Otala (Otala) lactea lactea* (O.F. MÜLLER, 1774) – ES-BAL, ES-SPA, GB-GI, PT-POR
- *Otala (Otala) lactea murcica* (ROSSMÄSSLER, 1854) – ES-SPA
- *Otala (Otala) punctata* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA
[*apalonena* BOURGUIGNAT, 1867]

Genus *Eobania* P. HESSE, 1913

- *Eobania vermiculata* (O.F. MÜLLER, 1774) – ES-BAL, ES-SPA
[*sarcostomopsis* BOFILL & AGUILAR-AMAT, 1924]

Genus *Iberus* MONTFORT, 1810

- *Iberus gualtieranus gualtieranus* (LINNAEUS, 1758) – ES-SPA
- *Iberus gualtieranus alonensis* (A. FÉRUSAC, 1821) – ES-SPA
- *Iberus gualtieranus campesinus* (L. PFEIFFER, 1846) – ES-SPA
- *Iberus gualtieranus carthaginiensis* (ROSSMÄSSLER, 1854) – ES-SPA
- *Iberus gualtieranus mariae* COBOS, 1979 – ES-SPA
- *Iberus gualtieranus posthumus* F. HAAS, 1934 – ES-SPA
- *Iberus gualtieranus rhodopeplus* AGUILAR-AMAT, 1925 – ES-SPA
- *Iberus marmoratus marmoratus* (A. FÉRUSAC, 1821) – ES-SPA
- *Iberus marmoratus alcarazanus* (HIDALGO, 1875) – ES-SPA
- *Iberus marmoratus cobosi* IBÁÑEZ & ALONSO, 1978 – ES-SPA
- *Iberus marmoratus guiraoanus* (ROSSMÄSSLER, 1854) – ES-SPA
- *Iberus marmoratus loxanus* (ROSSMÄSSLER, 1854) – ES-SPA
- *Iberus marmoratus rositai* FEZ, 1950 – ES-SPA

Genus *Allognathus* PILSBRY, 1888

Subgenus *Allognathus* PILSBRY, 1888

- *Allognathus (Allognathus) graellsianus* (L. PFEIFFER, 1848) – ES-BAL
[*grateloupi* GRAELLS, 1846]

Subgenus *Iberellus* P. HESSE, 1908

- *Allognathus (Iberellus) hispanicus* (ROSSMÄSSLER, 1838) – ES-BAL
[*eustrapa* BOURGUIGNAT, 1883; *balearica* ROSSMÄSSLER, 1838; *palmana* BOURGUIGNAT, 1883;
valdemusana BOURGUIGNAT, 1883]
- *Allognathus (Iberellus) pyrenaicus pyrenaicus* (ROSSMÄSSLER, 1839) – ES-BAL, ES-SPA
[*chorista* BOURGUIGNAT, 1880; *companyonii* COMPANYYO, 1837; *tiranoi* BOURGUIGNAT, 1880]
- *Allognathus (Iberellus) pyrenaicus horadadae* (S.H.F. JAECKEL, 1952) – ES-BAL
- *Allognathus (Iberellus) pyrenaicus minoricensis* (MITTRE, 1842) – ES-BAL

[*minorica* BOURGUIGNAT, 1883; *oberndörferi* KOBELT, 1882; *ramisi* BOURGUIGNAT, 1883; *sampoli* BOURGUIGNAT, 1883]

- *Allognathus (Iberellus) pyrenaicus palumbariae* (AGUILAR-AMAT, 1933) – ES-BAL
- *Allognathus (Iberellus) pyrenaicus pythiusensis* (BOFILL & AGUILAR-AMAT, 1924) – ES-BAL
- *Allognathus (Iberellus) pyrenaicus tanitianus* (FORÉS & VILELLA, 1993) – ES-BAL

Genus *Cornu* BORN, 1778

- *Cornu aspersum* (O.F. MÜLLER, 1774) – AN, ES-BAL, ES-SPA, GB-GI, PT-POR

Genus *Helix* LINNAEUS, 1758

Subgenus *Helix* LINNAEUS, 1758

- *Helix (Helix) lucorum* LINNAEUS, 1758 – ES-SPA
- *Helix (Helix) pomatia* LINNAEUS, 1758 – AN, ES-SPA